

Safety Data Sheet

Section 1: Company and Product Information

Product Name: Hibiscus Waterfalls (BBW Dupe) Fragrance Oil
INCI Name: Parfum
Country of Origin: United States
Product Use: Cosmetic and personal care applications.
Restrictions on Use: Repackaged for cosmetic use only.
Supplier: Windy Point Soap Making Supplies Inc.
14, 6125-12th Street SE
Calgary, AB T2H 2K1
587-318-6678 / 877-257-0030
Emergency Phone Number: 770-334-3906

Section 2: Hazard Identification

Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Class and category of danger: Skin Corrosion / Irritation Category 2
Sensitization - Skin Category 1
Hazardous to the Aquatic Environment - Acute Hazard Category 2
Hazardous to the Aquatic Environment - Long-term Hazard Category 1
H315, Causes skin irritation.
H317, May cause an allergic skin reaction.
H401, Toxic to aquatic life.
H410, Very toxic to aquatic life with long lasting effects.

Pictograms:



Signal word:

Warning

Hazard statements:

H315, Causes skin irritation.
H317, May cause an allergic skin reaction.
H401, Toxic to aquatic life.
H410, Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P261, Avoid breathing vapour or dust.
P264, Wash hands and other contacted skin thoroughly after handling.
P272, Contaminated work clothing should not be allowed out of the workplace.
P273, Avoid release to the environment.
P280, Wear protective gloves/eye protection/face protection.
P302/352, IF ON SKIN: Wash with plenty of soap and water.
P333/313, If skin irritation or rash occurs: Get medical advice/attention.
P362, Take off contaminated clothing and wash before reuse.
P391, Collect spillage.
P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Other hazards:

No data available.

Safety Data Sheet

Section 3: Composition / Information on Ingredients

<u>Name</u>	<u>CAS</u>	<u>%</u>	<u>GHS Classification</u>
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran	1222-05-5	10-<20%	Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316-H410
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	54464-57-2	10-<20%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 1;H315-H317-H401-H410
Ethylene brassylate	105-95-3	5-<10%	Aquatic Acute 2;H401
Methyl dihydrojasmonate	24851-98-7	5-<10%	Aquatic Acute 3;H402
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	63500-71-0	1-<5%	Eye Irrit. 2A;H319
alpha-Hexylcinnamaldehyde	101-86-0	1-<5%	Acute Tox. 5-Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H303-H316-H317-H400-H411
Linalyl acetate	115-95-7	1-<5%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 3;H227-H315-H317-H320-H402
Linalool	78-70-6	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H315-H317-H319-H402
d-Limonene	5989-27-5	1-<5%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 3;H226-H304-H315-H317-H400-H412
Dihydromyrcenol	18479-58-8	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 3;H227-H303-H315-H319-H402
Hydroxycitronellal	107-75-5	0.1-<1%	Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H317-H319-H402
Trichloromethyl phenyl carbonyl acetate	90-17-5	0.1-<1%	Skin Irrit. 2-Aquatic Acute 3-Aquatic Chronic 3;H315-H412
cis-4-(Isopropyl) cyclohexanemethanol	13828-37-0	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2;H315-H317-H401

Safety Data Sheet

6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone	33704-61-9		Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H303-H315-H317-H319-H411
2-Methyl-3-(p-isopropylphenyl) propionaldehyde	103-95-7	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H227-H303-H315-H317-H401-H412
alpha-iso-Methylionone	127-51-5	0.1-<1%	Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H316-H317-H411
dl-Citronellol	106-22-9	0.1-<1%	Acute Tox. 5-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2;H303-H313-H315-H317-H319-H401
3-(5,5,6-Trimethylbicyclo[2.2.1] hept-2-yl)cyclohexan-1-ol	3407-42-9	0.1-<1%	Skin Irrit. 3-Eye Irrit. 2A-Aquatic Acute 1-Aquatic Chronic 2;H316-H319-H400-H411
4-tert-Butylcyclohexyl acetate	32210-23-4	0.1-<1%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H303-H317-H401
Methyl atrarate	4707-47-5	0.1-<1%	Skin Sens. 1B-Aquatic Acute 2;H317-H401
delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one	57378-68-4	0.1-<1%	Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1A-Aquatic Acute 1-Aquatic Chronic 1;H302-H315-H317-H410
alpha-Cedrene	469-61-4	<0.1%	Skin Irrit. 3-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H304-H316-H410
Isoeugenol	97-54-1	<0.1%	Acute Tox. 4-Acute Tox. 4-Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1A-STOT SE 3-Aquatic Acute 2; H302-H312-H315-H317-H319-H332-H335-H401

Hydrocarbon Concentration % : 1.6400

Substances with workplace exposure limits, not listed above: Not applicable.

Section 4: First Aid Measures

Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.
Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin exposure: IF ON SKIN: Wash with plenty of soap and water.
Ingestion: Rinse mouth with water and obtain medical attention.

Safety Data Sheet

Most important symptoms and effects, both acute and delayed
Indication of any immediate medical attention and special treatment needed

Causes mild skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
None expected.

Section 5: Fire Fighting Measures

Extinguishing media

Suitable:

Carbon dioxide (CO₂), Dry chemical, Foam.

Special hazards arising from the substance or mixture:

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

Advice for firefighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6: Accidental Release Measures

Personal precautions, protective equipment, and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

Environmental precautions:

Keep away from drains, surface and ground water, and soil.

Methods and materials for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

Reference to other sections:

Also refer to sections 8 and 13.

Section 7: Handling and Storage

Precautions for safe handling:

Keep away from heat, sparks, open flames, and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8: Exposure Control / Personal Protection

Exposure controls - Personal protective equipment

Eye/Skin Protection:

Wear protective gloves/eye protection/face protection

Respiratory Protection:

Under normal conditions of use and where adequate ventilation is available to prevent buildup of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimize exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Workplace exposure limits:

None applicable.

Safety Data Sheet

Section 9: Physical and Chemical Properties

Appearance:	Free flowing liquid without sediment
Odour:	Characteristic
Odour Threshold:	Not determined
pH	Not determined
Melting point / freezing point:	Not determined
Initial boiling point / range:	Not determined
Flash point:	>93°C
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined
Upper/lower flammability or explosive limits:	Product does not present an explosion hazard
Vapour pressure:	Not determined
Vapour density:	Not determined
Relative density:	-0.0050 - 0.0050
Solubility(ies):	Not determined
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined
Explosive properties:	Not expected
Oxidising properties:	Not expected
Refractive Index @ 20C:	-0.0015 - 0.0015
Flash Point (Fahrenheit):	>200 °F
Colour Range:	

Section 10: Stability and Reactivity

Reactivity conditions:	Presents no significant reactivity hazard, by itself or in contact with water.
Chemical stability:	Good stability under normal storage conditions.
Possibility of hazardous reactions:	Not expected under normal conditions of use.
Conditions to avoid:	Avoid extreme heat.
Incompatibility:	Avoid contact with strong acids, alkalis or oxidizing agents.
Hazardous decomposition products:	Not expected.

Section 11: Toxicological Information

Information on toxicological effects:	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.
Acute Toxicity:	Based on available data the classification criteria are not met.
Acute Toxicity Oral:	>5000
Acute Toxicity Dermal:	Not available
Acute Toxicity Inhalation:	Not available
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 2
Serious eye damage/irritation:	Based on available data the classification criteria are not met.
Respiratory or skin sensitization:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.

Safety Data Sheet

Aspiration hazard:	Based on available data the classification criteria are not met.					
<u>Name</u>	<u>CAS</u>	<u>LD50/ATE Oral</u>	<u>LD50/ATE Dermal</u>	<u>LD50/ATE Inhalation</u>	<u>LC50 Route</u>	
Linalool	78-70-6	2790	Not available	Not available	Not available	
alpha-Hexylcinnamaldehyde	101-86-0	3100	Not available	Not available	Not available	

Section 12: Ecological Information

Toxicity:	Toxic to aquatic life with long lasting effects.
Persistence and degradability:	Not available
Bioaccumulative potential:	Not available
Mobility in soil:	Not available
Other adverse effects:	Not available

Section 13: Disposal Information

Waste treatment methods:	Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.
---------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Section 14: Transport Information

	UN Number	UN Proper Shipping Name	Transport hazard class	Sub Risk	Packing group
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone)	9	-	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone)	9	-	III

Environmental hazards: This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

Safety Data Sheet

Special precautions for user: None additional
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

Section 15: Regulatory Information

Essential Oil Components:

<u>Name</u>	<u>CAS</u>	<u>%</u>
CEDARWOOD OIL VIRGINIA	8000-27-9	0.1-<1%

Components listed on California's SB312:

<u>Name</u>	<u>CAS</u>	<u>%</u>
DIOCTYL ADIPATE (S) "DOA"	103-23-1	20-<50%
HEXYL CINNAMIC ALDEHYDE (R)	101-86-0	1-<5%
LINALOOL	78-70-6	1-<5%
D-LIMONENE	5989-27-5	1-<5%
HYDROXYCITRONELLAL	107-75-5	0.1-<1%
METHYL IONONE GAMMA	127-51-5	0.1-<1%
COUMARIN (C)	91-64-5	<0.1%

US Department Of Transport Bulk Packing Group: -

Section 16: Other Information

Concentration % Limits: SCI 2=50.15% SCI 3=3.86% SS 1=7.25% EH A2=11.66% EH A3=1.16%EH C1=87.63% EH C2=8.68% EH C3=0.86729065% EH C4=75.83%

Total Fractional Values: SCI 2=1.99 SCI 3=25.89 SS 1=13.80 EH A2=8.57 EH A3=86.14 EH C1=1. 14 EH C2=11.52 EH C3=115.30 EH C4=1.32

Disclaimer & Caution

Please refer to all relevant technical information specific to the product, prior to use. The information contained in this document is obtained from current and reliable sources. Windy Point Soap Making Supplies Inc. provides the information contained herein but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. The user of the product is solely responsible for compliance with all laws and regulations applying to the use of the products, including intellectual property rights of third parties. As the ordinary or otherwise use(s) of this product is outside the control of Windy Point Soap Making Supplies Inc., no representation or warranty, expressed or implied, is made as to the effect(s) of such use(s), (including damage or injury), or the results obtained. The liability of Windy Point Soap Making Supplies Inc. is limited to the value of the goods and does not include any consequential loss. Windy Point Soap Making Supplies Inc. shall not be liable for any errors or delays in the content, or for any actions taken in reliance thereon. Windy Point Soap Making Supplies Inc. shall not be responsible for any damages resulting from use of or reliance upon this information. In the event of any dispute, the Customer hereby agree that Jurisdiction is limited to the province of Alberta.