

# Safety Data Sheet (SDS)

#### Iron Oxide - Ochre

**SECTION 1: Identification** 

Product identifiers:

Product trade name: Other means of identification: Iron Oxide - Ochre

Not Available

Recommended use of the chemical and restrictions on use:

Uses:

**Pigment** 

Restrictions on use:

None identified

Details of the supplier:

Manufacturer/Supplier:

Windy point Soap Making Supplies Inc.

14, 1625-12th Street SE Calgary, AB T2H 2K1

587-318-6678

www.windypointsoap.com

Emergency telephone number:

ChemTel (MIS3548100) (800) 255-3924 Domestic USA, Canada, Puerto Rico, USVI

+ (813) 248-0585 International

## SECTION 2: Hazard(s) identification

Information in accordance with U.S. 29 CFR 1910.1200 (Hazcom 2012) and Canada Hazardous Products Regulations (WHMIS 2015):

Classification of the product:

Not classified as hazardous under any GHS hazard class according to U.S. 29 CFR 1910.1200 (Hazcom 2012) and Canada Hazardous Products Regulations (WHMIS 2015).

Label elements:

Hazard pictogram(s):

Not Applicable

Signal word:

Not Applicable

Hazard statements:

Not Applicable

Precautionary statements:

Not Applicable

Supplemental information: Skin may discolor due to contact with pigment.

Hazards not otherwise classified:

Physical hazards not otherwise classified: No Additional Information Health hazards not otherwise classified: No Additional Information

See Section 11 for toxicological information.

## SECTION 3: Composition/information on ingredients

Substance:

CAS-No.

Chemical Name

**Proprietary** 

Iron oxide pigment

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits. Exact percentage values for components are proprietary in accordance with 29 CFR 1910.1200(i).

### **SECTION 4: First-aid measures**

#### Description of first aid measures:

General: If irritation or other symptoms occur or persist from any route of exposure, remove the affected individual from the area: see a physician/get medical attention.

Eye contact: Any material that contacts the eye should be washed out immediately with water. Get medical attention if symptoms occur.

Skin contact: Wash the affected area thoroughly with plenty of soap and water. Get medical attention if symptoms occur.

Inhalation: If affected, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Call a POISON CENTER or doctor/physician if you feel unwell.

Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse out the mouth with water. Get medical attention immediately.

Protection of first aid responders: Wear proper personal protective clothing and equipment.

Most important symptoms and effects, both acute and delayed: Irritation, Skin contact may discolor skin due to pigment. Preexisting skin problems may be aggravated by prolonged or repeated contact. See section 11 for additional information.

Indication of any immediate medical attention and special treatment needed, if necessary: Treat symptomatically.

# **SECTION 5: Fire-fighting measures**

NFPA flammability class: N/A

### Extinguishing media:

Suitable: Carbon dioxide, foam, dry chemical, water.

Unsuitable: None known.

## Special hazards arising From the chemical:

Unusual fire/explosion hazards: This product is not known to present any fire hazard.

Hazardous combustion products: Irritating or toxic substances may be emitted upon burning, combustion or decomposition. See section 10 (Hazardous decomposition products) for additional information.

Special protective equipment and precautions for fire-fighters: Wear self-contained breathing apparatus (SCBA) and complete personal protective equipment when entering confined areas where potential for exposure to vapors or products of combustion exists.

See section 9 for additional information.

### SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures: See Section 8 for recommendations on the use of personal protective equipment. If spilled in an enclosed area, ventilate.

Environmental precautions: Do not flush product into public sewer, water systems or surface waters.

Methods and materials for containment and cleaning up: Contain spill. Wear proper personal protective clothing and equipment. Sweep up carefully and place into container for reuse or disposal. Avoid causing dust. Place into labeled, closed container; store in safe location to await disposal. Change contaminated clothing and launder before reuse.

### SECTION 7: Handling and storage

Precautions for safe handling: As with any chemical product, use good laboratory/workplace procedures. Wash thoroughly after handling this product. Always wash up before eating, smoking or using the facilities. Use under well-ventilated conditions. Avoid eye contact. Avoid repeated or prolonged skin contact. Avoid breathing dust. Avoid drinking, tasting, swallowing or ingesting this product. Wash contaminated clothing before reuse. Provide eyewash fountains and safety showers in the work area.

Conditions for safe storage, including any incompatibilities: Store cool and dry, under well-ventilated conditions. Store this

material away from incompatible substances (see section 10). Do not store in open, unlabeled or mislabeled containers. Keep container closed when not in use. PIGMENT YELLOW: At temperatures greater than 180°C (356°F), yellow iron oxide (Fe2O3-H2O) may convert to iron oxide red (Fe2O3) by dehydration reaction.

## SECTION 8: Exposure controls / personal protection

#### Control parameters:

Occupational exposure limits (OEL):

Chemical Name ACGIH - TWA/Ceiling ACGIH - STEL

Iron oxide pigment 5 mg/m3 TWA (respirable fraction) N/E

 Chemical Name
 OSHA - PEL
 OSHA - STEL
 OSHA - Ceiling
 Mexico

 Iron oxide pigment
 10 mg/m3 TWA (fume)
 N/E
 N/E
 5 mg/m3

10 mg/m3 TWA (fume) N/E N/E 5 mg/m3 TWA, 10 mg/m3 (Rouge), 15 mg/m3 TWA STEL (as Fe)

(Rouge), 15 mg/m3 TWA STEL (as Fe

N/E=Not established (no exposure limits established for the listed substances for listed country/region/organization).

PNOS: ACGIH has recommended the following exposure limits for Particulates (insoluble or poorly soluble) not otherwise specified (PNOS): 10 mg/m3 TWA (inhalable particles), 3 mg/m3 TWA (respirable particles). OSHA exposure limits for Particulates not otherwise regulated are 15 mg/m3 TWA (total dust) and 5 mg/m3 TWA (respirable fraction).

#### **Exposure controls:**

Appropriate engineering controls: Always provide effective general and, when necessary, local exhaust ventilation to draw dust away from workers to prevent routine inhalation. Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. (Ventilation guidelines/techniques may be found in publications such as Industrial Ventilation: American Conference of Governmental Industrial Hygienists, 1330 Kemper Meadow Drive, Cincinnati, OH, 45240-1634, USA.) (http://www.acgih.org/home.htm).

Individual protection measures, such as personal protective equipment (PPE):

Eye/face protection: Wear eye protection.

Skin and body protection: Wear protective gloves. Use good laboratory/workplace procedures including personal protective clothing: labcoat, safety glasses and protective gloves.

Respiratory protection: Respiratory protection is not needed with proper ventilation. If inhalation of dust cannot be avoided, wear an approved particulate respirator. Use respirator in accordance with manufacturer's use limitations and OSHA standard 1910.134 (29CFR).

Further information: Eyewash fountains and safety showers are recommended in the work area.

### SECTION 9: Physical and chemical properties

Form: Powder pH: Not Available

Appearance: Yellow Relative density: 4.06

Odor: None Partition coefficient (n- Not Available

octanol/water):

Odor threshold:Not Available% Volatile by weight:Not AvailableSolubility in water:InsolubleVOC:Not AvailableEvaporation rate:Non-volatileBoiling point °C:Not Applicable

Vapor pressure: Not Available Boiling point °F: Not Applicable Vapor density: Non-volatile Flash point: Not Applicable Viscosity: Not Applicable Auto-ignition temperature: Not Available Melting point/Freezing point: Not Available Flammability (solid, gas): Not flammable

Oxidizing properties: Not oxidizing Flammability or explosive LFL/LEL Not Available

limits:

Explosive properties: Not explosive UFL/UEL Not Available

Decomposition temperature: Not Available

Other information: Amounts specified are typical and do not represent a specification.

## **SECTION 10: Stability and reactivity**

Reactivity: None known.

Chemical stability: This product is stable.

Possibility of hazardous reactions: Hazardous polymerization will not occur.

Conditions to avoid: Avoid dust formation.

Incompatible materials: IRON OXIDES: Avoid contact with hydrazine, calcium hypochlorite, carbon monoxide, powdered aluminum, peroxides.

Hazardous decomposition products: Oxides of iron.

## **SECTION 11: Toxicological information**

Information on likely routes of exposure:

General: Caution must be exercised through the prudent use of protective equipment and handling procedures to minimize exposure. Repeated and prolonged inhalation of iron oxide fumes or dust may cause a benign pneumoconiosis called siderosis.

Eyes: Solid particles on the eye (powder/dust) may cause pain and be accompanied by irritation.

Skin: Repeated or prolonged skin contact may cause irritation.

Inhalation: Dust inhalation may cause respiratory irritation.

Ingestion: Ingestion may cause irritation. Ingestion of excessive amounts of insoluble iron salts may cause gastrointestinal disturbances including symptoms such as abdominal pain, vomiting, diarrhea, seizures, acidosis and adverse effects on the liver.

Symptoms/effects, acute and delayed: Irritation, Skin contact may discolor skin due to pigment

Acute toxicity information: Not classified (based on available data, the classification criteria are not met). No toxicity studies have been conducted on this product.

 Chemical Name
 Inhalation LC50
 Species
 Oral LD50
 Species
 Dermal LD50
 Species

 Iron oxide pigment
 N/E
 N/E
 >5000 mg/kg
 Rat/ adult
 N/E
 N/E

Skin corrosion/irritation: Not classified (based on available data, the classification criteria are not met).

 Chemical Name
 Skin initation
 Species

 Iron oxide pigment
 N/E
 N/E

Serious eye damage/irritation: Not classified (based on available data, the classification criteria are not met).

 Chemical Name
 Eye intation,
 Species

 Iron oxide pigment
 N/E
 N/E

Respiratory or skin sensitization: Not classified (based on available data, the classification criteria are not met).

 Chemical Name
 Skin sensitisation
 Species

 Iron oxide pigment
 N/E
 N/E

Carcinogenicity: Not classified.

Carcinogenic status: Not listed or regulated by IARC, NTP, OSHA, or ACGIH.

Germ cell mutagenicity: Not classified.

Reproductive toxicity: Not classified.

Specific target organ toxicity (STOT) - single exposure: Not classified (based on available data, the classification criteria are not met).

Specific target organ toxicity (STOT) - repeated exposure: Not classified (based on available data, the classification criteria are not

Aspiration hazard: Not classified (technical impossibility to obtain the

data). Other toxicity information: No additional information available.

# **SECTION 12: Ecological information**

Ecotoxicity: No ecological testing has been conducted on this product.

Chemical Name Fish 96 hour LC50 Fish 96 hour LC50 Fish Chaonic NOEC

Iron oxide pigment >1000 mg/L N/E N/E

<u>Chemical Name</u> <u>Invertebrates 48 hour EC50</u> <u>Invertebrates 24 hour EC50</u> <u>Invertebrates Chronic NOEC</u>

Iron oxide pigment N

Chemical Name Algae 96 hour EC50 Algae 72 hour EC50 Algae Chronic NOEC

Iron oxide pigment N/E N/E N/E

Persistence and degradability: IRON OXIDE: Will not be photolyzed or hydrolyzed to any great extent.

Chemical Name Biodegradation
Iron oxide pigment N/E

Bioaccumulative potential: IRON OXIDE: No appreciable bioconcentration is expected in the environment.

Chemical Name Bioconcentration Factor (BCF).

Iron oxide pigment N/E N/E

Mobility in soil: IRON OXIDE: Is not expected to be mobile in soil, as it is insoluble in water.

Chemical Name Mobility in soil (Koc/Kow)
Iron oxide pigment Insoluble in water

Other adverse effects: IRON OXIDE: May be harmful to plant and animal life if large quantities are released: plant leaves may

become discolored.

# **SECTION 13: Disposal considerations**

For waste disposal purposes, this product is not known to be defined or designated as hazardous by current provisions of the Federal (EPA) Resource Conservation and Recovery Act (RCRA, 40CFR261). Incinerate or landfill waste in a properly permitted facility in accordance with federal, state and local regulations.

See Section 8 for recommendations on the use of personal protective equipment.

# **SECTION 14: Transport information**

The information below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions.

UN number: N/A

UN proper shipping name:

Not regulated - See Bill of Lading for Details

Transport hazard class(es):

U.S. DOT hazard class: N/A
Canada TDG hazard class: N/A
Europe ADR/RID hazard class: N/A
IMDG Code (ocean) hazard class: N/A
ICAO/IATA (air) hazard class: N/A

A "N/A" listing for the hazard class indicates the product is not regulated for transport by that regulation.

Packing group: N/A

Environmental hazards:

Marine pollutant: Not Applicable

Hazardous substance (USA): Not Applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:

Not Applicable

Special precautions for user: Not Applicable

## **SECTION 15: Regulatory information**

Safety, health and environmental regulations specific for the product in question:

#### U.S. federal and state regulations/legislation:

This SDS has been prepared in accordance with the hazard criteria of the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

U.S. Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) Reportable Quantity (RQ):

Not Applicable

#### U.S. Superfund Amendments and Reauthorization Act (SARA) - SARA Section 313:

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372: None known

#### U.S. TSCA Section 12(b) Export Notification:

This product is not subject to TSCA 12(b) reporting requirements.

### California Proposition 65:

Warning: The following ingredients present in the product are known to the state of California to cause Cancer:

None known to be present or none in reportable amounts for occupational exposure as per OSHA's approval of the California Hazard Communication Standard, Federal Register, page 31159 ff, 6 June 1997.

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards:

None known to be present or none in reportable amounts for occupational exposure as per OSHA's approval of the California Hazard Communication Standard, Federal Register, page 31159 ff, 6 June 1997.

Notes: No additional information

#### Canada regulations/legislation:

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations and the SDS contains all the information required by the Hazardous Products Regulations.

Notes: No additional information

### Mexico regulations/legislation:

This SDS contains the information required by NOM-018-STPS-2000 Workplace Hazardous Chemical Substances Communication and Identification Standard.

Notes: No additional information

## Chemical inventories:

Regulation	<u>Status</u>
Australian Inventory of Chemical Substances (AICS):	Υ
Canadian Domestic Substances List (DSL):	Υ
Canadian Non-Domestic Substances List (NDSL):	N
China Inventory of Existing Chemical Substances (IECSC):	Υ
European Inventory of Existing Chemical Substances (EINECS):	Υ
European List of Notified Chemical Substances (ELINCS):	N
Japan Existing and New Chemical Substances (ENCS):	Υ
Korean Existing and Evaluated Chemical Substances (KECL):	Υ
New Zealand Inventory of Chemicals (NZIoC):	Υ
Philippines Inventory of Chemicals and Chemical Substances (PICCS):	Υ
Taiwan Inventory of Existing Chemicals:	Υ
U.S. Toxic Substances Control Act (TSCA):	Υ

A "Y" listing indicates all intentionally added components are either listed or are otherwise compliant with the regulation. A "N" listing indicates that for one or more components: 1) there is no listing on the public inventory; 2) no information is available; or 3) the component has not been reviewed. A "Y" for New Zealand may mean that a qualified group standard may exist for the components in this product.

Europe REACH (EC) 1907/2006: Applicable components are pre-registered, exempt or otherwise compliant. REACh is only relevant to substances either manufactured or imported into the EU. Obligations under the REACh regulation have been met. REACh information regarding this product is provided for informational purposes only. Each Legal Entity may have differing REACh obligations, depending on their place in the supply chain. For material manufactured outside of the EU, the importer of record must understand and meet their specific obligations under the regulation.

## **SECTION 16: Other information**

SDS Revision date: 2016-05-17

HMIS (Hazardous Materials Identification System) Ratings:

Health: 1 Flammability: 0 Reactivity (Stability): 0 Personal Protection: X

NFPA (National Fire Protection Association) Ratings:

Health: 1 Flammability: 0 Instability: 0

Key: 0=Insignificant; 1=Slight; 2=Moderate; 3=High; 4=Extreme. An asterisk appearing after the HMIS Health numerical rating denotes a chronic hazard.

Hazardous Materials Identification System (HMIS), National Paint and Coating Association, rating applies to product "as packaged" (i.e., ambient temperature). Ratings are based upon HMIS® III and NFPA 704 (2007). An asterisk appearing after the HMIS Health® III numerical rating denotes a chronic hazard. National Fire Protection Association (NFPA) rating identifies the severity of hazards of material during a fire emergency (i.e., "on fire").

#### Legend:

ACGIH: American Conference of Governmental Industrial Hygienists

AlHA WEEL: American Industrial Hygiene Association (AlHA) Niveau d'exposition en milieu de travail sur l'environnement (WEEL)

N/A: Not Applicable N/E: None Established

STEL: Short Term Exposure Limit

TWA: Time Weighted Average (exposure for 8-hour workday)

#### Disclaimer & Caution

Please refer to all relevant technical information specific to the product, prior to use. The information contained in this document is obtained from current and reliable sources. Windy Point Soap Making Supplies Inc. provides the information contained herein but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. The user of the product is solely responsible for compliance with all laws and regulations applying to the use of the products, including intellectual property rights of third parties. As the ordinary or otherwise use(s) of this product is outside the control of Windy Point Soap Making Supplies Inc., no representation or warranty, expressed or implied, is made as to the effect(s) of such use(s), (including damage or injury), or the results obtained. The liability of Windy Point Soap Making Supplies Inc. is limited to the value of the goods and does not include any consequential loss. Windy Point Soap Making Supplies Inc. shall not be liable for any errors or delays in the content, or for any actions taken in reliance thereon. Windy Point Soap Making Supplies Inc. shall not be responsible for any damages resulting from use of or reliance upon this information. In the event of any dispute, the Customer hereby agree that Jurisdiction is limited to the province of Alberta.