

In accordance with UN GHS latest edition

Product: MANDARIN CRANBERRY

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: MANDARIN CRANBERRY

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Windy Point Soap Making Supplies Inc.

Company address: 14, 6125-12th Street SE

Calgary, AB T2H 2K1

587-318-6678

www.windypointsoap.com

Contact:

E-Mail address:

Company phone: 770-334-3906

1.4 Emergency telephone number

Emergency phone: 770-334-3906

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of Flammable Liquid, Hazard Category 4 danger:

Skin Corrosion / Irritation Category 2

Sensitization - Skin Category 1
Aspiration Hazard Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 2
Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H227, Combustible liquid.

H304, May be fatal if swallowed and enters airways.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Signal word: Danger

Hazard statements: H227, Combustible liquid.

H304, May be fatal if swallowed and enters airways.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.



H411, Toxic to aquatic life with long lasting effects.

Precautionary statements:

P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P301/310, IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P302/352, IF ON SKIN: Wash with plenty of soap and water.

P331, Do not induce vomiting.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P362, Take off contaminated clothing and wash before reuse.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P391, Collect spillage.

P403/235, Store in a well-ventilated place. Keep cool.

P405, Store locked up.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



Pictograms:

2.3 Other hazards

Other hazards: None

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

| Name | CAS | % | GHS Classification |
|-----------------------------|------------|--------|---|
| Ethyl methylphenylglycidate | 77-83-8 | | Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2; H317-H411 |
| gamma-Undecalactone | 104-67-6 | 19.50% | Skin Irrit. 3-Aquatic Acute 3-Aquatic Chronic 3;H316- H412 |
| d-Limonene | 5989-27-5 | 16.61% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 3;H226-H304-H315- H317-H400-H412 |
| beta-lonone | 14901-07-6 | 12.65% | Skin Irrit. 3-Aquatic Acute 2-Aquatic Chronic 2;H316- H411 |
| Linalool | 78-70-6 | 4.73% | Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H315-H317-H319-H402 |



| Methyl dihydrojasmonate | 24851-98-7 | 4.33% | Aquatic Acute 3;H402 |
|--|------------|-------|--|
| Ethyl butyrate | 105-54-4 | 1.95% | Flam. Liq. 3-Eye Irrit. 2A;H226-H319 |
| Decanal | 112-31-2 | 1.73% | Flam. Liq. 4-Skin Irrit. 3-Eye Irrit. 2A-Aquatic Acute 2- Aquatic Chronic 3;H227-H316-H319-H401-H412 |
| Ethyl maltol | 4940-11-8 | 1.62% | Acute Tox. 4-Aquatic Acute 2;H302-H401 |
| Benzyl benzoate | 120-51-4 | 1.46% | Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400-H411 |
| beta-Naphthyl ethyl ether | 93-18-5 | 1.40% | Acute Tox. 5-Skin Irrit. 2-Aquatic Acute 2-Aquatic Chronic 2;H303-H315-H411 |
| trans-Anethole | 4180-23-8 | 1.30% | Acute Tox. 5-Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 2;H303-H316-H317-H401 |
| Octanal | 124-13-0 | 0.58% | Flam. Liq. 3-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 2- Aquatic Chronic 2;H226-H315-H319-H411 |
| 1-(5,6,7,8-tetrahydro-2-naphthalenyl)ethanone | 774-55-0 | 0.54% | Acute Tox. 5-Skin Irrit. 2-Aquatic Acute 2-Aquatic Chronic 2;H303-H315-H411 |
| Myrcene (Naturally-Occurring) | 123-35-3 | 0.35% | Flam. Liq. 3-Skin Irrit. 2-Eye Irrit. 2A-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 2;H226-H304-H315-H319-H400-H411 |
| beta-1-(2,6,6-Trimethyl-1- cyclohexen-1-yl)-2-buten-1-one | 35044-68-9 | 0.26% | Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H303-H315-H317-H411 |
| Citral | 5392-40-5 | 0.17% | Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1- Aquatic Acute 2;H313-H315-H317-H319-H401 |
| alpha-Terpineol | 98-55-5 | 0.15% | Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A- Aquatic Acute 2;H227-H303-H315-H319-H401 |
| Allyl (3-methylbutoxy)acetate | 67634-00-8 | 0.15% | Flam. Liq. 4-Acute Tox. 4-Acute Tox. 2-Skin Irrit. 2- Aquatic Acute 2;H227-H302-H315-H330-H401 |
| Cinnamaldehyde | 104-55-2 | 0.09% | Acute Tox. 5-Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1A-Aquatic Acute 2-Aquatic Chronic 3;H303-H312-H315-H317-H319-H401-H412 |

Substances with workplace exposure limits, not listed above:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

4.2 Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.



SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable



8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Free flowing liquid without sediment

Odour: Characteristic
Odour threshold: Not determined
pH: Not determined
Melting point / freezing point: Not determined
Initial boiling point / range: Not determined

Flash point: 62 °C

Evaporation rate:Not determined
Flammability (solid, gas):
Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure: Not determined Vapour density: Not determined 0.9530 - 0.9630 Relative density: Solubility(ies): Not determined Partition coefficient: n-octanol/water: Not determined Not determined **Auto-ignition temperature:** Not determined **Decomposition temperature:** Viscosity: Not determined **Explosive properties:** Not expected **Oxidising properties:** Not expected

9.2 Other information:

Refractive Index @ 20C: 1.4788 - 1.4888

Flash Point (Fahrenheit): 143 °F Calculated VOC: 19.25



Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity:Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000
Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation: Skin Corrosion / Irritation Category 2

Serious eye damage/irritation: Based on available data the classification criteria are not met.

Respiratory or skin sensitisation: Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Aspiration hazard: Aspiration Hazard Category 1

Information about hazardous ingredients in the mixture

Not Applicable

Refer to Sections 2 and 3 for additional information.



Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available

Section 13. Disposal considerations

Not available

13.1 Waste treatment methods:

12.5 Other adverse effects:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

| | 14.1 UN number: | 14.2 UN Proper Shipping Name: | 14.3 Transport hazard class(es): | Sub Risk: | 14.4. Packing Group: |
|-------------------------|--------------------|---|---|-----------|-------------------------|
| UN Model Regulations | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ethyl methylphenylglycidate, d-Limonene) | 9 | - | III |
| IMDG | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ethyl methylphenylglycidate, d-Limonene) MARINE POLLUTANT | 9 | - | III |
| ADR,RID,ADN | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ethyl methylphenylglycidate, d-Limonene) | 9 | - | III |
| ICAO TI | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ethyl methylphenylglycidate, d-Limonene) | 9 | - | III |

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable



Section 15. Regulatory information

Components listed on California's Proposition 65:

| Name | CAS | % |
|-------------------------------|----------|-------|
| Myrcene (Naturally-Occurring) | 123-35-3 | 0.346 |

Essential Oil Components:

| Name | CAS | % |
|-------------------|-----------|------|
| MANDARIN OIL | 808-31-9 | 0.11 |
| CINNAMON LEAF OIL | 8015-91-6 | 0.1 |

Additional formulation properties

| Name | CAS | % |
|----------------|----------|------|
| Ethyl vanillin | 121-32-4 | 0.17 |
| Vanillin | 121-33-5 | 0.1 |

Section 16. Other information

Concentration % Limits: EH A2=10.93% EH A3=1.08% EH C2=60.23% EH C3=5.52% EH C4=31.

51% SCI 2=43.97% SCI 3=3.51% SS 1=3.85% AH 1=58.50%

Total Fractional Values: EH A2=9.15 EH A3=92.67 EH C2=1.66 EH C3=18.12 EH C4=3.17 SCI

2=2.27 SCI 3=28.46 SS 1=26.00 AH 1=1.71

Key to revisions:

Not applicable

Key to abbreviations:

| ney to abbreviations. | | |
|-----------------------|--|--|
| Abbreviation | Meaning | |
| Acute Tox. 2 | Acute Toxicity - Inhalation Category 2 | |
| Acute Tox. 4 | Acute Toxicity - Oral Category 4 | |
| Acute Tox. 4 | Acute Toxicity - Dermal Category 4 | |
| Acute Tox. 5 | Acute Toxicity - Oral Category 5 | |
| Acute Tox. 5 | Acute Toxicity - Dermal Category 5 | |
| Aquatic Acute 1 | Hazardous to the Aquatic Environment - Acute Hazard Category 1 | |
| Aquatic Acute 2 | Hazardous to the Aquatic Environment - Acute Hazard Category 2 | |
| Aquatic Acute 3 | Hazardous to the Aquatic Environment - Acute Hazard Category 3 | |
| Aquatic Chronic 2 | Hazardous to the Aquatic Environment - Long-term Hazard Category 2 | |
| Aquatic Chronic 3 | Hazardous to the Aquatic Environment - Long-term Hazard Category 3 | |
| Asp. Tox 1 | Aspiration Hazard Category 1 | |
| Eye Irrit. 2A | Eye Damage / Irritation Category 2A | |
| Flam. Liq. 3 | Flammable Liquid, Hazard Category 3 | |
| Flam. Liq. 4 | Flammable Liquid, Hazard Category 4 | |
| H226 | Flammable liquid and vapour. | |
| H227 | Combustible liquid. | |



| H302 | Harmful if swallowed. |
|--------------|--|
| H303 | May be harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H312 | Harmful in contact with skin. |
| H313 | May be harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H316 | Causes mild skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |
| H400 | Very toxic to aquatic life. |
| H401 | Toxic to aquatic life. |
| H402 | Harmful to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| P210 | Keep away from heat, sparks, open flames and hot surfaces No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical, ventilating and lighting equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P260 | Do not breathe vapour or dust. |
| P261 | Avoid breathing vapour or dust. |
| P264 | Wash hands and other contacted skin thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/eye protection/face protection. |
| P284 | Wear respiratory protection. |
| P301/310 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. |
| P301/312 | IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. |
| P302/352 | IF ON SKIN: Wash with plenty of soap and water. |
| P303/361/353 | IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304/340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| P305/351/338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER or doctor/physician. |
| P312 | Call a POISON CENTRE or doctor/physician if you feel unwell. |
| P330 | Rinse mouth. |
| P331 | Do not induce vomiting. |
| P332/313 | If skin irritation occurs: Get medical advice/attention. |
| P333/313 | If skin irritation or rash occurs: Get medical advice/attention. |



| P337/313 | If eye irritation persists: Get medical advice/attention. |
|---------------|--|
| P362 | Take off contaminated clothing and wash before reuse. |
| P363 | Wash contaminated clothing before reuse. |
| P370/378 | In case of fire: Use carbon dioxide, dry chemical, foam for extinction. |
| P391 | Collect spillage. |
| P403/233/235 | Store in a well-ventilated place. Keep container tightly closed. Keep cool. |
| P403/235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container to approved disposal site, in accordance with local regulations. |
| Skin Irrit. 2 | Skin Corrosion / Irritation Category 2 |
| Skin Irrit. 3 | Skin Corrosion / Irritation Category 3 |
| Skin Sens. 1 | Sensitization - Skin Category 1 |
| Skin Sens. 1A | Sensitization - Skin Category 1A |
| Skin Sens. 1B | Sensitization - Skin Category 1B |

Disclaimer & Caution

Please refer to all relevant technical information specific to the product, prior to use. The information contained in this document is obtained from current and reliable sources. Windy Point Soap Making Supplies Inc. provides the information contained herein but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. The user of the product is solely responsible for compliance with all laws and regulations applying to the use of the products, including intellectual property rights of third parties. As the ordinary or otherwise use(s) of this product is outside the control of Windy Point Soap Making Supplies Inc., no representation or warranty, expressed or implied, is made as to the effect(s) of such use(s), (including damage or injury), or the results obtained. The liability of Windy Point Soap Making Supplies Inc. is limited to the value of the goods and does not include any consequential loss. Windy Point Soap Making Supplies Inc. shall not be liable for any errors or delays in the content, or for any actions taken in reliance thereon. Windy Point Soap Making Supplies Inc. shall not be responsible for any damages resulting from use of or reliance upon this information. In the event of any dispute, the Customer hereby agree that Jurisdiction is limited to the province of Alberta.