

Safety Data Sheet

SDS Type: GHS / OSHA



Satsuma Guava Fragrance Oil

April 13, 2020
www.windypointsoap.com

Page 1 of 7

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Satsuma Guava Fragrance Oil

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Windy Point Soap Making Supplies Inc.

14, 6125-12th Street SE

Calgary, AB T2H 2K1

587-318-6678

1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924

Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585

International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 4	H227: Combustible liquid
Aspiration Hazard, Category 1	H304: May be fatal if swallowed and enters airways
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIA Combustible Liquid
Acute Dermal/Eye	12 : Causes 15 : May cause 19 : May cause photo-induced skin irritation.
Acute Inhalation	25 : Inhalation at high levels may cause: tremors, labored breathing, hypothermia, lethargy, ataxia
Acute Oral	3 : May be harmful if swallowed or if aspirated into the lungs
Reproductive/Developmental	39 : Causes reproductive/developmental
Sensitization/Allergic Response	31 : May cause allergic skin reaction.
Target Organ Effects	26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver, stomach, gastrointestinal tract, brain, tongue, mucous membranes, musculo-skeletal system, respiratory tra
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Safety Data Sheet

SDS Type: GHS / OSHA

April 13, 2020

www.windypointsoap.com



Satsuma Guava Fragrance Oil

Page 2 of 7

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal Word: Danger

Hazard Statements

H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO ₂), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

Safety Data Sheet

SDS Type: GHS / OSHA

April 13, 2020

www.windypointsoap.com



Satsuma Guava Fragrance Oil

Page 3 of 7

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
8008-57-9 <i>Citrus aurantium dulcis (Orange) oil</i>	232-433-8	10 - 20 %	H226; H304; H315; H400; H410	12, 3, 31
140-11-4 <i>Benzyl acetate</i>	205-399-7	5 - 10 %	H303; H316; H401; H412	15, 25, 26, 31, 39
24851-98-7 <i>Methyl dihydrojasmonate</i>	246-495-9	2 - 5 %	H402	
93-18-5 <i>beta-Naphthyl ethyl ether (Nerolin Bromelia)</i>	202-226-7	2 - 5 %	H303; H315; H319; H401; H411	11, 15
101-86-0 <i>Hexyl cinnamaldehyde</i>	202-983-3	2 - 5 %	H303; H316; H317; H400; H411	11, 15
5392-40-5 <i>Citral</i>	226-394-6	2 - 5 %	H313; H315; H317; H319; H401	26
112-31-2 <i>Decanal</i>	203-957-4	2 - 5 %	H227; H319; H401; H412	11, 15
78-70-6 <i>Linalool</i>	201-134-4	2 - 5 %	H227; H303; H315; H319; H402	12, 26
37677-14-8 <i>Isohexenyl cyclohexenyl carboxaldehyde (Vertomugal)</i>	253-617-4	1 - 2 %	H316; H401; H411	11, 15
4180-23-8 <i>trans-Anethole [(E)-Anethole]</i>	224-052-0	1 - 2 %	H303; H316; H317; H401	11, 15
85-91-6 <i>Methyl N-methylanthranilate</i>	201-642-6	1 - 2 %	H227; H303; H316	11, 19
106-25-2 <i>Nerol</i>	203-378-7	1 - 2 %	H303; H315; H317; H319; H402	15
128-37-0 <i>Butylated hydroxytoluene</i>	204-881-4	1 - 2 %	H316; H400; H410	

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 15.05

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO₂), Dry chemical, Foam
Unsuitable: Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component	ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4 <i>Benzyl acetate</i>			10	
128-37-0 <i>Butylated hydroxytoluene</i>			2	

Engineering Controls: Use local exhaust as needed.

Safety Data Sheet

SDS Type: GHS / OSHA



Satsuma Guava Fragrance Oil

April 13, 2020
www.windypointsoap.com

Page 5 of 7

8.2 Exposure controls - Personal protective equipment

- Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
- Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
- Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

- Appearance:** Conforms to Standard
- Odor:** Conforms to Standard
- Color:** Yellow to Greenish Yellow (G4-5)
- Viscosity:** Liquid
- Freezing Point:** Not determined
- Boiling Point:** Not determined
- Melting Point:** Not determined
- Flashpoint (CCCFP):** 145 F (62.78 C)
- Auto flammability:** Not determined
- Explosive Properties:** None Expected
- Oxidizing properties:** None Expected
- Vapor Pressure (mmHg@20 C):** 0.2344
- %VOC:** 25.36
- Specific Gravity @ 25 C:** 0.9660
- Density @ 25 C:** 0.9630
- Refractive Index @ 20 C:** 1.4670
- Soluble in:** Oil

10. Stability and Reactivity

- 10.1 Reactivity** None
- 10.2 Chemical stability** Stable
- 10.3 Possibility of hazardous reactions** None known
- 10.4 Conditions to avoid** None known
- 10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis
- 10.6 Hazardous decomposition products** None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

- Acute toxicity - Oral - (Rat) mg/kg** (LD50: 5,240.96) Not classified - the classification criteria are not met

Safety Data Sheet

SDS Type: GHS / OSHA

April 13, 2020

www.windypointsoap.com



Satsuma Guava Fragrance Oil

Page 6 of 7

Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 5,308.29) Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 21.96) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity	Not classified - the classification criteria are not met
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability no data available

12.3 Bioaccumulative potential no data available

12.4 Mobility in soil no data available

12.5 Other adverse effects no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk) Chemicals NOI	Not Regulated - Not Dangerous Goods			
ADR/RID (International Road/Rail) Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082

Safety Data Sheet

SDS Type: GHS / OSHA



Satsuma Guava Fragrance Oil

April 13, 2020
www.windypointsoap.com

Page 7 of 7

IATA (Air Cargo)

Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082
--	------------	---	-----	--------

IMDG (Sea)

Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082
--	------------	---	-----	--------

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning This product contains the following components:
123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk	(TFV) Risk
(1.55) Aspiration Hazard, Category 1	(2.75) Skin Corrosion/Irritation, Category 2
(3.50) Sensitization, Skin, Category 1B	(1.58) Eye Damage/Eye Irritation, Category 2A
(6.84) Aquatic Chronic Toxicity, Category 2	

Disclaimer & Caution

Please refer to all relevant technical information specific to the product, prior to use. The information contained in this document is obtained from current and reliable sources. Windy Point Soap Making Supplies Inc. provides the information contained herein but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. The user of the product is solely responsible for compliance with all laws and regulations applying to the use of the products, including intellectual property rights of third parties. As the ordinary or otherwise use(s) of this product is outside the control of Windy Point Soap Making Supplies Inc., no representation or warranty, expressed or implied, is made as to the effect(s) of such use(s), (including damage or injury), or the results obtained. The liability of Windy Point Soap Making Supplies Inc. is limited to the value of the goods and does not include any consequential loss. Windy Point Soap Making Supplies Inc. shall not be liable for any errors or delays in the content, or for any actions taken in reliance thereon. Windy Point Soap Making Supplies Inc. shall not be responsible for any damages resulting from use of or reliance upon this information. In the event of any dispute, the Customer hereby agree that Jurisdiction is limited to the province of Alberta.