



Safety Data Sheet

Company and Product Information Section 1:

Sour Watermelon Candy **Product Name:**

INCI Name: Parfum **Country of Origin: United States**

Product Use: Cosmetic and personal care applications. Restrictions on Use: Repackaged for cosmetic use only. Supplier: Windy Point Soap Making Supplies Inc.

> 14, 6125-12th Street SE Calgary, AB T2H 2K1

587-318-6678 / 877-257-0030

Section 2: **Hazard Identification**

Classification of the substance or mixture

This mixture has not been tested. The effects, listed below, are based on evaluation of individual components in

accordance with the provisions of the regulation(s) noted below.

Classification Flammable Liquids, Category 3 H226: Flammable liquid and vapour according to GHS Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters Regulation (EC) No 1272/2008: airwavs

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aguatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting

Classification OSHA Flammable Liquids, Category 3 H226: Flammable liquid and vapour

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters (Provisions 1910.1200 Skin Corrosion/Irritation, Category 2 airways H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Classification Other: Carcinogenicity

of title 29):

199/45/EC):

Classification EU Ν Dangerous for the Environment

(67/548/EEC, R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment

Χi Irritant

R43: May cause sensitization by skin contact

Xn Harmful

R22: Harmful if swallowed

Label elements None

Labeling (REGULATION (EC) No 1272/2008) **Hazard Pictograms:**



Signal Word: Danger **Hazard statements:**

H226 Flammable liquid and vapour H303 May be harmful if swallowed

H304 May be fatal if swallowed and enters airways

May be harmful in contact with skin H313



Safety Data Sheet

	H317 M	auses skin irritation lay cause an allergic skin reaction		
		Causes serious eye irritation		
		May be harmful if inhaled Very Toxic to aquatic life		
		Toxic to aquatic life with long lasting effects		
Precautionary		eep container tightly closed		
Statements Prevention:		eep cool		
Otatoments i revention.		Ground/bond container and receiving equipment		
		se explosion-proof electrical/ventilating/light//equipment		
		se only non-sparking tools		
		ake precautionary measures against static discharge		
		/ash hands thoroughly after handling		
		ontaminated work clothing should not be allowed out of the workplace		
		void release to the environment		
Response:	P301 + P310 + P3	•		
		doctor/physician Do NOT induce vomiting		
	P302 + P352	IF ON SKIN: Wash with soap and water		
	P303 + P361 + P3	,		
	D004 - D040	contaminated clothing Rinse skin with water/shower		
	P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell		
	P305 + P351 + P3	338 IF IN EYES: Rinse cautiously with water for several minutes		
		Remove contact lenses if present and easy to do. Continue		
	P312	rinsing		
	P333 + P313	Call a POISON CENTER or doctor/physician if you feel unwell		
	P337 + P313	If skin irritation or a rash occurs: Get medical advice/attention		
	P352	If eye irritation persists: Get medical advice/attention Wash with soap and water		
	P362	Take off contaminated clothing and wash before reuse		
	P363	Wash contaminated clothing before reuse		
	P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam		
		for extinction. Do not use a direct water jet on burning material		
	P391	Collect Spillage		
Other hazards:	No data available			

Section 3: 0	Composition /	/ Information	on Ingredients

CAS # Ingredient	EC#	Conc. Range	GHS Classification
5989-27-5	227-813.5	50 – 60 %	H226; H304; H315; H317; H400; H412
Limonene			
8050-15-5	232-476-2	20 – 30 %	H402; H412
Methyl ester of rosin (partially hydrogenated)			
14901-07-6	238-969-9	2 – 5 %	H303; H401; H411
Ethyl methylphenylglycidate			



Safety Data Sheet

112-31-2 Decanal	203-957-4	2 – 5 %	H227; H316; H319; H401; H412
77-83-8 Ethyl Methylphenylglycidate	201-061-8	2 – 5 %	H317; H401; H411
124-13-0 Octanal	204-683-8	1 – 2 %	H226; H315; H319; H401; H411
141-97-9 Ethyl acetoacetate	205-516-1	1 – 2 %	H227
93-92-5 methylbenzyl acetate	202-288-5	1 – 2 %	H227; H402
97-85-8 Isobutyl isobutyrate	202-612-5	1 – 2 %	H226; H333; H402
128-37-0 <i>BHT</i>	204-881-4	1 – 2 %	H316; H400; H410
37677-14-8 Isohexenyl cyclohexenyl	253-617-4	0.1 - 1.0 %	H315; H317; H318; H400; H410
carboxaldehyde (Vertomugal)			
52475-86-2 1-Methyl-4-(4-methyl-3-	257-942-2	0.1 - 1.0 %	H315; H317; H318; H400; H410
pentenyl)cyclohex-3-ene-1- carbaldehyde			
122-40-7	204-541-5	0.1 - 1.0 %	H303; H316; H317; H401; H411
Amyl Cinnamal			
106-72-9	203-427-2	0.1 - 1.0 %	H227; H317; H401
Dimethyl Heptenal			
91-64-5	202-086-7	0.1 - 1.0 %	H302; H317; H402
Coumarin			
24720-09-0	246-430-4	0.1 – 1.0 %	H302; H313; H317; H401; H411
alpha-damascone			



www.windypointsoap.com
January 16, 2023

Safety Data Sheet

See Section 16 for full text of GHS classification codes Total Hydrocarbon Content (% w/w) = 53.36

Section 4: First Aid Measures

Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice. **Eye exposure:** Flush immediately with water for at least 15 minutes. Contact physician if symptoms

persist

Skin exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact

physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

Most important symptoms and effects, both acute and delayed

Symptoms: No data available.

Risks: Refer to Section "Hazard Statements"

Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section "Hazard Statements"

Section 5: Fire Fighting Measures

Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam.
Unsuitable: Do not use a direct water jet on burning material.

Special hazards arising from the substance or mixture

During firefighting: Water may be ineffective.

Advice for firefighters: Standard procedure for chemical fires.

Section 6: Accidental Release Measures

Personal precautions, Avoid inhalation and contact with skin and eyes. A self-contained breathing

protective equipment, and apparatus is recommended in case of a major spill.

emergency procedures:

Environmental precautions: Keep away from drains, soil, and surface and groundwater.

Methods and materials for containment and cleaning up:Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation.
Avoid excessive inhalation of vapors. Gross spillages should be contained by use of

sand or inert powder and disposed of according to the local regulations.

Reference to other sections: Not applicable.

Section 7: Handling and Storage

Precautions for safe Apply according to good manufacturing and industrial hygiene practices with proper

handling: ventilation. Do not drink, eat, or smoke while handling. Respect good personal

hygiene.

Conditions for safe storage, Store in a cool, dry, and ventilated area away from heat sources and protected from

including any light in tightly closed original container. Avoid plastic and uncoated metal container.

incompatibilities: Keep air contact to a minimum.

Specific end use(s): No information available.

Section 8: Exposure Control / Personal Protection

Exposure controls - Personal

protective equipment

Eye Protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure.

Respiratory Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Protection:

Skin Protection: Avoid skin contact. Use chemically resistant gloves as needed.

Control Parameters





Safety Data Sheet

Engineering

Exposure limits:

Use local exhaust as needed.

controls:

TWA ppm STEL ppm

ACGIH

SCGIH

OSHA TWA ppm **OSHA** STEL ppm

128-37-0 BHT

Component

Physical and Chemical Properties

Section 9: Appearance: Liquid

Odour: Conforms to standard

Colour: Yellow Tint (G1) to Pale Yellow (G3)

Viscosity: Liquid

Freezing point: Not determined **Boiling point:** Not determined **Melting point:** Not determined Flashpoint: 128°F (53.33°C) Auto flammability: Not determined **Explosive properties:** None expected Oxidizing properties: None expected 1.2888

Vapour pressure

(mmHg@20°C):

%VOC: 61.10 Specific gravity @ 25°C: 0.9065 Density @ 25°C: 0.9035 Refractive index @ 20°C: 1.4820 Soluble in: Oil

Section 10: Stability and Reactivity

Reactivity conditions: None. Chemical stability: Stable. Possibility of hazardous None known.

reactions:

Conditions to avoid: None known.

Incompatibility: Strong oxidizing agents, strong acids, and alkalis.

Hazardous decomposition None known.

products:

Section 11: Toxicological Information

Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - mg/kg: (LD50: 3391.6460) May be harmful if swallowed.

Acute toxicity - Dermal -(LD50: 2449.0198) May be harmful in contact with skin.

mg/kg:

Acute toxicity - Inhalation -(LD50: 39.4624) May be harmful if inhaled.

mg/L/4hr:

Skin corrosion / irritation: Causes skin irritation.

Serious eye damage / Causes serious eye irritation.

irritation:

Respiratory sensitization: Not classified - the classification criteria are not met.

Skin sensitization: May cause an allergic skin reaction.

Germ cell mutagenicity: Not classified - the classification criteria are not met. Carcinogenicity: Not classified - the classification criteria are not met. Reproductive toxicity: Not classified - the classification criteria are not met. Specific target organ toxicity -Not classified - the classification criteria are not met.

single exposure:





Safety Data Sheet

Specific target organ toxicity -

Not classified - the classification criteria are not met.

repeated exposure:

Aspiration hazard: May be fatal if swallowed and enters airways.

Section 12: Ecological Information

Acute aquatic toxicity: Very toxic to aquatic life.

Chronic aquatic toxicity: Toxic to aquatic life with long lasting effects.

Toxicity Data on soil: No data available. Toxicity on other organisms: No data available. Persistence and No data available.

degradability:

Bioaccumulative potential: No data available. Mobility in soil: No data available. Other adverse effects: No data available.

Section 13: Disposal Information

Waste treatment methods: Do not allow product to reach sewage systems. Dispose of in accordance with all

local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Section 14: Transport Information

Regulator	Class	Packing Group	Sub. Risk	UN-nr.
U.S. DOT (Non-Bulk)				
Chemicals NOI				
ADR/RID (International				
Road/Rail)				
Environmentally	9	III		UN3082
Hazardous Substance,				
Liquid, n.o.s.				
IATA (Air Cargo)				
Perfumery Products	3	III	Flammable Liquid	UN1266
Environmentally	9	III		UN3082
Hazardous Substance,				
Liquid, n.o.s.				
IMDG (Sea)				
Environmentally	3	III	Flammable Liquid	UN1266
Hazardous Substance,	9	III		UN3082
Liquid, n.o.s.				

Section 15: Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance All components of the substance/mixture are listed or exempt.

Control Act):

40 CFR(EPCRA, SARA, This product contains NO components of concern. **CERCLA and CAA):**

U.S. State Regulations

California Proposition 65 123-35-3 (NF) 204-622-5 <= 67 ppm

This product contains the following components: beta-Myrcene (Natural Source) Warning:

Canadian Regulations

DSL: 100.00% of the components are listed or exempt.





Safety Data Sheet

Section 16: Other Information

GHS H-Statements H227 : Combustible liquid

referred to under section 3 H316 : Causes mild skin irritation and not listed in section 2 H318 : Causes serious eye damage

H401 : Toxic to aquatic life

H410: Very toxic to aquatic life with long lasting effects

H302: Harmful if swallowed

H317 : May cause an allergic skin reaction H319 : Causes serious eye irritation

(1.29) Aquatic Chronic Toxicity, Category 2

H402: Harmful to aquatic life

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values (TFV) Risk

(126.70) Acute Toxicity Inhalation, Category 5 (16.13) Aquatic Chronic Toxicity, Category 3 (5.65) Skin Corrosion/Irritation, Category 2 (3.67) Aquatic Chronic Toxicity, Category 4 (1.85) Eye Damage/Eye Irritation, Category 2 (1.46) Acute Toxicity Oral, Category 5 (1.18) Acute Toxicity Dermal, Category 5 (53.35) Sensitization, Skin, Category 1B (6.13) Skin Corrosion/Irritation, Category 3 (5.34) Aspiration Hazard, Category 1 (2.29) Aquatic Acute Toxicity, Category 1 (1.84) Eye Damage/Eye Irritation, Category 2A

Disclaimer & Caution

Please refer to all relevant technical information specific to the product, prior to use. The information contained in this document is obtained from current and reliable sources. Windy Point Soap Making Supplies Inc. provides the information contained herein but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. The user of the product is solely responsible for compliance with all laws and regulations applying to the use of the products, including intellectual property rights of third parties. As the ordinary or otherwise use(s) of this product is outside the control of Windy Point Soap Making Supplies Inc., no representation or warranty, expressed or implied, is made as to the effect(s) of such use(s), (including damage or injury), or the results obtained. The liability of Windy Point Soap Making Supplies Inc. is limited to the value of the goods and does not include any consequential loss. Windy Point Soap Making Supplies Inc. shall not be liable for any errors or delays in the content, or for any actions taken in reliance thereon. Windy Point Soap Making Supplies Inc. shall not be responsible for any damages resulting from use of or reliance upon this information. In the event of any dispute, the Customer hereby agree that Jurisdiction is limited to the province of Alberta.