

Windy Point Teal Liquid Dye #D1599

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 08/06/2020

SECTION 1: Identification Identification 1.1. Product form : Mixture Product name : Teal Liquid Dye #D1599 Product code D1599 1.2. Recommended use and restrictions on use Use of the substance/mixture : Colorant Recommended use : Colorant 1.3. **Supplier** Windy Point Soap Making Supplies Inc. 14, 6125-12th Street SE, Calgary, AB T2H 2K1 587-318-6678 www.windypointsoap.com 1.4. **Emergency telephone number** : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: Emergency number +0-800-591-6042; India: +000-800-100-4086 SECTION 2: Hazard(s) identification Classification of the substance or mixture 2.1. **GHS-US classification** Aspiration hazard, Category 1 H304 May be fatal if swallowed and enters airways. Full text of H statements : see section 16 2.2. GHS Label elements, including precautionary statements **GHS US labelling** Hazard pictograms (GHS US) Signal word (GHS US) : Danger Hazard statements (GHS US) : H304 - May be fatal if swallowed and enters airways. Precautionary statements (GHS US) : P301+P310 - If swallowed: Immediately call a doctor, a POISON CENTER. P331 - Do NOT induce vomiting. P405 - Store locked up. P501 - Dispose of contents/container in accordance with local/national laws and regulations Other hazards which do not result in classification 2.3. No additional information available 2.4 Unknown acute toxicity (GHS US) Not applicable **SECTION 3: Composition/information on ingredients Substances** 3.1. Not applicable 3.2. **Mixtures GHS-US** classification Name Product identifier % (CAS-No.) 64742-53-6 45.5-65.5 Asp. Tox. 1, H304 Distillates, petroleum, hydrotreated light naphthenic

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements : see section 16

SECTI	ION 4: First-aid measures	
l.1.	Description of first aid measures	
irst-aid	l measures general	: Call a physician immediately. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid	I measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid	measures after skin contact	: Wash skin with plenty of water. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medica advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention.
First-aid	measures after eye contact	: Rinse eyes with water as a precaution. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
⁻ irst-aid	measures after ingestion	: Do not induce vomiting. Call a physician immediately. Immediately call a POISON CENTER/doctor. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2.	Most important symptoms and effe	cts (acute and delayed)
Potentia symptor	I adverse human health effects and ns	: Based on available data, the classification criteria are not met.
Symptor	ms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptor	ms/effects after ingestion	: Risk of lung oedema. May be fatal if swallowed and enters airways.
4.3.	Immediate medical attention and sp	ecial treatment, if necessary
	mptomatically.	
-	ION 5: Fire-fighting measures	
5.1.	Suitable (and unsuitable) extinguis	hing media
	extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
	ble extinguishing media	: Do not use a heavy water stream.
	5 5	
5. 2 .	Specific hazards arising from the cl	
lazaroc ire	ous decomposition products in case of	: Toxic fumes may be released.
5.3.	Special protective equipment and p	recoutions for fire fighters
	Special protective equipment and p	
liengin	ting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protectio	on during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.
SECT	ION 6: Accidental release mea	sures
6.1.		uipment and emergency procedures
6.1.1.		
_	For non-emergency personnel	: Ventilate spillage area. Evacuate unnecessary personnel.
-merge	ncy procedures	. יפותוומול איווומשר מודמ. בימניטמול עדווופנדאאויץ אדואטווופו.
6.1.2.	For emergency responders	
Protectiv	ve equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.
Emerge	ncy procedures	: Ventilate area.
6.2.	Environmental precautions	
		to sewers and public waters. Notify authorities if liquid enters sewers or public waters.
	Methods and material for containme	
	the second second for our full in the	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or
6.3.	s for cleaning up	
6.3.	s for cleaning up	diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.3. Methods	s for cleaning up formation	diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.Dispose of materials or solid residues at an authorized site.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.		
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, includin	g any incompatibilities		
Storage conditions	: Store locked up. Store in a well-ventilated place. Keep cool. Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use.		
Incompatible products	: Strong bases. Strong acids.		
Incompatible materials	: Sources of ignition. Direct sunlight.		
Storage temperature	: 25 °C		
Storage area	: Store in a well-ventilated place. Store away from heat.		
Special rules on packaging	: Store in a closed container.		
Packaging materials	: Do not store in corrodable metal.		

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Teal Liquid Dye #D1599	
No additional information available	
Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)	
No additional information available	

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls : Ensure good ventilation of the work station.: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Safety glasses. Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection. Wear appropriate mask

Personal protective equipment symbol(s):



Other information: Do not eat, drink or smoke during use.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical p	proportios	
9.1. Information on basic physical and c Physical state		
Colour	: Liquid : Blue	
Odour	: characteristic	
Odour threshold	: No data available	
	: No data available	
pH Melting a sigt		
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: > 94 °C	
Relative evaporation rate (butylacetate=1)	: No data available	
Flammability (solid, gas)	: Not applicable.	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: No data available	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive limits	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
9.2. Other information		
No additional information available		

SECTION 10: Stability and reactivity			
10.1. Reactivity			
The product is non-reactive under normal conditions of use, storage and transport.			
0.2. Chemical stability			
Not established.			
10.3. Possibility of hazardous reactions			
Not established.	Not established.		
10.4. Conditions to avoid			
Direct sunlight. Extremely high or low temperatures	Direct sunlight. Extremely high or low temperatures.		
10.5. Incompatible materials			
Strong acids. Strong bases.			
10.6. Hazardous decomposition products	10.6. Hazardous decomposition products		
fume. Carbon monoxide. Carbon dioxide.			
SECTION 11: Toxicological informatio	n		
11.1. Information on toxicological effects			
Acute toxicity (oral)	Not classified		
Acute toxicity (dermal)	Not classified		
Acute toxicity (inhalation)	Not classified		
Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)			
LD50 oral rat	> 5000 mg/kg		
LD50 dermal rabbit	> 2000 mg/kg		
LC50 inhalation rat (mg/l)	2180 mg/m ³ (Exposure time: 4 h)		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

, ······	,,
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.
Viscosity, kinematic	: No data available
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after ingestion	: Risk of lung oedema. May be fatal if swallowed and enters airways.

SECTION 12: Ecological information	on
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Distillates, petroleum, hydrotreated light	naphthenic (64742-53-6)
	······································
LC50 fish 1	> 5000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

12.2.	Persistence	and degradabili	ty

		Teal Liquid Dye #D1599		
Persistence and degradability	Not established.			
.3. Bioaccumulative potential				
Feal Liquid Dye #D1599				
Bioaccumulative potential	Not established.			

No additional information available

12.5. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Product/Packaging disposal recommendations	: Dispose of contents/container in accordance with local/national laws and regulations. Dispose in a safe manner in accordance with local/national regulations.	
Ecology - waste materials	: Hazardous waste due to toxicity. Avoid release to the environment.	

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECL/KECI (Korean Existing Chemical Substances Produced of Import

Listed on NZIOC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Distillates, petroleum, hydrotreated light naphthenic(64742-53-6)	U.S Massachusetts - Right To Know List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information : None.

Full text of H-statements:

H304	May be fatal if swallowed and enters airways.
NFPA health hazard	: 1 - Materials that, under emergency conditions, can cause significant irritation.
NFPA fire hazard	: 1 - Materials that must be preheated before ignition can occur.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.

SDS US (GHS HazCom 2012)

Please refer to all relevant technical information specific to the product, prior to use. The information contained in this document is obtained from current and reliable sources. Windy Point Soap Making Supplies Inc. provides the information contained herein, but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. The user of the product is solely responsible for compliance with all laws and regulations applying to the use of the products, including intellectual property rights of third parties. As the ordinary or otherwise use(s) of this product is outside the control of Windy Point Soap Making Supplies Inc., no representation or warranty, expressed or implied, is made as to the effect(s) of such use(s), (including damage or injury), or the results obtained. The liability of Windy Point Soap Making Supplies Inc. is limited to the value of the goods and does not include any consequential loss. Windy Point Soap Making Supplies Inc. shall not be liable for any errors or delays in the content, or for any actions taken in reliance thereon. Windy Point Soap Making Supplies Inc. shall not be responsible for any damages resulting from use of or reliance upon this information. In the event of any dispute, the Customer hereby agree that Jurisdiction is limited to the province of Alberta.