

SIGNAGE LETTERS

office | 866.429.1063
Ph/Text | 832.730.5240
Email | neiljouprouductions@gmail.com
Website | www.NeilJouProductions.com

[Sign]

The Times changes,
The shop business sign system is inadvertently evolving,
The photoelectric art, gorgeous changes, permeates in,
is concerned
but is ignored in each space

Neil Jou Studio focus on logo research and development for many years

Mini letter

Precise craft stainless steel letters

aluminum oxidation mark

Professional team advanced equipment

For you to create a unique sign industry exclusive value

CONTENTS

MINI WORD SERIES

Bevel edge frontlight backlight letter
Bevel edge front light letter
Bevel edge backlight letter
3 d backlight letter
Curved surface backlight letter
Straight edge light (imitation neon)letter
Spherical full lightlight letter
The sphere surface full light letter
Black walnut surface backlit letter
Ferula surface backlight letter
Fiber surface backlight letter

HK PRECISE CRAFT STAINLESS STEEL LETTERS

Mirror stainless steel backlight letter
Stainless steel paint backlight letter
Brushed stainless steel plating backlight letter
Mirror plated rose gold backlight letter
Antique metal backlight letter
Straight edges full light rimless letter
Smooth edge full light rimless letter
Smooth edge polishing full light rimless letter
front&side full light rimless letter
front&side full light luminous letter
Archaize copper front&side luminous letter
Mirror transparent full light luminous letter
Mirror front&side luminous letter

ALUMINUM OXIDATION IDENTIFICATION SERIES

Solid aluminum oxidation letter
Antique solid aluminum copper letter
Antique solid aluminum red copper letter
High quality aluminum oxidation front-lit letter
High quality aluminum oxidation back-lit letter
3D aluminum oxidation signage
High quality aluminum oxidation signage
High quality aluminum oxidation Dept. doorplate
High quality aluminum oxidation box doorplate
High quality aluminum oxidation door display
High quality aluminum oxidation hotel guide
High quality aluminum table sign
High quality no smoking sign

MINI WORD SERIES





DOUBL S- FACE LIT

Light	S-type LED flexible light
Materials	20MM acrylic+5MM acrylic light guide plate
recommended specification	below 800MM
Minimum stroke width	1MM



SIGNAGE LETTERS



DOUBLE- FACE LIT

Light	S-type LED flexible light
Materials	20MM acrylic+1 mm aluminum plate
recommended specification	below 800MM
Minimum stroke width	3MM



DOUBLE LIT

Light	S-type LED flexible light
Materials	10MM acrylic+10MM acryliclight guide plate
recommended specification	below 800MM
Minimum stroke width	8MM



SIGNAGE LETTERS



DTHREE-DIMENSIONAL HIML LIGHT

Light	S-type LED flexible light
Materials	20MM acrylic+10MM acrylic light guide plate
recommended specification	below 800MM
Minimum stroke width	20MM



SIGNAGE LETTERS



DHEMI-ARC LIT

Light	S-type LED flexible light
Materials	20MM acrylic+ 10MM acrylic light guide plate
recommended specification	below 800MM
Minimum stroke width	20MM



SIGNAGE LETTERS




STRAIGHT EDGE LIGHT (IMITATED NEON LAMP)

Light	S-type LED flexible light
Materials	20MM acrylic+20MM acrylic light guide plate
recommended specification	below 800MM
Minimum stroke width	20MM



SIGNAGE LETTERS



SPHERICAL BODY LIGHT

Light	S-type LED flexible light
Materials	20MM acrylic+20MM acrylic light guide plate
recommended specification	below 800MM
Minimum stroke width	20MM





SPHERICAL LIGHT

Light	S-type LED flexible light
Materials	20MM acrylic+20MM acrylic light guide plate
recommended specification	below 800MM
Minimum stroke width	20MM



SPHERICAL LIGHT

Light	S-type LED flexible light
Materials	20MM acrylic+20MM acrylic light guide plate
recommended specification	below 800MM
Minimum stroke width	20MM



SIGNAGE LETTERS



BLACK WALNUT SIDE LIGHT

Light	S-type LED flexible light
Materials	18MM Black walnut+10MM acrylic light guide plate
recommended specification	below 300MM
Minimum stroke width	18MM



SIGNAGE LETTERS



BAMBOO SIDE LIGHT

Light	S-type LED flexible light
Materials	18MM Bamboo plate+10MM acrylic light guide plate
recommended specification	below 800MM
Minimum stroke width	18MM



FIBER SIDE LIGHT

Light	S-type LED flexible light
Materials	15MM Fiber board+10MM acrylic light guide plate
recommended specification	below 800MM
Minimum stroke width	18MM



HONG KONG STYLE STAINLESS
STEEL WORD SERIES



MIRROR SIDE LIGHT WORD

Light	S-type LED flexible light
Materials	Mirror stainless steel+10MM acrylic light guide plate
recommended specification	below 800MM
Minimum stroke width	15MM



PAINT SIDE LIGHT WORD

Light	S-type LED flexible light
Materials	stainless steel paint baking+10MM acrylic light guide plate
recommended specification	below 800MM
Minimum stroke width	15MM



ELECTROPLATED BRUSHED SIDE LIGHT WORDS

Light	S-type LED flexible light
Materials	Brushed stainless steel plating titanium gold+10MM acrylic light guide plate
recommended specification	below 800MM
Minimum stroke width	15MM



ELECTROPLATED MIRROR ROSE GOLD SIDE LIGHT WORD

Light	S-type LED flexible light
Materials	Mirror stainless steel plating rose gold+10MM acrylic light guide plate
recommended specification	below 800MM
Minimum stroke width	15MM



BRONZE SIDE LIGHT CHARACTER IMITATING BRONZE

Light	S-type LED flexible light
Materials	Stainless steel antique copper+10MM acrylic light guide plate
recommended specification	below 800MM
Minimum stroke width	15MM



SIGNAGE LETTERS



STRAIGHT-EDGED GLOSSY AND UNBOUNDED CHARACTERS

Light	S-type LED flexible light
Materials	Stainless steel paint baking+15MM acrylic light guide plate
recommended specification	below 800MM
Minimum stroke width	15MM



SIGNAGE LETTERS




UNBOUNDED WORDS WITH INVERTED EDGES

Light	S-type LED flexible light
Materials	Mirror stainless steel+10MM acrylic light guide plate
recommended specification	below 800MM
Minimum stroke width	20MM



SIGNAGE LETTERS



CHAMFER POLISHED BORDERLESS CHARACTERS

Light	S-type LED flexible light
Materials	Mirror stainless steel+10MM acrylic light guide plate
recommended specification	below 800MM
Minimum stroke width	20MM



SIGNAGE LETTERS




SIDE-TO-SIDE GLOSSY BORDERLESS CHARACTERS

Light	S-type LED flexible light
Materials	Mirror stainless steel+double10MM acrylic light guide plate
recommended specification	below 800MM
Minimum stroke width	20MM



SIGNAGE LETTERS



POSITIVE AND SIDE-PASS BODY LIGHT BOX CHARACTERS

Light	S-type LED flexible light
Materials	Brushed stainless steel+12MM+10MM acrylic light guide plate
recommended specification	below 800MM
Minimum stroke width	20MM



SIGNAGE LETTERS



ANCIENT PURPLE COPPER POSITIVE SIDE LIGHT BOX CHARACTERS

Light	S-type LED flexible light
Materials	Stainless steel antique copper+12MM+10MM acrylic light guide plate
recommended specification	below 1000MM
Minimum stroke width	15MM



MIRROR TRANSPARENT THROUGH-BODY LIGHT BOX CHARACTERS

Light	S-type LED flexible light
Materials	Mirror stainless steel+15MM+3MM acrylic light guide plate
recommended specification	below 1000MM
Minimum stroke width	20MM



MIRROR POSITIVE SIDE LIGHT BOX WORD

Light	S-type LED flexible light
Materials	Mirror stainless steel+10MM+3MM acrylic light guide plate
recommended specification	below 1000MM
Minimum stroke width	20MM

Aluminum oxidation identifi-
-cation Series


23

三

五



SOLID ALUMINUM OXIDE WORD

Materials	Aluminum Magnesium
recommended specification	below 400MM
Minimum stroke width	1MM
color	




SOLID ALUMINUM OXIDE WORD

Materials	Aluminum Magnesium
recommended specification	below 400MM
Minimum stroke width	1MM
color	




THREE-DIMENSIONAL ALUMINUM OXIDE WORD

Materials	Aluminum Magnesium
recommended specification	below 400MM
Minimum stroke width	1MM
color	



THREE-DIMENSIONAL ALUMINUM OXIDE WORD

Materials	Aluminum Magnesium
recommended specification	below 400MM
Minimum stroke width	1MM
color	



IMITATION GREEN BRONZE SOLID ALUMINUM WORD

Materials	Aluminum Magnesium
recommended specification	below 400MM
Minimum stroke width	1MM



IMITATION COPPER SOLID ALUMINUM

Materials	Aluminum Magnesium
recommended specification	below 400MM
Minimum stroke width	1MM




SIGNAGE LETTERS




HIGH-END ALUMINIUM OXIDE POSITIVE WORD

Light	S-type LED flexible light
Materials	25 mm aluminium oxide+5MM acrylic light guide plate
recommended specification	below 500MM
Minimum stroke width	10MM



HIGH-END ALUMINIUM OXIDE SIDE LIGHT WORD

Light	S-type LED flexible light
Materials	15 mm aluminium oxide+10MM acrylic light guide plate
recommended specification	below 500MM
Minimum stroke width	10MM



IGH-END ALUMINUM OXIDE LOGO

Design style customizable



SIGNAGE LETTERS



THREE-DIMENSIONAL ALUMINUM OXIDE LOGO

Design style customizable



SIGNAGE LETTERS



THREE-DIMENSIONAL ALUMINUM OXIDE LOGO

Design style customizable





THREE-DIMENSIONAL ALUMINUM OXIDE LOGO

Design style customizable



SIGNAGE LETTERS



IGH-END ALUMINUM OXIDE LOGO

Design style customizable





HIGH-END ALUMINIUM OXIDATION LABORATORY BRAND

Design style customizable





HIGH-END ALUMINIUM OXIDATION LABORATORY BRAND

Design style customizable



SIGNAGE LETTERS



HIGH-END ALUMINIUM OXIDATION LABORATORY BRAND

Design style customizable



SIGNAGE LETTERS



HIGH-END ALUMINIUM OXIDATION LABORATORY BRAND

Design style customizable





HIGH-END ALUMINUM OXIDE PRIVATE ROOM DOORPLATE

Design style customizable



SIGNAGE LETTERS



HIGH-END ALUMINUM OXIDE SOLID WOOD PRIVATE ROOM DOORPLATE

Design style customizable



SIGNAGE LETTERS



HIGH-END ALUMINUM OXIDE MARBLE PRIVATE ROOM DOORPLATE

Design style customizable





Design style customizable





BLACK WALNUT SIGN

Design style customizable



SIGNAGE LETTERS



HIGH-END ALUMINUM OXIDE THREE-DIMENSIONAL DOOR DISPLAY

Design style customizable





HIGH-END ALUMINUM OXIDE HOTEL DOOR DISPLAY

Design style customizable





INTELLIGENT DOOR DISPLAY OF HIGH-END ALUMINIUM OXIDE HOTEL

Design style customizable





HIGH-END ALUMINUM OXIDATION HOTEL GUIDE

Design style customizable





HIGH END ALUMINUM OXIDE BRAND

Design style customizable





HIGH END ALUMINUM OXIDE BRAND

Design style customizable



SIGNAGE LETTERS



HIGH END ALUMINUM OXIDE BRAND

Design style customizable





HIGH END ALUMINUM OXIDE BRAND

Design style customizable



SIGNAGE LETTERS



HIGH END ALUMINUM OXIDE BRAND

Design style customizable



SIGNAGE LETTERS



HIGH END ALUMINUM OXIDE BRAND

Design style customizable





HIGH-END ALUMINUM OXIDE TABLE

Design style customizable



SIGNAGE LETTERS

RECEPTION 接待

HIGH END ALUMINUM OXIDE BRAND

Design style customizable



SIGNAGE LETTERS



HIGH END ALUMINUM OXIDE BRAND

Design style customizable



SIGNAGE LETTERS



HIGH-END ALUMINUM OXIDE SOLID WOOD TABLE

Design style customizable





INQUIRER 問詢

HIGH-END ALUMINUM OXIDE SOLID WOOD TABLE

Design style customizable





HIGH-END ALUMINUM OXIDE SOLID WOOD TABLE

Design style customizable



SIGNAGE LETTERS



HIGH END ALUMINUM OXIDE BRAND

Design style customizable



ASSISTANT MANAGER 大堂副理

HIGH END ALUMINUM OXIDE BRAND

Design style customizable





HIGH END ALUMINUM OXIDE BRAND

Design style customizable





HIGH END ALUMINUM OXIDE BRAND

Design style customizable




SIGNAGE LETTERS



HIGH END ALUMINUM OXIDE BRAND

Design style customizable





HIGH END ALUMINUM OXIDE BRAND

Design style customizable





HIGH END ALUMINUM OXIDE BRAND

Design style customizable





HIGH END ALUMINUM OXIDE BRAND

Design style customizable





HIGH END ALUMINUM OXIDE BRAND

Design style customizable





HIGH-END ALUMINUM OXIDE TABLE

Design style customizable



SIGNAGE LETTERS



HIGH-END ALUMINUM OXIDE TABLE

Design style customizable



SIGNAGE LETTERS



HIGH-END ALUMINUM OXIDE TABLE

Design style customizable



SIGNAGE LETTERS



HIGH-END ALUMINUM OXIDATION NON-SMOKING TABLE

Design style customizable





HIGH-END ALUMINUM OXIDATION NON-SMOKING TABLE

Design style customizable

