

### **SECTION FIVE**

5-1 OVERVIEW

5-2 ESELON SERIES

5-7 IND C-SERIES

5-11 IND D-SERIES

5-12 IND E-SERIES

5-13 MILLENNIUM SERIES

5-25 MINI PADLOCKABLE SWING HANDLE

5-26 RECESSED SWING HANDLE


5-27 CENTRAL LOCKING

5-28 PROFILE CYLINDER

5-29 B-CLASS LOCK ASSEMBLY

5-30 C-CLASS LOCK ASSEMBLY

#### **OVERVIEW**



#### THE FLEXIBILITY OF THE SELECTRIX CUT OUT

With the **SELECTIOK**® range of swing handles, one cut out does it all!! Whether it's a key lockable option, a pad lock or a high security application, the flexibility of the **SELECTRIX**® cut out allows you to choose the ideal option for your application.

#### **FEATURES**

- IP65 rated for weather-proof applications
- Vandal resistant construction
- High security
- Flush fitting
- Park position with "click"




KEY NUMBER	"##" CODE
CL001	01
92268	02
604	03
CL003	07
144	11
320	14
FS880	20
MIXED	OM
NON LOCKING	14N






## 

SELECTRIN® cut out







BASE FINISH	HANDLE FINISH	PART NUMBER
Black EDP Coated	Black EDP Coated	1107SBBU3N-##
Black EDP Coated	Chrome Plated	1107SBCU3N-##
Chrome Plated	Chrome Plated	1107SCCU3N-##

#### **ESELON SERIES**

## ECONOMY BARREL SWING HANDLE

#### **FEATURES:**

- Vandal resistant
- Park position with "click"
- Sleek, modern design
- IP65 rated
- Available in many key combinations
- 90° left & right stopper

#### **DIMENSIONS:**

Shaft Length = 68mm

Square size = 8mm

#### MATERIAL & FINISH:

Handle Zinc die Base Zinc die

Shaft Mild steel, Zinc plated

#### STANDARD CAMS AVAILABLE:

- <u>1000-1586</u> Single point
- <u>1000-1587</u> 3 point with adapters
- 1000-1588 3 point without

adapters

- <u>1000-1592</u> Internal handle
- P2535 Emergency internal

<u>handle</u>

• Roller cams refer to page 3-1



#### **ESELON SERIES**

#### **EURO PROFILE CYLINDER SWING HANDLE**

#### **FEATURES:**

- Vandal resistant
- Park position with "click"
- Sleek, modern design
- Suits 40mm profile cylinders
- IP65 rated
- 90° left & right stopper

#### **DIMENSIONS:**

Shaft Length = 68 mm

Square size = 8mm

#### MATERIAL & FINISH:

Handle Zinc die Base Zinc die

Shaft Mild steel, Zinc plated

#### STANDARD CAMS AVAILABLE:

- 1000-1586 Single point
- 1000-1587 3 point with adapters
- 1000-1588 3 point without adapters
  - 1000-1592 Internal handle
- Emergency internal P2535

<u>handle</u>


Roller cams refer to page 3-1

#### PROFILE CYLINDER:


Shaft Length = 68








SELECTRING CUT OUT






MAXIMUM OPENING





BASE FINISH	HANDLE FINISH	PART NUMBER
Black EDP coated	Black EDP coated	1107SBBU3N
Black EDP coated	Chrome plated	1107SBCU3N
Chrome plated	Chrome plated	1107SCCU3N





SELECTRIN® cut out





BASE FINISH	HANDLE FINISH	PART NUMBER
Black EDP coated	Black EDP coated	1107SBB04N
Black EDP coated	Chrome plated	1107SBC04N
Chrome plated	Chrome plated	1107SCC04N

# **ESELON SERIES**PADLOCKABLE SWING HANDLE

#### **FEATURES:**

- Vandal resistant
- Suits padlock up to 13mm
- Park position with "click"
- Sleek, modern design
- IP65 rated
- 90° left & right stopper

#### **DIMENSIONS:**

Shaft Length = 68mm

Square size = 8mm

#### MATERIAL & FINISH:

Handle Zinc die Base Zinc die

Shaft Mild steel, Zinc plated Hasp Hardened Forged steel, Chrome plated

\* Stainless steel range refer to page 5-5

#### STANDARD CAMS AVAILABLE:

- 1000-1586 Single point
- <u>1000-1587</u> 3 point with adapters
- <u>1000-1588 3 point without</u>
  - <u>adapters</u>
- 1000-1592 Internal handle
- P2535 Emergency internal

<u>handle</u>

• Roller cams refer to page 3-1



#### **ESELON SERIES**

## STAINLESS STEEL PADLOCKABLE SWING HANDLE

#### **FEATURES:**

- Vandal resistant
- Suits padlock up to 13 mm
- Park position with "click"
- Semi flush
- IP65 rating
- 90° left & right stopper

#### **DIMENSIONS:**

Shaft Length = 68mm

Square size = 8mm

#### MATERIAL & FINISH:

Handle & Base Stainless steel cast alloy CF-8M (equivalent to wrought stainless steel AISI 316)

Shaft Stainless steel 316 Hasp Stainless steel 316


#### STANDARD CAMS AVAILABLE:

- <u>1000-1586</u> Single point
- <u>1000-1587</u> 3 point with adapters
- 1000-1588 3 point without adapters
- 1000-1587-SS 3 point with adapters
- 1000-1588-SS 3 point without adapters
- 1000-1592 Internal handle
- P2535 Emergency internal handle
- Roller cams refer to page 3-1











**SELECTRIM**® cut out






BASE FINISH	HANDLE FINISH	PART NUMBER
Mirror-like finish	Mirror-like finish	1107SSS04N



#### HANDLE OUTLINE 23 P 57 7 P 5

SELECTRIN® cut out





BASE FINISH HANDLE FINISH PART NUMBER

Chrome plated Chrome plated 1107SCCU3N-PAD

# **ESELON SERIES**PADLOCKABLE SWING HANDLE

#### **FEATURES:**

- Vandal resistant
- Semi flush
- Park position with "click"
- IP65 rated
- Suits padlock up to 10mm
- 90° left & right stopper

#### **DIMENSIONS:**

Shaft Length = 68mm

Square size = 8mm

#### MATERIAL & FINISH:

Handle Zinc die Base Zinc die

Shaft Mild steel, Zinc

plated

#### STANDARD CAMS AVAILABLE:

- <u>1000-1586</u> Single point
- 1000-1587 3 point with adapters
- <u>1000-1588 3 point without</u>

adapters

- <u>1000-1592</u> Internal handle
- P2535 Emergency internal

handle

• Roller cams refer to page 3-1



# IND-C SERIES EURO PROFILE CYLINDER SWING HANDLE

#### **FEATURES:**

- Vandal resistant
- Park position with "click"
- Semi flush
- IP65 rated
- Suits 40mm profile cylinders
- Suits rod latch

#### MATERIAL & FINISH:

Handle Zinc die Base Zinc die


Shaft Mild steel, Zinc plated Cover Black polyamide


#### STANDARD LATCH/CAMS AVAILABLE:


- Single point cam with various "H" dimension
- Roller cams refer to page 3-1


Product with part number: 1107SCCU3-IND-C "PASS" IP65 Test














KIT	ANGLE OF ROTATION	PART NUMBER
Rectangular Boss without Stopper and Shaft Adapter	360°	PI5285-KIT
Rectangular Boss with Stopper and Shaft Adapter	180°	PI5285-KIT-1


<sup>\*</sup> Kit sold separately


Door Material Thickness t (mm)  $1.5 \le t < 2.5^*$ 


BASE FINISH	HANDLE FINISH	PART NUMBER
Black EDP coated	Black EDP coated	1107SBBU3-IND-C
Chrome plated	Chrome plated	1107SCCU3-IND-C

<sup>\*</sup> Add Shaft Spacer (Part No. PI5285-06) For 2.5-3.5mm Door Material Thickness (Sold Separately)









KIT	ANGLE OF ROTATION	PART NUMBER
Rectangular Boss without Stopper and Shaft Adapter	360°	PI5285-KIT
Rectangular Boss with Stopper and Shaft Adapter	180°	PI5285-KIT-1

<sup>\*</sup> Kit sold separately

#### Door Material Thickness t (mm) $1.5 \le t < 2.5^*$

BASE FINISH	HANDLE FINISH	PART NUMBER
Black EDP coated	Black EDP coated	1107SBB04-IND-C
Chrome plated	Chrome plated	1107SCC04-IND-C
Stainless Steel	Stainless steel	1107SSS04-IND-C

<sup>\*</sup> Add Shaft Spacer (Part No. Pl5285-06) For 2.5-3.5mm Door Material Thickness (Sold Separately)

# IND-C SERIES PADLOCKABLE SWING HANDLE

#### **FEATURES:**

- Vandal resistant
- Park position with "click"
- Semi flush
- IP65 rated
- Suits padlock up to 13mm
- Suits rod latch

#### MATERIAL & FINISH:

Handle Zinc die Base Zinc die

Shaft Mild steel, Zinc plated Cover Black polyamide

#### STANDARD LATCH/CAMS AVAILABLE:

- Single point cam with various "H" dimension
- HMS103C-1-1 Rod latch mechanism with square quick fit stubs
- HMS103C-1-1-R Rod latch mechanism with round rod stubs
- Roller cams refer to page 3-1

Product with part number:

1107SBB04-IND-C "PASS" IP65 Test





#### **IND-C SERIES**

## ECONOMY BARREL SWING HANDLE

#### **FEATURES:**

- Vandal resistant
- Park position with "click"
- Semi flush
- IP65 rated
- Available in many key combinations
- Suits rod latch

#### MATERIAL & FINISH:

Handle Zinc die Base Zinc die

Shaft Mild steel, Zinc plated Cover Black polyamide

#### STANDARD LATCH/CAMS AVAILABLE:


- Single point cam with various "H" dimension
- HMS103C-1-1 Rod latch mechanism with square quick fit stubs
- HMS103C-1-1-R Rod latch mechanism with round rod stubs
- Roller cams refer to page 3-1


Product with part number: 1107SCCU3-IND-C-xx "PASS" IP65
Test


"##" Denotes key number <u>refer to page</u> 5-1














KIT	ANGLE OF ROTATION	PART NUMBER
Rectangular Boss without Stopper and Shaft Adapter	360°	PI5285-KIT
Rectangular Boss with Stopper and Shaft Adapter	180°	PI5285-KIT-1


<sup>\*</sup> Kit sold separately


Door Material Thickness t (mm)  $1.5 \le t < 2.5^*$ 


BASE FINISH	HANDLE FINISH	PART NUMBER
Black EDP coated	Black EDP coated	1107SBBU3-IND-C-##
Black EDP coated	Chrome plated	1107SBCU3-IND-C-##
Chrome plated	Chrome plated	1107SCCU3-IND-C-##


<sup>\*</sup> Add Shaft Spacer (Part No. PI5285-06) For 2.5-3.5mm Door Material Thickness (Sold Separately)











KIT	ANGLE OF ROTATION	PART NUMBER
Rectangular Boss without Stopper and Shaft Adapter	360°	PI5285-KIT
Rectangular Boss with Stopper and Shaft Adapter	180°	PI5285-KIT-1

<sup>\*</sup> Kit sold separately

Door Material Thickness t (mm)  $1.5 \le t < 2.5^*$ 

BASE FINISH	HANDLE FINISH	PART NUMBER
Black EDP coated	Black EDP coated	1107SBBA3-IND-C
Chrome plated	Chrome plated	1107SCCA3-IND-C

<sup>\*</sup> Add Shaft Spacer (Part No. PI5285-06) For 2.5-3.5mm Door Material Thickness (Sold Separately)

#### **IND-C SERIES**

#### AUSTRALIAN OVAL PROFILE CYLINDER SWING HANDLE

#### **FEATURES:**

- Vandal resistant
- Park position with "click"
- Semi flush
- IP65 rated
- Suits Australian oval profile cylinders
- Suits rod latch

#### MATERIAL & FINISH:

Handle Zinc die Base Zinc die

Shaft Mild steel, Zinc plated Cover Black polyamide

#### STANDARD LATCH/CAMS AVAILABLE:

- Single point cam with various "H" dimension
- HMS103C-1-1 Rod latch mechanism with square quick fit stubs
- HMS103C-1-1-R Rod latch mechanism with round rod stubs
- Roller cams refer to page 3-1

Product with part number: 1107SCCA3-IND-C-xx "PASS" IP65 Test





## IND-D SERIES SWING HANDLE



#### **FEATURES:**

- RH or LH application
- 90° rotation
- Lockable with cylinder barrel
- U-shaped fastening bracket
- Fully flush design
- IP65 rated
- Spring loaded handle
- Push button

#### MATERIAL & FINISH:

Handle Zinc die Base Zinc die


Bracket Mild steel, Zinc plated


#### STANDARD CAMS AVAILABLE:

- Single cam with various "H" dimension refer to page 1-16
- Three point cams refer to page 3-5
- Roller cams <u>refer to page 3-1</u>

"##" Denotes key number refer to page 5-1







CUT-OUT



BASE FINISH	HANDLE FINISH	PART NUMBER
Chrome plated	Chrome plated	1107SCCU3-IND-D-##



## IND-E SERIES SWING HANDLE

#### **FEATURES:**

- RH or LH application
- 90° rotation
- Lockable with cylinder barrel
- U-shaped fastening bracket
- Fully flush design
- IP65 rated
- Spring loaded handle
- Push button

#### MATERIAL & FINISH:


Handle Zinc die Base Zinc die


Bracket Mild steel, Zinc plated

#### STANDARD CAMS AVAILABLE:

- Single cam with various "H" dimension refer to page 1-16
- Three point cams refer to page 3-5
- Roller cams refer to page 3-1


"##" Denotes key number refer to page 5-1





CUT-OUT







# MILLENNIUM SERIES EURO PROFILE CYLINDER SWING HANDLE

#### **FEATURES:**

- Vandal resistant
- Park position with "click"
- Semi flush
- IP65 rated
- Suits 40mm profile cylinders
- 90° left & right stopper
- Push Button

#### **DIMENSIONS:**

Shaft Length = 68mm

Square size = 8mm

#### MATERIAL & FINISH:

Handle Zinc die Base Zinc die

Shaft Mild steel, Zinc plated

#### STANDARD CAMS AVAILABLE:

- <u>1000-1586</u> Single point
- <u>1000-1587</u> 3 point with adapters
- <u>1000-1588 3 point without</u>

<u>adapters</u>

- <u>1000-1592</u> Internal handle
- P2535 Emergency internal


<u>handle</u>

Roller cams refer to page 3-1


Stainless steel <u>refer to page</u> 5-14








SELECTRIN® cut out








BASE FINISH	HANDLE FINISH	PART NUMBER
Black EDP coated	Black EDP coated	1107SBBU3
Black EDP coated	Chrome plated	1107SBCU3
Chrome Plated	Chrome Plated	1107SCCU3








SELECTRIN® cut out

# 142





**BASE FINISH** HANDLE FINISH PART NUMBER Mirror-like finish Mirror-like finish 1107SSSU3

©Selectrix Industries Pty Ltd and Selectlok NZ Limited.

#### MILLENNIUM SERIES STAINLESS STEEL EURO PROFILE CYLINDER SWING HANDLE

#### **FEATURES:**

- Vandal resistant
- Park position with "click"
- Semi flush
- IP65 rated
- Suits 40mm profile cylinders
- 90° left & right stopper
- Push Button

#### **DIMENSIONS:**

Shaft Length = 68mm

Square size = 8mm

Half euro profile cylinder

#### MATERIAL & FINISH:

Handle & Base

Stainless steel cast alloy CF-8M (equivalent to wrought stainless steel AISI 316)

Stainless steel 316 Shaft

#### STANDARD CAMS AVAILABLE:

- 1000-1586 Single point
- 1000-1587 3 point with adapters
- 1000-1588 3 point without adapters
- 1000-1587-SS 3 point with <u>adapters</u>
- 1000-1588-SS 3 point without adapters
- 1000-1592 Internal handle
- Emergency internal P2535 handle
- Roller cams refer to page 3-1





<sup>\*</sup> For dust cap feature, add "D" to end of part number

# MILLENNIUM SERIES STAINLESS STEEL ECONOMY BARREL SWING HANDLE

#### **FEATURES:**

- With lock dustcover
- Vandal resistant
- Park position with "click"
- Semi flush
- IP65 rating
- Available in many key combinations
- 90° left & right stopper

#### **DIMENSIONS:**

Shaft Length = 68mm

Square size = 8mm

#### MATERIAL & FINISH:

Handle & Base Stainless steel cast alloy CF-8M (equivalent to wrought

stainless steel AISI 316)

Shaft Stainless steel 316


#### STANDARD CAMS AVAILABLE:

- <u>1000-1586</u> Single point
- 1000-1587 3 point with adapters
- 1000-1588 3 point without adapters
- 1000-1587-SS 3 point with adapters
- 1000-1588-SS 3 point without adapters
- 1000-1592 Internal handle
- P2535 Emergency internal handle
- Roller cams refer to page 3-1












SELECTRIN® cut out







BASE FINISH	HANDLE FINISH	KEY NUMBER	PART NUMBER
Mirror-like finish	Mirror-like finish	CL001	1107SSSU3-01D
Mirror-like finish	Mirror-like finish	92268	1107SSSU3-02D
Mirror-like finish	Mirror-like finish	604	1107SSSU3-03D
Mirror-like finish	Mirror-like finish	CL003	1107SSSU3-07D
Mirror-like finish	Mirror-like finish	144	1107SSSU3-11D
Mirror-like finish	Mirror-like finish	320	1107SSSU3-14D





SELECTRIN® cut out





BASE FINISH	HANDLE FINISH	KEY NUMBER	PART NUMBER
Chrome plated	Chrome plated	CL001	1107SCCU3-01
Chrome plated	Chrome plated	92268	1107SCCU3-02
Chrome plated	Chrome plated	604	1107SCCU3-03
Chrome plated	Chrome plated	CL003	1107SCCU3-07
Chrome plated	Chrome plated	320	1107SCCU3-14
Chrome plated	Chrome plated	FS880	1107SCCU3-20
Chrome plated	Chrome plated	Mixed	1107SCCU3-0M

- \* Other finishes available, including Black EDP, Black Chrome
- \* For dust cap feature, add "D" to end of part number

## MILLENNIUM SERIES ECONOMY BARREL SWING HANDLE

#### **FEATURES:**

- Vandal resistant
- Park position with "click"
- Semi flush
- IP65 rated
- Available in many key combinations
- 90° left & right stopper

#### **DIMENSIONS:**

Shaft Length = 68mm

Square size = 8mm

MATERIAL & FINISH:

Handle Zinc die Base Zinc die

Shaft Mild steel, Zinc plated

Stainless steel range refer to page5-15

#### STANDARD CAMS AVAILABLE:

- <u>1000-1586</u> Single point
- 1000-1587 3 point with adapters
- 1000-1588 3 point without

adapters

- 1000-1592 Internal handle
- P2535 Emergency internal handle

lariale

• Roller cams refer to page 3-1



#### MILLENNIUM SERIES

## ECONOMY BARREL PADLOCKABLE SWING HANDLE

#### **FEATURES:**

- Vandal resistant
- Key and padlockable
- Park position with "click"
- Semi flush
- Suits padlock up to 13mm
- IP65 rated
- Available in many key combinations
- 90° left & right stopper

#### **DIMENSIONS:**

Shaft Length = 68mm

Square size = 8mm

#### MATERIAL & FINISH:

Handle Zinc die Base Zinc die

Shaft Mild steel, Zinc plated

Hasp Stainless steel

#### STANDARD CAMS AVAILABLE:

- <u>1000-1586</u> Single point
- <u>1000-1587</u> 3 point with adapters
- 1000-1588 3 point without adapters
- 1000-1592 Internal handle
- P2535 Emergency internal


<u>handle</u>

• Roller cams refer to page 3-1


Stainless steel range available on request









SELECTRIM® cut out







BASE FINISH	HANDLE FINISH	KEY NUMBER	PART NUMBER
Chrome plated	Chrome plated	CL001	1107SCCU3-01-PAD
Chrome plated	Chrome plated	92268	1107SCCU3-02-PAD
Stainless steel	Stainless steel	CL001	1107SSSU3-01-PAD
Stainless steel	Stainless steel	93368	1107SSSU3-02-PAD





**SELECTRIM**® cut out





## BASE FINISH HANDLE FINISH PART NUMBER Chrome plated Chrome plated 1107SCCU3-PAD

## MILLENNIUM SERIES PADLOCKABLE SWING HANDLE

#### **FEATURES:**

- Vandal resistant
- Park position with "click"
- Semi flush
- IP65 rated
- Suits padlock up to 10mm
- 90° left & right stopper

#### **DIMENSIONS:**

Shaft Length = 68mm Square size = 8mm

#### MATERIAL & FINISH:

Handle Zinc die Base Zinc die

Shaft Mild steel, Zinc plated

Hasp Stainless Steel

#### STANDARD CAMS AVAILABLE:

- <u>1000-1586</u> Single point
- 1000-1587 3 point with adapters
- 1000-1588 3 point without adapters
- <u>1000-1592</u> Internal handle
- P2535 Emergency internal

<u>handle</u>

Roller cams refer to page 3-1



## MILLENNIUM SERIES HIGH SECURITY SWING HANDLE

#### **FEATURES:**

- Vandal resistant
- Park position with "click"
- Semi flush
- IP65 rated
- Suits 45mm profile cylinders
- 90° left & right stopper

#### **DIMENSIONS:**

Shaft Length = 68mm Square size = 8mm

#### MATERIAL & FINISH:

Handle Zinc die Base Zinc die

Shaft Mild steel, Zinc plated

#### STANDARD CAMS AVAILABLE:


- <u>1000-1586</u> Single point
- 1000-1587 3 point with adapters
- 1000-1588 3 point without adapters
- 1000-1592 Internal handle
- P2535 Emergency internal handle
- Roller cams refer to page 3-1
- \* Stainless steel range refer to page 5-20

#### PROFILE CYLINDER:


45mm Euro Profile Cylinder








SELECTRIM® cut out







BASE FINISH	HANDLE FINISH	PART NUMBER
Chrome plated	Chrome plated	1107SCCU3-45






# 82 53 52 TANDLE OUTLINE

SELECTRIN® cut out

# 27





BASE FINISH HANDLE FINISH PART NUMBER

Mirror-like finish 1107SSSU3-45

# MILLENNIUM SERIES STAINLESS STEEL HIGH SECURITY SWING HANDLE

#### **FEATURES:**

- Vandal resistant
- Park position with "click"
- Semi flush
- IP65 rated
- Suits 45mm profile cylinders
- 90° left & right stopper

#### **DIMENSIONS:**

Shaft Length = 68mm Square size = 8mm

#### MATERIAL & FINISH:

Handle & Base

Stainless steel cast alloy CF-8M (equivalent to wrought stainless steel AISI 316)

Shaft Stainless steel 316

#### STANDARD CAMS AVAILABLE:

- <u>1000-1586</u> Single point
- 1000-1587 3 point with adapters
- 1000-1588 3 point without adapters
- 1000-1587-SS 3 point with adapters
- 1000-1588-SS 3 point without adapters
- <u>1000-1592</u> Internal handle
- P2535 Emergency internal handle
- Roller cams refer to page 3-1

#### PROFILE CYLINDER:

45mm Euro Profile Cylinder



## MILLENNIUM SERIES NON LOCKING SWING HANDLE

#### **FEATURES:**

- Semi flush
- Park position with "click"
- IP65 rated
- 90° left & right stopper

#### **DIMENSIONS:**

Shaft Length = 68mm Square size = 8mm

#### MATERIAL & FINISH:

Handle Zinc die Base Zinc die

Shaft Mild steel, Zinc plated

#### STANDARD CAMS AVAILABLE:


- <u>1000-1586</u> Single point
- 1000-1587 3 point with adapters
- 1000-1588 3 point without adapters
- 1000-1592 Internal handle
- P2535 Emergency internal

handle


Roller cams refer to page 3-1








SELECTRIM® cut out







BASE FINISH HANDLE FINISH PART NUMBER


Chrome plated 1107SCC14





SELECTRIN® cut out





BASE FINISH	HANDLE FINISH	PART NUMBER
Black EDP coated	Black EDP coated	1107SBB04
Black EDP coated	Chrome plated	1107SBC04
Chrome plated	Chrome plated	1107SCC04

## MILLENNIUM SERIES PADLOCKABLE SWING HANDLE

#### **FEATURES:**

- Vandal resistant
- Park position with "click"
- Semi flush
- IP65 rated
- 13mm hasp-new cut-resistant material
- Suits padlock up to 13mm
- 90° left & right stopper

#### **DIMENSIONS:**

Shaft Length = 68mm

Square size = 8mm

#### MATERIAL & FINISH:

Handle Zinc die Base Zinc die

Shaft Mild steel, Zinc plated

Hasp Stainless Steel

#### STANDARD CAMS AVAILABLE:

- <u>1000-1586</u> Single point
- <u>1000-1587</u> 3 point with adapters
- <u>1000-1588</u> <u>3 point without</u>

adapters

- 1000-1592 Internal handle
- P2535 Emergency internal

handle

• Roller cams refer to page 3-1

Stainless steel range refer to page 5-23



# MILLENNIUM SERIES STAINLESS STEEL PADLOCKABLE SWING HANDLE

#### **FEATURES:**

- Vandal resistant
- Semi flush
- Park position with "click"
- IP65 rated
- Suits padlock up to 13mm
- 90° left & right stopper

#### **DIMENSIONS:**

Shaft Length = 68mm Square size = 8mm

#### MATERIAL & FINISH:

Handle & Base

Stainless steel cast alloy CF-8M (equivalent to wrought stainless steel AISI 316)


Shaft Stainless Steel 316 Hasp Stainless Steel 316

#### STANDARD CAMS AVAILABLE:


- <u>1000-1586</u> Single point
- <u>1000-1587</u> 3 point with adapters
- 1000-1588 3 point without adapters
- 1000-1587-SS 3 point with adapters
- 1000-1588-SS 3 point without adapters
- <u>1000-1592</u> Internal handle
- P2535 Emergency internal handle
- Roller cams refer to page 3-1









SELECTRIN® cut out







BASE FINISH	HANDLE FINISH	PART NUMBER
Mirror-like Finish	Mirror-like Finish	1107-SS02-316
Brushed	Brushed	1107-SS02-316-B





**SELECTRIM**® cut out





## BASE FINISH HANDLE FINISH PART NUMBER Black EDP coated Chrome plated 1107-BBCH-W

# MILLENNIUM SERIES HIGH DUTY PADLOCKABLE SWING HANDLE

#### **FEATURES:**

- Vandal resistant
- Park position with "click"
- Semi flush
- IP65 rated
- 13mm hasp-new cut-resistant material
- Suits padlock up to 13mm
- 90° left & right stopper
- Stainless steel hasp

#### **DIMENSIONS:**

Shaft Length = 68mm

Square size = 8mm

#### MATERIAL & FINISH:

Handle Zinc die Base Zinc die

Shaft Mild steel, Zinc plated

Hasp Stainless Steel

#### STANDARD CAMS AVAILABLE:

- 1000-1586 Single point
- 1000-1587 3 point with adapters
- <u>1000-1588 3 point without</u>

adapters

• 1000-1592 Internal handle

P2535 Emergency internal

handle

• Roller cams refer to page 3-1



# MINI PADLOCKABLE SWING HANDLE

#### FEATURES:

- Vandal resistant
- IP65 rated
- Semi flush
- Suits padlock up to 13mm
- 13mm hasp-new cut-resistant material

#### **DIMENSIONS:**

Shaft Length = 68mm

Square size = 8mm

#### MATERIAL & FINISH:

Handle Zinc die Base Zinc die

Shaft Mild steel, Zinc plated Hasp Hardened Forged

steel, Chrome plated

#### STANDARD CAMS AVAILABLE:

- 1000-1586 Single point
- 1000-1587 3 point with adapters
- 1000-1588 3 point without

<u>adapters</u>


- <u>1000-1592</u> Internal handle
- P2535 Emergency internal

<u>handle</u>


Roller cams refer to page 3-1








SELECTRIM® cut out







MAXIMUM OPENING

BASE FINISH	HANDLE FINISH	PART NUMBER
Zinc die cast	Black EDP coated	1107MBB04
Zinc die cast	Chrome plated	1107MCC04
Stainless steel	Stainless steel	1107MSS02-304

For Stainless steel hasp add "W" to end of part number





DESCRIPTION	STYLE	PART NUMBER
Dish		P2579-650-15
Swing handle		1107SCCU3
Profile cylinder		211-9106-60xxx
Gasket for dish	Foam style	P2579-650-17
Gasket for dish	Rubber style	P2579-650-17-R

## **RECESSED**SWING HANDLE

#### **FEATURES:**

- Vandal resistant
- Park position with "click"
- IP65 rated
- Semi flush
- Easy cutout
- Stainless steel dish
- 90° left & right stopper

#### **DIMENSIONS:**

Shaft Length = 68mm Square size = 8mm

#### MATERIAL & FINISH:

Handle & Base Zinc die, Chrome

plated

Shaft Mild steel, Zinc

plated

Dish Stainless steel

#### STANDARD CAMS AVAILABLE:

- 1000-1586 Single point
- 1000-1587 3 point with adapters
- 1000-1588 3 point without adapters
- <u>1000-1592</u> Internal handle
- P2535 Emergency internal handle
  - Roller cams refer to page 3-1

Stainless steel range available on request



### **CENTRAL LOCKING**

#### SWING HANDLE

#### **FEATURES:**

- Electrically actuated
- Park position with "click"
- Can be connected to vehicles existing system
- Key override (lock/unlock)
- 2 wire connection 12 volt DC
- 90° left & right stopper

#### **DIMENSIONS:**

Shaft Length = 68mm

Square size = 8mm

#### MATERIAL & FINISH:

Handle & Base Zinc die, Chrome

plated

Shaft Mild steel, Zinc

plated

Dish Stainless steel

#### STANDARD CAMS AVAILABLE:

- 1000-1586 Single point
- 1000-1587 3 point with adapters
- 1000-1588 3 point without


adapters


- 1000-1592 Internal handle
- **Emergency** internal P2535 handle

Roller cams refer to page 3-1









KEY NUMBER	PART NUMBER	KEY NUMBER	PART NUMBER
M60201	1107SCCU3-EL-01	M60211	1107SCCU3-EL-11
M60202	1107SCCU3-EL-02	M60212	1107SCCU3-EL-12
M60203	1107SCCU3-EL-03	M60213	1107SCCU3-EL-13
M60204	1107SCCU3-EL-04	M60214	1107SCCU3-EL-14
M60205	1107SCCU3-EL-05	M60215	1107SCCU3-EL-15
M60206	1107SCCU3-EL-06	M60216	1107SCCU3-EL-16
M60207	1107SCCU3-EL-07	M60217	1107SCCU3-EL-17
M60208	1107SCCU3-EL-08	M60218	1107SCCU3-EL-18
M60209	1107SCCU3-EL-09	M60219	1107SCCU3-EL-19
M60210	1107SCCU3-EL-10	M60220	1107SCCU3-EL-20



KEY NUMBER	PART NUMBER
M60201	211-9106-60201
M60202	211-9106-60202
M60203	211-9106-60203
M60204	211-9106-60204
M60205	211-9106-60205
M60206	211-9106-60206
M60207	211-9106-60207
M60208	211-9106-60208
M60209	211-9106-60209
M60210	211-9106-60210
M60211	211-9106-60211
M60212	211-9106-60212
M60213	211-9106-60213
M60214	211-9106-60214
M60215	211-9106-60215
M60216	211-9106-60216
M60217	211-9106-60217
M60218	211-9106-60218
M60219	211-9106-60219
M60220	211-9106-60220

## **PROFILE**CYLINDER

#### **FEATURES:**

- High security
- Master keyed
- Slam shut
- 20 key code available
- Suits any profile cylinder handle
- \* Please note: handle not supplied with profile cylinder

#### MATERIAL & FINISH:

Cylinder Zinc die, Chrome plated



Photo above shows 211-9106 style profile cylinder with <u>1107SCCU3 handle</u>



#### B-CLASS LOCK ASSEMBLY

#### **FEATURES:**

- Very high protective security
- Double locking mechanism
- LaGard lock suitability (not included)
- Mount plate is mandatory

Please note: the locking bars (Pl5138-##) and mount plate (see table below) are sold separately

#### MATERIAL & FINISH:

Handle Zinc die, Nickel

Chrome plated

Base Zinc die, Nickel


Chrome plated


Locking Mechanism Unit

Mild steel, Zinc plated

Shaft Mild steel, Zinc plated


LaGard Lock not supplied





#### **LOCK POSITION**

#### **UNLOCK POSITION**



**CUT OUT** 







#### Mounting plate

HANDEDNESS	THICKNESS	PART NUMBER
RH	8	B-CLASS-MK4-RH-PLATE
LH	8	B-CLASS-MK4-LH-PLATE

BASE FINISH	HANDLE FINISH	HANDED- NESS	PART NUMBER
Zinc die, Nickel chrome plated	Zinc die, Nickel chrome plated	RH	B-CLASS-MK4-RH
Zinc die, Nickel chrome plated	Zinc die, Nickel chrome plated	LH	B-CLASS-MK4-LH








#### LOCK POSITON

**UNLOCK POSITION** 



**CUT OUT** 





#### Mounting plate

HANDEDNESS	THICKNESS	PART NUMBER
RH	8	C-CLASS-MK4-RH-PLATE
LH	8	C-CLASS-MK4-LH-PLATE

BASE FINISH	HANDLE FINISH	HANDED- NESS	PART NUMBER
Zinc die, Nickel chrome plated	Zinc die, Nickel chrome plated	RH	C-CLASS-MK4-RH
Zinc die, Nickel chrome plated	Zinc die, Nickel chrome plated	LH	C-CLASS-MK4-LH

#### C -CLASS LOCK ASSEMBLY

#### **FEATURES:**

- Very high protective security
- Double locking mechanism
- BiLock cylinder
- Mount plate is mandatory

Please note: the locking bars (PI5138-xx) and mount plate (see table below) are sold separately

#### MATERIAL & FINISH:

Material & Finish:

Handle Zinc die, Nickel Chrome plated

Base Zinc die, Nickel Chrome plated

Locking Mechanism Unit

Mild steel, Zinc

plated

Shaft Mild steel, Zinc

plated

#### STANDARD CAMS AVAILABLE:

BiLock not supplied

