



Mounting instructions: Rocky Mountain-EXP Saddle Bags #SB-1

Thank you for purchasing the Rocky Mountain-EXP Saddle Bags

READ THOROUGHLY BEFORE ATTACHING BAGS TO RACKS

For best results take a test ride before putting your Rocky Mountain-EXP Saddle Bags to use

Helpful hint: Before you begin stuff each bag with a sleeping bag or quilt to give it body

The mounting is the same for both left and right bags

A properly mounted pair of Rocky Mountain-EXP Saddle Bags.

FIG1 Right Side



FIG2 Left Side



Bag orientation

*Please note the various parts of the saddlebag. Since the left and right bags are identical only one is shown.

FIG3



Seat Straps

Handle

Top Straps

2" D-Rings- 2 at front, 2 at rear

Roll Top Buckles- at Each Side

Front 1" Buckles- Top and Bottom

G-Hooks – 4 per Bag

Bottle Holster/Rolie Bag Mounting Loops- 4 per Side

ATTACHING ROCKY MOUNTAIN-EXP SADDLE BAGS TO VIRTUALLY ANY MOTORCYCLE SIDE RACK

1- Pinch to unfasten the 1" buckles on the upper and lower mounting patches to quickly loosen the 1" side mounting straps.


FIG4

Pinch to Unfasten 1" Buckles



2- Place bags over the seat and/or rear rack. Depending on the width of your motorcycle, you may need to adjust the height of each bag. Do this by adjusting the 2" seat strap webbing from the large center buckles. Adjust so that the bags are centered on each side rack. FIG5

FIG5 (This is a rear view of a properly adjusted set of saddle bags)



ATTACHING THE BAGS TO THE SIDE RACK WITH THE G-HOOKS

3- Thread the 1" webbing from the inside of the side rack hoop around the tube to the outside. FIG6

4- Slide the Slot on the G-Hook over the outer most webbing (Single Layer of Webbing) as shown in FIG7-8-9

FIG6




FIG7



FIG8



FIG9



5- Properly Fastened G-Hook FIG10-11-12

FIG10 Side View



FIG11 Top View



FIG12 Correctly Fastened G-Hoop Top and Bottom



6- Repeat steps 6-9 for all saddle bag straps (4 per bag).

7- Tighten the 1" side mounting straps threaded through each cam buckle on front of each bag. FIG13

Tighten straps to secure and compress bag to the rack (pull side mounting straps away from the cam buckles in the direction of the arrows).

FIG13



9- Thread excess webbing through elastic loops, repeat this for all excess webbing. FIG14

FIG14



10- Tighten the 2" wide seat straps by pulling the webbing away from the 2" buckles. You can pull both ends to tighten the webbing. FIG15

FIG15



ALWAYS USE THE SEAT STRAPS! The Rocky Mountain-EXP Saddle Bags and racks are designed for these, as the seat straps distribute the weight of the bag. Failure to use the seat straps can result in damage to the bags, motorcycle and bodily harm, and will void any and all warranties.

Loading the bags. You can load the bags either on or off the bike.

11- Loading and unloading the bags while on the racks: You will have to unfasten the four 1” buckles on the upper and lower side mounting straps to release the compression of the bag; doing this will make packing much easier.

12- When closing the Rocky Mountain-EXP Saddle Bags. Make sure you have rolled the liners down to “burp” and let as much air escape as possible.

13- Roll the main bag with a minimum of 3 rolls to create a tight seal. You may have to “burp” the bags to let as much air escape as possible. Fasten the side straps.

ALWAYS USE THE TOP STRAPS! This strap keeps the Rocky Mountain Saddle Bags tight to the side racks and prevents the bag from sagging. FIG16

FIG16 Top Straps. Thread excess webbing through elastic loops.



14- For maximum safety make sure ALL straps are snug and secure. Make adjustments as necessary.

To remove the bags:

15- Pinch the four 1” buckles on the upper and lower side mounting straps. This will release the tension on the G-Hooks secured to the rack. Reverse steps 3 through 5. Do the lower straps first, then the upper straps.

On the exhaust side, be careful not to touch the exhaust as you can be burned!

16- Use the handles to remove the bags away from the side racks.

Note: All of the mounting straps on the Wolfman Rocky Mountain-EXP Saddle Bags are removable and replaceable. Extra mounting kits can be purchased from us.

MAXIMUM WEIGHT LIMIT: 13lbs (5.9 kg) per bag.

Helpful hints

The Rocky Mountain-EXP Saddle Bags have 4- two-inch D-rings incorporated into the top and front of the bags. FIG3 These are for attaching additional Wolfman products such as a small or medium Rolie Bag or our Bottle Holster for additional fuel or water. The four, one-inch plastic loops on the side of each bag that are for mounting our Bottle Holster to hold either a fuel or water bottle.

FIG15



If you have any questions about the mounting of the Wolfman Rocky Mountain-EXP Saddle Bags to virtually any side rack, please contact us at sales@wolfmanluggage.com
Woofle