

Life's better outdoors



Signature® Built-in Barbecues

Signature Built-in range

Make a statement outdoors with our Signature series of built-in barbecues. Designed to suit your home and lifestyle, these magnificent barbecues are packed with features to make outdoor entertaining easy.

- 1. Durable rust resistant cast cooktop**
Made from porcelain enamel coated cast iron, one of the toughest coatings available. Solid stainless steel cooktops are also available.
- 2. Vaporizer grid and reflector system with anti-flare technology**
Anti-flare technology reduces annoying flare-up and heat loss for faster cooking and superior fuel economy.
- 3. Integrated convection roasting hood**
Experience cooking perfection in vitreous enamel or stainless steel. The removable roasting hood also includes an on-board temperature gauge and warming rack.
- 4. Integrated Quartz Start Ignition**
Our innovative titanium-coated system ensures durable and hassle free ignition first time everytime.





SIGNATURE SL4000 SERIES

BS31560

- This premium stainless steel barbecue will add style to your alfresco area.
- Top features include clever internal lights, stainless steel cooktops, an integrated side burner.
- Stainless steel roasting hood with glass viewing window.



SIGNATURE SL4000 4 BURNER

BS31550

- This premium stainless steel barbecue will add style to your alfresco area.
- Top features include clever internal lights, stainless steel cooktops, and integrated side burner.
- Stainless steel roasting hood with glass viewing window.



SIGNATURE 3000SS 5 BURNER

BS12850S

- Stainless steel barbecue frame with rust resistant stainless steel cooktop.
- Stainless steel roasting hood with glass viewing window.
- Large removable stainless steel warming rack.

SIGNATURE 3000SS 4 BURNER

BS12840S

- Stainless steel barbecue frame with rust resistant stainless steel cooktop.
- Stainless steel roasting hood with glass viewing window.
- Large removable stainless steel warming rack.





SIGNATURE 3000S 5 BURNER, FLAME FAILURE

BS12350

- Flame Failure – A safety device to stop the gas flow where flame fails.
- Stainless steel roasting hood with large glass viewing window.
- Rust resistant porcelain coated cast iron cooktop
- Large removable stainless steel warming rack.

SIGNATURE 3000S 4 BURNER, FLAME FAILURE

BS12340

- Flame Failure – A safety device to stop the gas flow where flame fails.
- Stainless steel roasting hood with large glass viewing window.
- Rust resistant porcelain coated cast iron cooktop.
- Large removable stainless steel warming rack.



SIGNATURE 3000S 5 BURNER

BS12850

- Stainless steel roasting hood with large glass viewing window.
- Rust resistant porcelain enamel coated cast iron cooktop.
- Large removable stainless steel warming rack.



SIGNATURE 3000S 4 BURNER

BS12840

- Stainless steel roasting hood with large glass viewing window.
- Rust resistant porcelain enamel coated cast iron cooktop.
- Large removable stainless steel warming rack.





SIGNATURE 3000E 5 BURNER

BS19952

- Vitreous enamel roasting hood with large glass viewing window.
- Rust resistant porcelain coated cast iron cooktop.
- Large removable stainless steel warming rack.



SIGNATURE 3000E 4 BURNER

BS19942

- Vitreous enamel roasting hood with large glass viewing window.
- Rust resistant porcelain coated cast iron cooktop.
- Large removable stainless steel warming rack.

Specifications





| BUGG | | Height (mm) | Width (mm) | Depth (mm) | Weight (kg) | Total Power (BTU) | MJ/hr |
|---------------------------------|--|-------------|------------|------------|-------------|-------------------|-------|
| BB722AA | BIGG BUGG Amber | 1075 | 1318 | 656 | 44.7 | 31278 | 33 |
| BB722BA | BIGG BUGG Black | 1075 | 1318 | 656 | 44.7 | 31278 | 33 |
| BB49924 | BUGG Amber with stand | 1035 | 1088 | 702 | 31 | 19000 | 20 |
| BB49926 | BUGG Graphite with stand | 1035 | 1088 | 702 | 31 | 19000 | 20 |
| BB18224 | BUGG Amber | 387 | 554 | 580 | 21 | 19000 | 20 |
| BB18226 | BUGG Graphite | 387 | 554 | 580 | 21 | 19000 | 20 |
| BB18324 | BUGG Charcoal amber | 387 | 554 | 580 | 21 | 19000 | 20 |
| BB18326 | BUGG Charcoal graphite | 387 | 554 | 580 | 21 | 19000 | 20 |
| Signature SL4000 mobile | | Height (mm) | Width (mm) | Depth (mm) | Weight (kg) | Total Power (BTU) | MJ/hr |
| BS30060 | Signature SL4000, 5 Burner | 1230 | 1970 | 587 | 78 | 110000 | 116 |
| BS30050 | Signature SL4000, 4 Burner | 1230 | 1815 | 587 | 68 | 91200 | 97 |
| Signature premium plus mobile | | Height (mm) | Width (mm) | Depth (mm) | Weight (kg) | Total Power (BTU) | MJ/hr |
| BS19640 | Signature Premium Plus, 5 Burner | 1230 | 1970 | 587 | 78 | 110000 | 116 |
| BS19440 | Signature Premium Plus, 4 Burner | 1230 | 1815 | 587 | 68 | 91200 | 97 |
| Signature plus porcelain mobile | | Height (mm) | Width (mm) | Depth (mm) | Weight (kg) | Total Power (BTU) | MJ/hr |
| BS19650 | Signature Plus, 5 Burner | 1230 | 1970 | 587 | 78 | 110000 | 116 |
| BS19750 | Signature Plus, 4 Burner | 1230 | 1815 | 587 | 68 | 91200 | 97 |
| Signature 3000 mobile | | Height (mm) | Width (mm) | Depth (mm) | Weight (kg) | Total Power (BTU) | MJ/hr |
| BS19242 | 4 Burner 3000E | 1230 | 1486 | 587 | 113 | 72000 | 76 |
| BS19252 | 5 Burner 3000E | 1230 | 1643 | 587 | 119 | 90000 | 95 |
| BS19340 | 4 Burner 3000S | 1230 | 1486 | 587 | 113 | 72000 | 76 |
| BS19350 | 5 Burner 3000S | 1230 | 1643 | 587 | 119 | 90000 | 95 |
| Discovery 1100S mobile | | Height (mm) | Width (mm) | Depth (mm) | Weight (kg) | Total Power (BTU) | MJ/hr |
| BD47832 | Discovery 1100E, 3 Burner | 1160 | 1409 | 591 | 81 | 51000 | 51 |
| BD47842 | Discovery 1100E, 4 Burner | 1160 | 1569 | 591 | 89 | 68000 | 68 |
| BD47852 | Discovery 1100E, 5 Burner | 1160 | 1726 | 591 | 97 | 85000 | 85 |
| BD47940 | Discovery 1100S, 4 Burner | 1160 | 1409 | 591 | 81 | 68000 | 68 |
| BD47950 | Discovery 1100S, 5 Burner | 1160 | 1569 | 591 | 89 | 85000 | 85 |
| Discovery 1000R mobile | | Height (mm) | Width (mm) | Depth (mm) | Weight (kg) | Total Power (BTU) | MJ/hr |
| BD47542 | Discovery 1000R, 4 Burner | 1141 | 1495 | 625 | 33 | 60660 | 64 |
| BD47552 | Discovery 1000R, 5 Burner | 1141 | 1660 | 625 | 35 | 75825 | 80 |
| BD47642 | Discovery 1000R, 4 Burner | 1141 | 1495 | 625 | 33 | 60660 | 64 |
| BD47652 | Discovery 1000R, 5 Burner | 1141 | 1660 | 625 | 35 | 75825 | 80 |
| BD47240 | Discovery 1000RS 4 Burner | 1141 | 1495 | 625 | 33 | 60660 | 64 |
| BD47250 | Discovery 1000RS 5 Burner | 1141 | 1660 | 625 | 35 | 75825 | 80 |
| Discovery clubman mobile | | Height (mm) | Width (mm) | Depth (mm) | Weight (kg) | Total Power (BTU) | MJ/hr |
| BD16440 | Clubman 4 Burner stainless steel | 900 | 920 | 577 | 65 | 68242 | 72 |
| BD16640 | Clubman 4 Burner stainless black | 900 | 920 | 577 | 65 | 68242 | 72 |
| Signature ProLine built-in | | Height (mm) | Width (mm) | Depth (mm) | Weight (kg) | Total Power (BTU) | MJ/hr |
| BSH156SA | Signature ProLine™ integrated barbecue with hood | 212 | 1053 | 540 | 63.5 | 67295 | 71 |
| BSL156SA | Signature ProLine™ integrated barbecue with lid | 42 | 1053 | 540 | 54.5 | 67295 | 71 |
| BSW316SA | Signature ProLine™ integrated QuadBurner™ with lid | 42 | 350 | 540 | 18 | 21800 | 23 |
| Signature built-in | | Height (mm) | Width (mm) | Depth (mm) | Weight (kg) | Total Power (BTU) | MJ/hr |
| BS31560 | Signature SL4000, 5 Burner | 564 | 1334 | 578 | 161 | 110000 | 116 |
| BS31550 | Signature SL4000, 4 Burner | 564 | 1177 | 578 | 150 | 91200 | 97 |
| BS12850S | Signature 3000SS, 5 Burner | 528 | 973 | 578 | 68 | 90000 | 95 |
| BS12840S | Signature 3000SS, 4 Burner | 528 | 816 | 578 | 65 | 72000 | 76 |
| BS12350 | Signature 3000S, 5 Burner, flame failure | 528 | 973 | 578 | 68 | 90000 | 95 |
| BS12340 | Signature 3000S, 4 Burner, flame failure | 528 | 816 | 578 | 65 | 72000 | 76 |
| BS12850 | Signature 3000S, 5 Burner | 528 | 973 | 578 | 68 | 90000 | 95 |
| BS12840 | Signature 3000S, 4 Burner | 528 | 816 | 578 | 65 | 72000 | 76 |
| BS19952 | Signature 3000E, 5 Burner | 528 | 973 | 578 | 68 | 90000 | 95 |
| BS19942 | Signature 3000E, 4 Burner | 528 | 816 | 578 | 65 | 72000 | 76 |
| Discovery 1100 built-in | | Height (mm) | Width (mm) | Depth (mm) | Weight (kg) | Total Power (BTU) | MJ/hr |
| BD16340 | Discovery 1100S, 4 Burner | 525 | 849 | 580 | 51 | 68000 | 68 |
| BD16350 | Discovery 1100S, 5 Burner | 525 | 1006 | 580 | 58 | 85000 | 85 |
| BD16232 | Discovery 1100E, 3 Burner | 525 | 689 | 580 | 43 | 51000 | 51 |
| BD16242 | Discovery 1100E, 4 Burner | 525 | 849 | 580 | 51 | 68000 | 68 |
| BD16252 | Discovery 1100E, 5 Burner | 525 | 1006 | 580 | 58 | 85000 | 85 |
| Discovery 1000R built-in | | Height (mm) | Width (mm) | Depth (mm) | Weight (kg) | Total Power (BTU) | MJ/hr |
| BD18632 | Discovery 1000R, 3 Burner | 450 | 675 | 573 | 45 | 45495 | 48 |
| BD18642 | Discovery 1000R, 4 Burner | 450 | 832 | 573 | 50 | 60660 | 64 |
| BD18652 | Discovery 1000R, 5 Burner | 450 | 988 | 573 | 60 | 75825 | 80 |

SIGNATURE SL BUILT-IN SERIES CUT OUT DIMENSIONS

For built-in installations: islands, masonry, other non-combustible material structures.


| Signature SL Built-In Barbecues | 4 burner | 5 burner |
|--|----------|----------|
| Width | 1190mm | 1345mm |
| Height | 270mm | 270mm |
| Depth (includes 20mm rear ventilation clearance) | 520mm | 520mm |
| Minimum clearance to combustible materials | 450mm | 450mm |

To suit models BS31560 and BS31550



Please note: Dimensions to be used as a guide only. All customers MUST refer to the user manual supplied with the product for detailed installation instructions.

SIGNATURE BUILT-IN SERIES CUT OUT DIMENSIONS






For built-in installations: islands, masonry, other non-combustible material structures.

| Signature Series Built-In Barbecues | 4 burner | 5 burner |
|--|----------|----------|
| Width | 828mm | 985mm |
| Height | 230mm | 230mm |
| Depth (includes 20mm rear ventilation clearance) | 520mm | 520mm |
| Minimum clearance to combustible materials | 450mm | 450mm |

| Side / Wok Burner | | |
|--|-------|-------|
| Width | 220mm | 220mm |
| Depth | 412mm | 412mm |
| Minimum clearance to combustible materials | 450mm | 450mm |

To suit models BS12850S, BS12840S, BS12350, BS12340, BS12850, BS12840, BS19952 and BS19942



Please note: Dimensions to be used as a guide only. All customers MUST refer to the user manual supplied with the product for detailed installation instructions.