

Monessen Vent Free Gas Logs and Contemporary Media  
WARMTH. AMBIANCE. CONVENIENCE.







GRUF36C-R firebox with Dynamo log set



Lo-Rider See-Through (LSTF36) firebox with Natural Blaze See-Through Log Set (NBST27)



# THE BENEFITS OF CHOOSING MONESSEN

All of our vent free gas log sets and burners offer:

## THE REAL DEAL

Inspired by nature and hand-painted for incredible realism and lifelike detail, every set has a truly unique and authentic look.<sup>1</sup>

## THE LATEST TECHNOLOGY

A pioneer in vent free gas log manufacturing, Monessen is always on the cutting edge of log design. We utilize the latest material and technologies to provide authentic detail, lifelike glow, and unmatched realism.

## MAXIMUM SAVINGS

With a remarkable 99% efficiency rating, Monessen vent free gas log sets maximize heating operation to provide optimum fuel savings.

## INSTALL ALMOST ANYWHERE

Our log sets allow for installation in any existing approved firebox without the need for venting — making them a terrific choice for just about any room in your home. (All available for natural gas or propane.)

Charisma log set (MX)  
shown on cover

## LUXURY SERIES

### MOJO BURNER

Our designer log set offers up to 38,000 BTUs, instant dancing yellow flames, flickering embers and standard grate for an incredibly realistic look. Its robust design makes the Mojo the perfect choice for larger fireplaces.

#### Mojo Vent Free Log Set (MJ27/MJ22) ▶

- EXCLUSIVE Natural Blaze™ Technology
- Massive random stack log set
- Burncrete® technology provides unparalleled detail and superior strength for long lasting beauty
- IntelliFire® Plus (IPI) with ODS control – see page 4 for details
- Available in two sizes, 27" and 22" to fit most fireboxes
- Includes Hi/Lo thermostatic remote control, grate, volcanic rock, rock wool and neon embers



## SPECIALTY OPTION

### NATURAL BLAZE BURNER

For see-through fireplaces, this log set has a unique design on both sides for a truly authentic stack, no matter how you look at it.

#### See-Through Log Set (NBST27) ▶

- EXCLUSIVE Natural Blaze Technology
- Ceramic fiber reflects more heat
- Available in millivolt control
- Includes volcanic rock, rock wool embers and ember bed log switch



# DELUXE SERIES

## NATURAL BLAZE BURNER

Our Beachcomber, Stony Creek, Highland Oak and Berkley Oak log sets feature three log material options, exclusive technology from Monessen, and a more robust look, making them perfect for larger fireplaces. No chimney or venting makes installation fast, easy and affordable in almost any space.

All Deluxe Series vent free log sets feature:

- EXCLUSIVE Natural Blaze Technology
- IntelliFire Plus (IFI) with ODS or millivolt control
- Cast iron grate standard with burner
- Volcanic rock, rock wool embers and ember bed log switch

### EXCLUSIVE Natural Blaze Technology

This innovative burn system provides taller, more lively flames, creating a realistic, moving fire. Achieving beautiful yellow flames instantly, Natural Blaze technology produces an authentic fire, every time.

### IntelliFire Plus with ODS

With electronic ignition, this system lights the pilot only when you turn it on, saving energy. It's battery operated, so you can be assured of fireplace operation even if the power goes out. And with five-step flame height adjustment and standard remote control, you'll have the ultimate in fireplace control at your fingertips.

**IntelliFire**<sup>®</sup>  
**Plus**



Lo-Rider (LCUF) firebox with Stony Creek log set with enhancement kit



## BURNCRETE® TECHNOLOGY

Unparalleled detail and superior strength for lasting beauty.



### ▲ Beachcomber Log Set (BC-R)

- Driftwood style six-piece log set with serene colors, rich detail and an authentic stack

## CERAMIC FIBER TECHNOLOGY

Glowing logs, just like a real wood fire.



### ▲ Berkley Oak Log Set (BO-R, BO-F)

- Seven-piece log stack available in three sizes provides a beautiful focal point in almost any room

Berkley Oak is also available in refractory

## REFRACTORY CEMENT TECHNOLOGY High definition for fine detail and ultimate realism.



### ▲ Stony Creek (SC-R)

- Taller, eleven-piece log stack is perfect for bigger fireplaces
- Enhancement kit available with two additional logs



### ▲ Highland Oak Log Set (HO-R)


- Beautiful, seven-piece log stack and low profile design for a true glowing ember look

## TRADITIONAL SERIES GLOW GETTER BURNER

When it comes to your home, don't settle for ordinary. The Moxie, Charisma and new Dynamo logs from Monessen are a cut above. Featuring beautiful detail, fabulous glow and abundant heat, this trio brings bold traditional style to your space.

All three Traditional Series vent free log sets feature:

- New Burncrete® hybrid technology provides sharp detail and glowing logs
- Exclusive Glow Getter burner technology boasts dancing multi-peak flames and a glowing, active, ember bed
- Hand-painted details create the authentic look
- Gorgeous colors and beautiful detail complement any décor
- IntelliFire Plus (IPI) with ODS or millivolt control – see page 4 for details
- No chimney or venting required makes installation fast, easy, and affordable
- Includes volcanic rock, rock wool embers and ember bed log switch



### ▲ Dynamo Log Set (DY)

- Generously sized logs—colored to simulate a random wood stack—add a genuine, classic feel to any space.



### ▲ Moxie Log Set (MX)

- Split oak style eight-piece log stack looks like you chopped it yourself



### ▲ Charisma Log Set (CR)

- Whole log style with natural bark detail – so authentic its indistinguishable from the real thing

## LYRIC CONTEMPORARY LYRIC BURNER

Meet the Monessen Lyric—a touch of shimmer, a bit of shine, flames that move and flicker adding romance and richness to your room. In harmony with your home, the Monessen Lyric looks great on or off and, with simple millivolt control, works even when those raging winter storms zap the power. Auto-spark ignition and remote ready control make operation effortless.



### ◀ Lyric (LYR)

- Sleek black burner blends perfectly with your hearth
- Flames erupt throughout bed of shimmering fireglass
- Up to 37,000 BTU of super-efficient heat
- Auto-spark ignition for effortless lighting
- Three sizes to fit any fireplace
- Four fireglass media options (Onyx comes standard)
- Remote ready



# CLASSIC SERIES

EYF & PH BURNERS

These log sets feature burners with flames in the front and rear, adding warmth and ambience to any room.

## Mountain Oak Log Set (EYF-R) ▶

- EYF burner
- Refractory cement for fine detailing
- Detailed log design
- Available in millivolt and manual control
- Includes volcanic rock



## Mountain Cedar Log Set (PH-R) ▶

- PH burner
- Refractory cement for fine detailing
- Available in millivolt and manual control
- Includes volcanic rock




Lyric contemporary burner with Onyx fireglass in Lo-Rider vent free firebox

## Optional Accessories



See our Ambient Technologies® catalog for a complete line of remotes and thermostats.



Ember remote receiver cover



Metal insulated remote receiver cover




Flat black adjustable hood (28" - 48")



Log switch with 12" wire


## Fireglass for Lyric Contemporary




Onyx



Diamond



Bronze



Sapphire

# Specifications

CLASSIC									
MODEL	Fireplace Opening		Burner		BTU/hr Manual Control		BTU/hr Millivolt Control		Heating Capacity (cu ft)*
	Manual & Millivolt		Manual	Millivolt	NG	LP	NG	LP	
PH18-R	25"W x 17"H x 13"D x 17½"RW		PH18NM/PM	PH18NV/PV	18,000-30,000	22,500-30,000	26,000-30,000	24,500-30,000	1,500
PH24-R	29"W x 17"H x 13"D x 19½"RW		PH24NM/PM	PH24NV/PV	19,000-36,000	25,000-36,000	24,000-36,000	29,000-36,000	1,800
PH30-R	35"W x 17"H x 13"D x 25¼"RW		PH24NM/PM	PH24NV/PV	19,000-36,000	25,000-36,000	24,000-36,000	29,000-36,000	1,800
EYF18-R	25"W x 17"H x 13"D x 17½"RW		EYF18NM/PM	EYF18NV/PV	18,000-30,000	22,500-30,000	26,000-30,000	24,500-30,000	1,500
EYF24-R	29"W x 17"H x 13"D x 19½"RW		EYF24NM/PM	EYF24NV/PV	19,000-36,000	25,000-36,000	24,000-36,000	29,000-36,000	1,800
EYF30-R	33"W x 17"H x 13"D x 25¼"RW		EYF24NM/PM	EYF24NV/PV	19,000-36,000	25,000-36,000	24,000-36,000	29,000-36,000	1,800

TRADITIONAL									
MODEL	Fireplace Opening		Burner		BTU/hr Millivolt Control		BTU/hr IntelliFire Plus		Heating Capacity (cu ft)*
	Millivolt & IntelliFire Plus with ODS		Millivolt	IPI	NG	LP	NG	LP	
DY18-H	29"W x 20"H x 14"D x 22"RW		GG18NV/PV	GG18NIF/PIF	21,000-29,000	22,500-29,000	21,000-29,000	22,500-29,000	1,450
DY24-H	33"W x 21"H x 14"D x 26"RW		GG24NV/PV	GG24NIF/PIF	27,000-37,000	29,000-37,000	27,000-37,000	29,000-37,000	1,850
DY30-H	36"W x 21"H x 14"D x 26"RW		GG30NV/PV	GG24NIF/PIF	27,000-37,000	29,000-37,000	27,000-37,000	29,000-37,000	1,850
MX18-H	27"W x 20"H x 14"D x 20"RW		GG18NV/PV	GG18NIF/PIF	21,000-29,000	22,500-29,000	21,000-29,000	22,500-29,000	1,450
MX24-H	31"W x 21"H x 14"D x 24"RW		GG24NV/PV	GG24NIF/PIF	27,000-37,000	29,000-37,000	27,000-37,000	29,000-37,000	1,850
MX30-H	34"W x 21"H x 14"D x 24"RW		GG30NV/PV	GG24NIF/PIF	27,000-37,000	29,000-37,000	27,000-37,000	29,000-37,000	1,850
CR18-H	27"W x 20"H x 14"D x 20"RW		GG18NV/PV	GG18NIF/PIF	21,000-29,000	22,500-29,000	21,000-29,000	22,500-29,000	1,450
CR24-H	31"W x 21"H x 14"D x 24"RW		GG24NV/PV	GG24NIF/PIF	27,000-37,000	29,000-37,000	27,000-37,000	29,000-37,000	1,850
CR30-H	34"W x 21"H x 14"D x 24"RW		GG30NV/PV	GG24NIF/PIF	27,000-37,000	29,000-37,000	27,000-37,000	29,000-37,000	1,850

DELUXE									
MODEL	Fireplace Opening		Burner		BTU/hr Millivolt Control		BTU/hr IntelliFire Plus		Heating Capacity (cu ft)*
	Millivolt	IntelliFire Plus with ODS	Millivolt	IPI	NG	LP	NG	LP	
B018-R	26"W x 17"H x 13"D x 18"RW	28½"W x 17"H x 13"D x 20¼"RW	NB18NV/PV	NB18NIF/PIF	19,000-28,000	22,000-27,000	19,000-28,000	22,000-27,000	1,400
B024-R	29"W x 17"H x 13"D x 22¼"RW	31"W x 17"H x 13"D x 25¼"RW	NB24NV/PV	NB24NIF/PIF	25,000-37,000	28,000-36,000	25,000-37,000	28,000-36,000	1,850
B030-R	33"W x 17"H x 13"D x 25¼"RW	35"W x 17"H x 13"D x 25¼"RW	NB24NV/PV	NB24NIF/PIF	25,000-37,000	28,000-36,000	25,000-37,000	28,000-36,000	1,850
B018-F	26"W x 17"H x 13"D x 18"RW	28½"W x 17"H x 13"D x 20¼"RW	NB18NV/PV	NB18NIF/PIF	19,000-28,000	22,000-27,000	19,000-28,000	22,000-27,000	1,400
B024-F	29"W x 17"H x 13"D x 22¼"RW	31"W x 17"H x 13"D x 25¼"RW	NB24NV/PV	NB24NIF/PIF	25,000-37,000	28,000-36,000	25,000-37,000	28,000-36,000	1,850
B030-F	33"W x 17"H x 13"D x 25¼"RW	35"W x 17"H x 13"D x 25¼"RW	NB24NV/PV	NB24NIF/PIF	25,000-37,000	28,000-36,000	25,000-37,000	28,000-36,000	1,850
SC18-R	26"W x 17"H x 13"D x 18"RW	28½"W x 17"H x 13"D x 20¼"RW	NB18NV/PV	NB18NIF/PIF	19,000-28,000	22,000-27,000	19,000-28,000	22,000-27,000	1,400
SC24-R	29"W x 17"H x 13"D x 22¼"RW	31"W x 17"H x 13"D x 25¼"RW	NB24NV/PV	NB24NIF/PIF	25,000-37,000	28,000-36,000	25,000-37,000	28,000-36,000	1,850
SC30-R	33"W x 17"H x 13"D x 25¼"RW	35"W x 17"H x 13"D x 25¼"RW	NB24NV/PV	NB24NIF/PIF	25,000-37,000	28,000-36,000	25,000-37,000	28,000-36,000	1,850
H018-R	26"W x 17"H x 13"D x 18"RW	28½"W x 17"H x 13"D x 20¼"RW	NB18NV/PV	NB18NIF/PIF	19,000-28,000	22,000-27,000	19,000-28,000	22,000-27,000	1,400
H024-R	29"W x 17"H x 13"D x 22¼"RW	31"W x 17"H x 13"D x 25¼"RW	NB24NV/PV	NB24NIF/PIF	25,000-37,000	28,000-36,000	25,000-37,000	28,000-36,000	1,850
H030-R	33"W x 17"H x 13"D x 25¼"RW	35"W x 17"H x 13"D x 25¼"RW	NB24NV/PV	NB24NIF/PIF	25,000-37,000	28,000-36,000	25,000-37,000	28,000-36,000	1,850
BC18-R	26"W x 17"H x 13"D x 18"RW	28½"W x 17"H x 13"D x 20¼"RW	NB18NV/PV	NB18NIF/PIF	19,000-28,000	22,000-27,000	19,000-28,000	22,000-27,000	1,400
BC24-R	29"W x 17"H x 13"D x 22¼"RW	31"W x 17"H x 13"D x 25¼"RW	NB24NV/PV	NB24NIF/PIF	25,000-37,000	28,000-36,000	25,000-37,000	28,000-36,000	1,850
BC30-R	33"W x 17"H x 13"D x 25¼"RW	35"W x 17"H x 13"D x 25¼"RW	NB24NV/PV	NB24NIF/PIF	25,000-37,000	28,000-36,000	25,000-37,000	28,000-36,000	1,850

LUXURY					
MODEL	Fireplace Opening	Burner	BTU/hr IntelliFire Plus		Heating Capacity (cu ft)*
	IntelliFire Plus with ODS	IPI	NG	LP	
MOJ022-R	27"W x 20"H x 14"D x 20"RW	MJ22NIF/PIF	21,000-29,000	23,000-28,000	1,400
MOJ027-R	31"W x 21"H x 14"D x 24"RW	MJ27NIF/PIF	27,000-38,000	29,000-37,000	1,850

SPECIALTY SEE-THRU					
MODEL	Fireplace Opening	Burner	BTU/hr Millivolt Control		Heating Capacity (cu ft)*
	Millivolt	Millivolt	NG	LP	
NBST27	32"W x 21½"H x 19"D	NBST27NV-B/PV-B	26,000-39,000	30,000-39,000	1,950

CONTEMPORARY					
MODEL	Fireplace Opening	Burner	BTU/hr Millivolt Control		Heating Capacity (cu ft)*
	Millivolt	Millivolt	NG	LP	
LYR18	25"W x 12"H x 11"D x 20"RW	LYR18NV/PV	19,000-28,000	22,000-27,000	1,400
LYR24	30"W x 13"H x 11"D x 24"RW	LYR24NV/PV	25,000-37,000	28,000-36,000	1,850
LYR30	34"W x 13"H x 11"D x 24"RW	LYR30NV/PV	25,000-37,000	28,000-36,000	1,850

\*Individual results may vary and are dependent on the shape and design of your space, the amount and quality of insulation in your home, the outdoor temperature, and other factors.




LOVE AT FIRST LIGHT

[monessenhearth.com](http://monessenhearth.com)

For more information about Monessen efficient and environmentally friendly products, please visit [monessenhearth.com](http://monessenhearth.com)

Your Monessen Dealer:



1 Monessen vent free logs are hand painted for optimal realism, detail and beauty. As a result, images shown in printed or digital format may vary slightly from actual product in color, tone or hue. Variability in monitor resolutions on digital devices may alter the color of the sets from actual appearance. The best way to view our log sets is in your dealer's showroom. We strongly encourage you to visit your local dealer when choosing the right log set for your space.

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2020 Hearth & Home Technologies® **MON-1004U-0420**