

GAS LOGS

VENT-FREE



astria
FIREPLACES®

MAGNI-FLAME SERIES



SOUTHERN COMFORT
Concrete Logs



SHADY HOLLOW
Concrete Logs

Control Options



ProFlame Remote
(Included with
Variable Control Model)



EcoFlow Remote
(Included with Electronic
Control Model)

The Magni-Flame Series boasts a triple burner to achieve the look of a real wood fire! The burner is cantilevered to produce tall flames that will not be dwarfed by its massive 19" high logs, the tallest in the industry. Magni-Flame models feature two burners of bright yellow flames, plus a lower burner that creates a glowing ember bed. All models are heater rated with 99% heat efficiency and include a wood-burning grate appearance.

STANDARD FEATURES

- ◆ Available in 24", 30", and 36" sizes
- ◆ Tall dancing yellow flames and ember bed for wood fire realism
- ◆ Highly detailed logs with the wood grain texture and color of real wood logs
- ◆ Millivolt control model is remote ready for optional remote and wall controls (see page 6)
- ◆ Variable control model includes ProFlame remote (Manual & T-Stat modes, On-Off & 5 flame heights)
- ◆ Electronic control model includes EcoFlow Touchscreen remote (Manual & T-Stat modes, On-Off & 3 flame heights)
- ◆ Also listed for use in vented fireplace applications (requires damper clamp sold separately)



BISON MOUNTAIN
Concrete Logs

Control Options



ProFlame Remote
(Included with
Variable Control Model)



EcoFlow Remote
(Included with Electronic
Control Model)

The Blaze 'N Glow Series provides three distinct areas of flame: dancing yellow flames in the rear, glowing logs in the center and vibrant glowing embers in the front. All models are heater rated with 99% heat efficiency and include a wood-burning grate appearance. Hand crafted with high-definition bark and split wood details, the Blaze 'N Glow series logs are molded from real timber to create the essence of authentic firewood.

STANDARD FEATURES

- ◆ Available in 18", 24", and 30" sizes
- ◆ Glowing center fiber log and ember bed for wood fire realism
- ◆ Highly detailed logs with the wood grain texture and color of real wood logs
- ◆ Millivolt control model is remote ready for optional remote and wall controls (see page 6)
- ◆ Variable control model includes ProFlame remote (Manual & T-Stat modes, On-Off & 5 flame heights)
- ◆ Electronic control model includes EcoFlow Touchscreen remote (Manual & T-Stat modes, On-Off & 3 flame heights)
- ◆ Also listed for use in vented fireplace applications (requires damper clamp sold separately)

TRI-FLAME SERIES



WESTERN TIMBER
Concrete Logs



RICH OAK
Concrete Logs

Control Options



ProFlame Remote
(Included with
Variable Control Model)



EcoFlow Remote
(Included with Electronic
Control Model)

The Tri-Flame Series features a unique triple burner and glowing ember bed at its base to achieve the look of a real wood fire. Flickering embers are achieved through the use of two unique technologies and the burner offers the distinctive feature of an additional row of flames behind the logs. The result is a striking appearance with a very deep flame pattern. All models are heater rated with 99% heat efficiency and include a wood-burning grate appearance.

STANDARD FEATURES

- ◆ Available in 18", 24", and 30" sizes
- ◆ Tall dancing yellow flames and ember bed for wood fire realism
- ◆ Highly detailed logs with the wood grain texture and color of real wood logs
- ◆ Millivolt control model is remote ready for optional remote and wall controls (see page 6)
- ◆ Variable control model includes ProFlame remote (Manual & T-Stat modes, On-Off & 5 flame heights)
- ◆ Electronic control model includes EcoFlow Touchscreen remote (Manual & T-Stat modes, On-Off & 3 flame heights)
- ◆ Also listed for use in vented fireplace applications (requires damper clamp sold separately)

VENT-FREE GAS LOGS
DUAL FLAME SERIES



CHESTNUT HILL HD



CHESTNUT HILL



BLONDE OAK
Ceramic Fiber Logs

The Dual-Flame Series' unique, clean burning design provides 99% heating efficiency, allowing you to operate the logs vent-free with the fireplace damper closed. With no venting required, there is no heat loss up the chimney. Plus, heating with vent-free gas logs means you'll never again be left in the cold with wet logs or without heat during a power outage.

STANDARD FEATURES

- ◆ Available in 18" and 24" sizes
- ◆ Two rows of dancing yellow flames
- ◆ Highly detailed logs with the wood grain texture and color of real wood logs
- ◆ Millivolt control model is remote ready for optional remote and wall controls (see page 6)
- ◆ Also listed for use in vented fireplace applications (requires damper clamp sold separately)

MULTI-SIDED SERIES



NORTHERN OAK
Ceramic Fiber Logs

Optional Remote Ready Controls



RCKIT 4001
On/Off Remote



TRC T'stat On/
Off Remote



TRSC Touch Screen Remote



GWMT1 Wall Mount T'stat
Control Kit

The Multi-Sided Series is the perfect choice for see-thru, peninsula, corner and island fireplaces. This Vent-Free Gas Log Heater features “Remote Ready” controls, abundant yellow flames from a dual burner, plus a beautifully styled five piece multi-log design. Unique, clean burning design provides 99% heating efficiency, allowing you to operate the logs vent-free with the fireplace damper closed.

STANDARD FEATURES

- ✦ Available in a 27" size
- ✦ For use in fireplaces with multiple openings
- ✦ Two rows of tall dancing yellow flames look great from any angle
- ✦ Highly detailed logs with the wood grain texture and color of real wood logs
- ✦ Millivolt control model is remote ready for optional remote and wall controls (shown above)
- ✦ Also listed for use in vented fireplace applications (requires damper clamp sold separately)

MAGNI-FLAME Outdoor SERIES



SOUTHERN COMFORT
Concrete Logs



SHADY HOLLOW
Concrete Logs

Control



RCAF3 Remote
(Included with
Electronic Control Model)

Optional



MFEB Volcanic stone Ember Bed
(Optional)

- Enhanced flame & glow
- For vented applications only

The Magni-Flame Outdoor Series boasts a triple burner to achieve the look of a real wood fire! The burner is cantilevered to produce tall flames that will not be dwarfed by its massive 19" high logs, the tallest in the industry. Outdoor models feature two burners of bright yellow flames, a stainless steel chassis and grate, and an optional lava rock flame bed at its base (for vented applications only).

STANDARD FEATURES

- ◆ Available in 24", 30", and 36" sizes
- ◆ Highly detailed logs with the texture and color of real wood logs
- ◆ Heavy-duty stainless steel chassis and grate for enhanced durability
- ◆ Optional MFEB volcanic stone flame bed available (For vented applications only)
- ◆ Millivolt control model is remote ready for optional remote and wall controls (see page 6)
- ◆ Electronic control model includes RCAF3 remote control (On-Off control, Hi-Low flame heights)
- ◆ Also listed for use in vented fireplace applications (requires damper clamp sold separately)

MAGNI-FLAME SERIES	SIZE	BURNER SIZE	MINIMUM FIREBOX DIMENSIONS				CONTROLS & BTU _s					
			HEIGHT	DEPTH	FRONT WIDTH	REAR WIDTH	MILLIVOLT		VARIABLE		ELECTRONIC	
							NG	LP	NG	LP	NG	LP
SOUTHERN COMFORT	24"	24"	28"	15-1/2"	32-1/4"	22-3/4"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K
	30"	24"	28"	15-1/2"	39"	26-3/4"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K
	36"	30"	28"	15-1/2"	47"	33"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K
SHADY HOLLOW	24"	24"	28"	15-1/2"	32-1/4"	22-3/4"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K
	30"	24"	28"	15-1/2"	39"	26-3/4"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K
	36"	30"	28"	15-1/2"	47"	33"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K
BLAZE-N-GLOW SERIES	SIZE	BURNER SIZE	HEIGHT	DEPTH	FRONT WIDTH	REAR WIDTH	MILLIVOLT		VARIABLE		ELECTRONIC	
							NG	LP	NG	LP	NG	LP
							18"	18"	17"	14-1/2"	26"	20"
BISON MOUNTAIN	24"	24"	17"	14-1/2"	29"	22"	25K-39K	23K-39K	25K-39K	27K-39K	26K-39K	30K-39K
	30"	24"	21"	14-1/2"	32"	22"	25K-39K	23K-39K	25K-39K	27K-39K	26K-39K	30K-39K
	30"	24"	21"	14-1/2"	32"	22"	25K-39K	23K-39K	25K-39K	27K-39K	26K-39K	30K-39K
TRIPLE FLAME SERIES	SIZE	BURNER SIZE	HEIGHT	DEPTH	FRONT WIDTH	REAR WIDTH	MILLIVOLT		VARIABLE		ELECTRONIC	
							NG	LP	NG	LP	NG	LP
							18"	18"	19"	14"	28"	20"
WESTERN TIMBER	24"	24"	19"	14"	30"	22"	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K
	30"	24"	19"	14"	40"	30"	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K
	30"	24"	19"	14"	40"	30"	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K
RICH OAK	18"	18"	19"	14"	28"	20"	21K-30K	24K-30K	21K-30K	24K-30K	24K-28K	24K-28K
	24"	24"	19"	14"	30"	22"	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K
	30"	24"	19"	14"	40"	30"	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K
DOUBLE FLAME SERIES	SIZE	BURNER SIZE	HEIGHT	DEPTH	FRONT WIDTH	REAR WIDTH	MILLIVOLT		VARIABLE		ELECTRONIC	
							NG	LP	—	—	—	—
							18"	18"	17"	13-1/2"	24"	20-1/2"
BLONDE OAK	24"	18"	17"	13-1/2"	28"	20-1/2"	25K-36K	25K-36K	—	—	—	—
	18"	18"	17"	13-1/2"	24"	20-1/2"	25K-36K	25K-36K	—	—	—	—
CHESTNUT HILL	24"	18"	17"	13-1/2"	28"	20-1/2"	25K-36K	25K-36K	—	—	—	—
	18"	18"	17"	13-1/2"	24"	20-1/2"	25K-36K	25K-36K	—	—	—	—
CHESTNUT HILL HD	24"	18"	17"	13-1/2"	28"	20-1/2"	25K-36K	25K-36K	—	—	—	—
	18"	18"	17"	13-1/2"	24"	20-1/2"	25K-36K	25K-36K	—	—	—	—
MULTI-SIDED	SIZE	BURNER SIZE	HEIGHT	DEPTH	FRONT WIDTH	REAR WIDTH	MILLIVOLT		VARIABLE		ELECTRONIC	
							NG	LP	—	—	—	—
NORTHERN OAK	27"	27"	17"	19"	32"	32"	20K-39K	20K-39K	—	—	—	—
MAGNI-FLAME OD SERIES	SIZE	BURNER SIZE	HEIGHT	DEPTH	FRONT WIDTH	REAR WIDTH	MILLIVOLT		VARIABLE		ELECTRONIC	
							NG	LP	—	—	NG	LP
							24"	24"	28"	15-1/2"	32-1/4"	22-3/4"
SOUTHERN COMFORT	30"	24"	28"	15-1/2"	39"	26-3/4"	29K-40K	29K-40K	—	—	29K-40K	29K-40K
	36"	30"	28"	15-1/2"	47"	33"	29K-40K	29K-40K	—	—	29K-40K	29K-40K
	24"	24"	28"	15-1/2"	32-1/4"	22-3/4"	29K-40K	29K-40K	—	—	29K-40K	29K-40K
SHADY HOLLOW	30"	24"	28"	15-1/2"	39"	26-3/4"	29K-40K	29K-40K	—	—	29K-40K	29K-40K
	36"	30"	28"	15-1/2"	47"	33"	29K-40K	29K-40K	—	—	29K-40K	29K-40K

All models include the Astria 3-year limited warranty.

Logs & Burner Systems sold separately.

