



**Revillusion®**  
30" Built-in Electric Firebox

RBF30  
Herringbone Brick

The Future of  
Fireplaces is Clear.™



Revillusion® combines classic elegance with innovative flame technology, perfectly capturing the charm of a wood-burning fireplace. Enjoy a brighter and larger fire, seeing clear through the life-like flames, to the full brick interior. Enhance the beauty of your space with Revillusion®.



## Revillusion® 30" Built-in Electric Firebox

## RBF30 Herringbone Brick



Capacitive touch built-in controls.

**RBF30**  
Herringbone brick firebox interior.



**Mood-maker Remote**  
Customize the light color and intensity for a fireplace that reflects your personality.

120 V | 1,300 W | 4,400 BTU  
208 V | 1,975 W | 6,745 BTU  
240 V | 2,575 W | 8,794 BTU



Also available in Weathered Concrete - RBF30WC

### FEATURES

- Revillusion® Flame Technology**  
Flames are larger, brighter and more random, appearing from within the logs.
- Mirage™ Flame Panel**  
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
- ThruView™ Full-depth Design**  
See clear through the flames to the back of the firebox for a more authentic experience.
- Mood Lighting**  
Customize the firebox glow with a choice of warm hues, plus midnight mode.
- Color Enhancement**  
Adjust the flame base color to red or orange.
- Realogs® Plus**  
A full grate of life-size hardwood-cast logs, tiered for greater depth.
- Full Surround Firebox**  
More authentic day or night; 270-degree surround with natural soot markings.
- Brightness and Flicker**  
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
- Ambient Light Sensor**  
Automatically adjusts to suit the room day to night.
- All-season Flames**  
Enjoy the unique charm of a fireplace 365 days a year without the heat.
- Just Plug It In / Direct-wire**  
Simply plug into any standard household outlet for instant ambiance. Can be hardwired to a 120 volt circuit for a seamless look.

Model #	Description	Lbs / Kg (packaged)	UPC	Wty <sup>1</sup>	Carton Dimensions (WxHxD)		Cube	
					Inches	cm	ft <sup>3</sup>	m <sup>3</sup>
RBF30	30" Built-in Electric Firebox - Herringbone brick interior	51.8 / 23.6 (67.7 / 30.7)	781052104747	2 yrs.	35-1/4 x 16-3/8 x 31-3/4	89.8 x 38.2 x 80.4	9.7	0.3
RBF30WC	30" Built-in Electric Firebox - Weathered concrete interior	51.8 / 23.6 (67.7 / 30.7)	781052129849	2 yrs.	35-1/4 x 15 x 31-5/8	89.8 x 38.2 x 80.4	9.7	0.3
RBFL30BR	Birch Log Set	15 / 6.8	781052130012	2 yr.	25-7/8 x 17-1/2 x 15	65.5 x 44.2 x 38.1	3.90	0.11
RBFL30FC	Fresh Cut Log Set	15 / 6.8	781052129962	2 yr.	25-7/8 x 17-1/2 x 15	65.5 x 44.2 x 38.1	3.90	0.11
RBFPLUG	Plug Kit	0.6 / 0.3	781052107656	1 yr.	7 x 3 x 4	17.8 x 7.6 x 10.2	0.05	0.00
RBFDOOR30	30" Glass Door	28.4 / 12.8	781052108042	1 yr.	35-7/8 x 30-1/8 x 4-5/8	91.3 x 76.4 x 11.6	2.9	0.08
RBF30TRIM38	38" Installation Trim	14.0 / 6.4	781052123625	1 yr.	41-1/8 x 35-7/8 x 4-5/8	104.3 x 91.2 x 11.8	3.7	0.01
RBF30TRIM44	44" Installation Trim	19.4 / 8.8	781052123601	1 yr.	47-1/8 x 38-7/8 x 4-5/8	119.5 x 98.8 x 11.8	4.7	0.01

Specifications, finishes and dimensions are subject to change. <sup>1</sup>Limited warranty. ©2023 Glen Dimplex Americas.

SE-328-R15-030123

# Revillusion® 30" Built-in Electric Firebox

# RBF30 Herringbone Brick

## Accessories




**RBFGLOSS30**  
- 30" Tempered Front Glass  
Dimensions:  
29-1/4" W x 22-1/8" H x 3/8" D  
(74.0 cm x 56.1 cm x 1.1 cm)



**RBFDOOR30** - 30" Functional Doors with Tempered Glass  
Dimensions:  
33-3/4" W x 27-1/4" H x 1-1/4" D  
(85.8 cm x 69.4 cm x 3.7 cm)



**RBF30TRIM38**  
- 38" Black Installation Trim



**RBF30TRIM44**  
- 44" Black Installation Trim



**RBFL30BR** - Birch Log Set  
Dimensions:  
22-3/8" W x 10-7/8" H x 11" D  
(56.8 cm x 27.4 cm x 27.9 cm)





**RBFL30FC** - Fresh Cut Log Set  
Dimensions:  
22-3/8" W x 10-7/8" H x 11" D  
(56.8 cm x 27.4 cm x 27.9 cm)



**RBFPLUG**

## Framing Dimensions:



### RBF30

A	B	C
12-1/2" (31.8 cm)	30-5/8" (77.8 cm)	26-1/4" (66.5 cm)
D	E	F
54-1/4" (137.8 cm)	38-1/2" (97.8 cm)	38-1/2" (97.8 cm)

**NOTE:** The materials used for the finished surround must be cut to precise dimensions as the 1/2" (1.3 cm) self-trimming flange is only to create a finished appearance.

## Firebox Insert Trim Dimensions:

