



## Elite Radiant Vented Burners Compatible Vented Log Sets

---

Elite Radiant Vented Burner with Kensington Forest  
Ceramic Fiber Log Set



## More Heat. More Flame.

The Elite Radiant Vented Burners deliver more heat to your room and more flames to your fireplace. With their unique construction and integrated radiant fiber heat sink, these burners produce dancing flames without using sand or vermiculite. Feel more heat radiate back into your room, all while using less fuel than a standard vented burner.

### Features

- Uses less fuel than a standard vented burner
- Simple to use with multiple control options
- Produces flames without sand or vermiculite

### Options & Accessories


- Two compatible log sets
- Natural Gas to Propane conversion kit
- Valve kits

### Available Sizes

- 24-inch (55,000 BTU)
- 30-inch (65,000 BTU)

### Control Options

- Match Light
- Manual Safety Pilot
- Millivolt
- Variable Remote
- IPI with Variable Remote



Elite Radiant Vented Burner with Millivolt Valve

## Compatible Log Sets

An Elite Radiant Vented Burner is not complete without a hand-painted log set to accompany it. Two compatible log sets, the Pioneer Refractory Vented Log Set and the Kensington Forest Ceramic Fiber Vented Log Set, fit perfectly with the Elite Radiant Vented Burners. Both log sets combine large logs and smaller branches with intricate hand painted details. The Pioneer Refractory Vented Log Set uses reinforced refractory construction for maximum durability. The lightweight Kensington Forest Ceramic Fiber Log Set presents a stunning fire and glow.



**Pioneer Refractory Vented Log Set on 24-inch Elite Radiant Vented Burner**



**Kensington Forest Ceramic Fiber Vented Log Set on 24-inch Elite Radiant Vented Burner**


# Minimum Vented Fireplace Dimensions

## Models: Manual Safety Pilot, and Millivolt

Minimum Vented Fireplace Dimensions for Elite Radiant Burners					
Burner Size	Log Set Size	Rear Width A	Depth B	Front Width C	Height D
2124	24	26	16	30	20
30	30	30	16	36	20

## Models: Match Light

Minimum Vented Fireplace Dimensions for Elite Radiant Burners					
Burner Size	Log Set Size	Rear Width A	Depth B	Front Width C	Height D
2124	24	22	16	26	20
30	30	26	16	32	20



<b>Warranty for All Models</b> 3-Year Warranty – Vented Log Sets and Burners 1-Year Parts Warranty – Remote Control Systems		<b>Installation and Safety</b> Refer to your Owner's Manual for complete installation including minimum firebox dimensions and safety information.	
		<b>Gas Inlet for All Models</b>	
		Type of Gas	Natural or LP
		Iron Pipe Size (N.P.T.)	1/2 inch

Member of the following industry associations:



Empire is committed to continuous product improvement; specifications are subject to change without notice. Dimensions in this brochure are approximate; read and follow the framing dimensions in the owners manual supplied with your Empire product. Flame size, shape, and color will vary from photos.



SINCE 1932  
 918 Freeburg Ave.  
 Belleville, IL 62220-2623  
 e-mail: info@empirecomfort.com

WMH-01025 8/02/19