

FIREPLACE DESIGN GUIDE



A MAJESTIC LEGACY

Since 1894, Majestic® has been dedicated to keeping families warm. Originally a manufacturer of cast iron furnaces and coal chutes, Majestic created its first factory built fireplace in the 1930s and never looked back. Since then, Majestic has been producing wood and gas fireplaces known for outstanding durability, superior quality and stunning good looks.

With a wide range of eye-catching styles, convenient sizes and trending trims, Majestic products are designed to be the beautiful heart of your home. That's why, for decades, Majestic has been the fireplace of choice for homes across North America. We believe trust is earned, not given, and appreciate the faith you've shown in our brand for over 125 years.

Come home to a Majestic gas fireplace, and enjoy the entertainment and romance you deserve.





TABLE OF CONTENTS

| Why a Fireplace | 4 |
|----------------------------|----|
| Seeing is Believing | |
| Simple Specification | |
| Design Considerations | |
| Specification Checklist | |
| | |
| Gas Fireplaces | |
| Why a Gas Fireplace | 10 |
| | |
| Gas Fireplace Inserts | 34 |
| Why a Gas Fireplace Insert | |
| | |
| Wood Burning Fireplaces | 40 |
| Why a Wood Fireplace | |
| | |
| Electric Fireplaces | 54 |
| Why an Electric Fireplace | |
| | |
| Outdoor Products | 68 |
| Why Outdoor | |



WHY A FIREPLACE?

From an elemental standpoint, fire is king. From a design standpoint, the regal ambiance a fireplace brings to a space is undeniable. With today's hearth innovations and technologies, it's possible to include a fireplace in virtually any room in your residential or commercial project.



New homebuyers rank fireplaces as the top most desired decorative products in a new home¹



A gas fireplace will add between

\$2,950 **-** \$5,900

to a home's value²



Direct vent gas is the **preferred technology** in every green

building program³

2016 Realtor.com Homebuyer & Realtor Research, "Fireplace is the #1 Must Have Home Feature"; 2016 Angie's List Homebuyer & Realtor Research, "Both indoor and outdoor fireplaces are one of the most sought after home

- features by both homebuyers and realtors"

 2 Marshall & Swift Residential Cost Handbook
- 3 2013 NAHB "What Homebuyers Really Want"

SEEING IS BELIEVING

Competitors have tried to say their fireplaces are bigger, but are they really? Consumers can be misled by fireplace measurements that are not standardized. With Majestic, you can show the consumer the difference.

The Majestic brand uses a simple system that features the width of the fireplace's viewing area right in the product name. Consumers care about what they "see" not what is hidden. For example, the width of the viewing area on the Quartz 36 fireplace is 36 inches.







CAD Details



Revit Objects




CSI Specs

MAJESTIC MAKES SPECIFYING SIMPLE

Have confidence in your plans by leveraging our array of design and specification tools including proprietary CAD drawings compatible with the latest AutoCAD software, and 3D Revit BIM objects and families. Majestic also has complete 3-Part CSI/CSA fireplaces specifications for you to add instantly into section 10-31-00 of your construction documents.


DESIGN CONSIDERATIONS

The placement of the fireplace is critical to specifying the right fireplace for the right project. When evaluating how to best work a fireplace model into your floor plan, make sure to work with your local Hearth Expert™ to factor in the following components:



Exterior Wall


A classic application that suits both traditional and contemporary fireplace models. These applications typically require the least complicated vent runs, but may require an exterior chase or bump out.



Corner

Best used in floorplans with square footage to spare or where other architectural elements (i.e. windows) take precedence as a focal point.

Traditional models or smaller modern linear units work best for these applications.



Interior Wall / Island

An interior island application is an innovative way to enhance a space. See-through models are highly desired for these types of design, particularly in open floor plans. These applications may require a power vent system and a more complex vent run.



Install Virtually Anywhere: Power Venting Technology

Fireplaces aren't just for exterior walls. A fan-powered accessory with slim venting can zigzag throughout your home – up, down, over or under – making it possible to install a gas fireplace virtually anywhere.



SPECIFICATION CHECK LIST

Planning is critical to ensure the model you are specifying will work with your home plans. When specifying a fireplace model for your floor plan, make sure to work with your local Hearth Expert to factor in the following factors:





For both the fireplace itself and for any vent pipes that must terminate through a wall.



Connection Requirements

Make sure you understand where venting, gas and electrical connection points are on the model you're specifying.



Vent Run Requirements

The maximum and minimum lengths required for vertical, horizontal and mixed vent runs may vary from model to model. Understanding these parameters early on is essential in deciding where best to place the fireplace in your plans.



Clearances to Combustibles

For mantels, flooring, surround material and appliances adjacent to the fireplace.



Exterior Termination Location

Know the distances needed from the termination cap to nearby fenestrations, overhangs, soffits and sidewalks.



WHY A GAS FIREPLACE?

Gas fueled fireplaces offer the most versatility of placement, model variety, and technology. Majestic gas fueled fireplaces will not only add an unforgettable focal point to your home, but ambiance and comfort to the spaces you're creating to deliver an experience of royal proportions. Clean-burning and efficient, building and design professionals should include at least one gas fueled fireplace in entry level new construction homes and a second or third fireplace when planning move-up or luxury/custom properties.



Heat Management Solutions

Increase homeowner satisfaction by specifying a model with heat management.




Passive Heat Kit Allows heat to disperse naturally (no fan) into the room, reducing surface temperatures. Choose side, front or open wall register.






SmartWall[™] TV Kit Design flexibility with an automatic fan that allows a TV to be mounted 12" above the fireplace without a mantel or shelf.¹

- 1 The SmartWall fan will and must run continuously to move the heat away from the area above the fireplace. Also minimum guidelines must be followed:
- Minimum of 3" gap between the TV and wall at all angles
- Minimum of 24" to side wall
- Ambient room temperature 75° F or less
 See TV manufacturer's recommendation for TV operating temperatures
- Minimum 60" from the top of the fireplace opening to the ceiling






Heat-Zone® Kit Draw heat from your fireplace to another room in your home, up to 20 feet away. Redirect up to 50% of the heat, while reducing wall temperatures above the fireplace.





Heat-Out® Kit Draw heat from your fireplace and direct it outside. Redirect up to 40% of the heat while reducing wall temperatures above the fireplace.





MARQUIS II SERIES

Direct Vent Gas Fireplace

The Marquis II series gas fireplace fills your home with comfort. Watch the scene unfold with an expansive view of the flames as they wrap around split logs. The authentic masonry appearance and accent lighting enhance the beautiful fire.

Interiors







Tavern Brown

Tavern Brown Herringbone

Reflective Black Glass

Finishes



Bronze









Charcoal


Pewter

MARQUIS II SPECIFICATIONS

| | MODEL | FRONT WIDTH (A) | | REAR WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE | BTU/HR INPUT | |
|--|---------------|-----------------|----------------------|----------------------|----------------------|---------------------|-----------------|----------------|----------------|--|--|--|
| | | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (E x F) | BIO/HR INPOI | |
| | Marquis II 36 | 61" (1549mm) | 59-1/2" (1511mm) | 59-1/4" (1505mm) | 59-1/2" (1511mm) | 57-5/8" (1464mm) | 56" (1422mm) | 24" (610mm) | 24" (610mm) | 35-7/8" x 31-1/16" (911mm x 789mm) | 25,000 - 44,000 (NG) 24,000 - 43,500 (LP) | |
| | Marquis II 42 | 67" (1702mm) | 65-9/16" (1665mm) | 65-5/16" (1659mm) | 65-9/16" (1665mm) | 62-5/8" (1591mm) | 61" (1549mm) | 24" (610mm) | 24" (610mm) | 41-7/8" x 36-1/16" (1064mm x 916mm) | 30,000 - 54,500 (NG) 23,500 - 47,500 (LP) | |









Top View

Front View

Left Side View

Right Side View



Heat Duct







MARQUIS II SEE-THROUGH

Direct Vent Gas Fireplace

The Marquis See-Through gas fireplace is a breathtaking focal point that will add prestige to any space. Accent lighting and stunning flames compliment the traditional feel of split logs. Dazzle your homeowners and builder clients by specifying the Marquis II See-Through for your residential and commercial projects.

Interiors





Cottage Red

Tavern Brown

Finishes




Charcoal





Pewter


MARQUIS II SEE-THROUGH SPECIFICATIONS

| | MODEL | FRONT WIDTH (A) | | REAR WIDTH (A) | | HEIGHT (B) | | DEPTH (C) | | GLASS SIZE | BTU/HR INPUT |
|--|---------------------------|-----------------|---------------------|-----------------|---------------------|---------------------|---------------------|----------------|----------------|--|--|
| | | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (D x E) | BIO/HR INPUI |
| | Marquis II See-Through | 60" (1524mm) | 60-1/4" (1530mm) | 60" (1524mm) | 60-1/4" (1530mm) | 46-3/8" (1178mm) | 46-1/2" (1181mm) | 30" (762mm) | 30" (762mm) | 39-7/16" x 35-1/8" (1002mm x 892mm) | 43,000 - 57,500 (NG) 39,000 - 52,000 (LP) |









Top View

Front View

Left Side View

Right Side View











ECHELON II SERIES

Direct Vent Gas Fireplace

The exclusive Echelon II series gas fireplace creates a place to relax and enjoy life. Active flames and interior options give this contemporary fireplace a unique look. Get lost in its fire and the brilliance of glass illuminated by lights.











Charcoal



Pewter



Black

Media





Bronze











Bronze Driftwood Logs

Diamond


Onyx


Sapphire


Natural Stones


ECHELON II SPECIFICATIONS

| MODEL | FRONT WIDTH (A) | | REAR WIDTH (D) | | HEIGHT (B) | | DEPTH (C) | | GLASS SIZE | BTU/HR INPUT |
|---------------|----------------------|---------------------|----------------------|---------------------|---------------------|-----------------|--------------------|--------------------|---------------------------------------|---------------------------|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (E x F) | BTO/HR INPOT |
| Echelon II 36 | 46-3/16" (1173mm) | 48-1/4" (1226mm) | 46-3/16" (1173mm) | 48-1/4" (1226mm) | 41-3/4" (1060mm) | 42" (1067mm) | 17-1/8" (435mm) | 18-1/4" (464mm) | 35-1/2" x 12-1/2" (902mm x 318mm) | 30,000 (NG) / 27,000 (LP) |
| Echelon II 48 | 58" (1473mm) | 60-1/4" (1530mm) | 58" (1473mm) | 60-1/4" (1530mm) | 41-3/4" (1060mm) | 42" (1067mm) | 17-1/8" (435mm) | 18-1/4" (464mm) | 47-1/2" x 12-1/2" (1207mm x 318mm) | 40,000 (NG) / 34,000 (LP) |
| Echelon II 60 | 70" (1778mm) | 72-1/4" (1835mm) | 70" (1778mm) | 72-1/4" (1835mm) | 47-3/4" (1213mm) | 48" (1219mm) | 17-1/8" (435mm) | 18-1/4" (464mm) | 59-1/2" x 12-1/2" (1511mm x 318mm) | 50,000 (NG) / 37,500 (LP) |
| Echelon II 72 | 82" (2083mm) | 84-1/4" (2140mm) | 82" (2083mm) | 84-1/4" (2140mm) | 47-3/4" (1213mm) | 48" (1219mm) | 17-1/8" (435mm) | 18-1/4" (464mm) | 71-1/2" x 12-1/2" (1816mm x 318mm) | 58,000 (NG) / 45,000 (LP) |









Top View

Front View

Left Side View

Right Side View









ECHELON II SEE-THROUGH

Direct Vent Gas Fireplace

The exclusive Echelon II See-Through gas fireplace creates a place to relax and enjoy life. Active flames and interior options give this contemporary fireplace a unique look. Get lost in its fire and the brilliance of glass illuminated by lights.


Interiors







Charcoal





Black

3

Driftwood Logs







Pewter





Media

Bronze

Diamond


Onyx


Sapphire


Natural Stones


ECHELON II SEE-THROUGH SPECIFICATIONS

| MODEL | FRONT WIDTH (A) | | REAR WIDTH (D) | | HEIGHT (B) | | DEPTH (C) | | GLASS SIZE | BTU/HR INPUT |
|----------------|-----------------|----------|----------------|----------|------------|----------|-----------|---------|-------------------|---------------------------|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (E x F) | BTO/TIN INFOT |
| Echelon II | 46-3/16" | 48-1/4" | 46-3/16" | 48-1/4" | 41-3/4" | 42" | 17-1/8" | 17" | 35-1/2" x 12-1/2" | 30,000 (NG) / 27,000 (LP) |
| See-Through 36 | (1173mm) | (1226mm) | (1173mm) | (1226mm) | (1060mm) | (1067mm) | (435mm) | (432mm) | (902mm x 318mm) | |
| Echelon II | 58" | 60-1/4" | 58" | 60-1/4" | 41-3/4" | 42" | 17-1/8" | 17" | 47-1/2" x 12-1/2" | 40,000 (NG) / 34,000 (LP) |
| See-Through 48 | (1473mm) | (1530mm) | (1473mm) | (1530mm) | (1060mm) | (1067mm) | (435mm) | (432mm) | (1207mm x 318mm) | |









Top View

Front View


Left Side View

Right Side View









JADE SERIES

Direct Vent Gas Fireplace

The Jade fireplace helps you unwind and rebalance with a ribbon of continuous flame and a soothing style. With its great looks, many features, easy operation and the reliability of Majestic, life is better. Sit back, relax and enjoy your home with the Jade fireplace.

Interiors











Reflective Black Glass Bronze

Charcoal

Pewter

Black

Media







Onyx





Driftwood Logs

Bronze


Diamond


Sapphire


Natural Stones


JADE SERIES SPECIFICATIONS


| MODEL | FRONT WIDTH (A) | | HEIGHT (B) | | DEPTH (C) | | REAR WIDTH (D) | | GLASS SIZE | BTU/HR INPUT |
|----------|-----------------|---------|------------|---------|-----------|---------|----------------|---------|-------------------|----------------|
| WODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (E X F) | DIO/IIII INPOI |
| Jade 32" | 36" | 37" | 38-1/16" | 36-1/2" | 17-3/4" | 17-3/4" | 25-3/4" | 37" | 27-1/4" x 15-1/4" | 19,000 (NG) |
| | (914) | (940) | (967) | (927) | (451) | (451) | (654) | (940) | (692 x 387) | 16,500 (LP) |
| Jade 42" | 48" | 49" | 33-11/16" | 32-3/4" | 17-3/4" | 17-3/4" | 37-3/4" | 49" | 39" x 15-1/4" | 25,250 (NG) |
| | (1219) | (1245) | (856) | (832) | (451) | (451) | (959) | (1016) | (991 x 387) | 23,500 (LP) |











Front View

Left Side View

32" Right Side View

42" Right Side View

Top View




Heat Duct









PEARL II SEE-THROUGH


Direct Vent Gas Fireplace

Pearl II see-through fireplaces create a one-of-kind fireside experience. These multi-sided fireplaces provide warmth and comfort to multiple spaces with one unit. Customize your Pearl II see-through fireplace with several interior options, or opt for the contemporary look of flames rising through your choice of crushed glass media.


Cottage Red Tavern Brown Reflective Black Glass Bronze Pewter Black


PEARL II SEE-THROUGH SPECIFICATIONS


| MODEL | FRONT WIDTH (A) | | REAR WIDTH (D) | | HEIGHT (B) | | DEPTH (C) | | GLASS SIZE | BTU/HR INPUT |
|----------------------|---------------------|-----------------|---------------------|-----------------|----------------|--------------------|----------------|----------------|----------------------------------|---------------|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (E x F) | BTO/FIX INPUT |
| Pearl II See-Through | 42-1/2" (1080mm) | 43" (1092mm) | 42-1/2" (1080mm) | 43" (1092mm) | 38" (965mm) | 38-1/8" (968mm) | 24" (610mm) | 23" (584mm) | 33" x 21-5/8" (838mm x 549mm) | 38,000 (NG) |











Right View





PEARL II PENINSULA

Direct Vent Gas Fireplace

Pearl II peninsula fireplaces create a one-of-kind fireside experience. These multi-sided fireplaces provide warmth and comfort to multiple spaces with one unit. Customize your Pearl II peninsula fireplace with several interior options, or opt for the contemporary look of flames rising through your choice of crushed glass media.

Interiors







Cottage Red

Tavern Brown


Reflective Black Gla

Finishes





PEARL II PENINSULA SPECIFICATIONS


| MODEL | FRONT WIDTH (A) | | REAR WIDTH (D) | | HEIGHT (B) | | DEPTH (C) | | GLASS SIZE | BTU/HR INPUT |
|--------------------|---------------------|-----------------|---------------------|-----------------|----------------|--------------------|----------------|----------------|----------------------------------|--------------|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (E x F) | BTO/HK INPUT |
| Pearl II Peninsula | 40-1/2" (1029mm) | 40" (1016mm) | 40-1/2" (1029mm) | 40" (1016mm) | 38" (965mm) | 38-1/8" (968mm) | 24" (610mm) | 23" (584mm) | 33" x 21-5/8" (838mm x 549mm) | 38,000 (NG) |











Non-Viewable End






CORNER SERIES


Direct Vent Gas Fireplace


A unique corner unit creates a memorable experience. These corner fireplaces provide warmth and comfort to multiple spaces at once. Upgrade your corner fireplace with intuitive touch remote control and fan options.


CORNER SPECIFICATIONS

| MODEL | FRONT WIDTH (A) | | REAR WIDTH (D) | | HEIGHT (B) | | DEPTH (C) | | GLASS SIZE | BTU/HR INPUT |
|--------------|---------------------|-----------------|---------------------|-----------------|----------------|--------------------|--------------------|-----------------------|----------------------------------|---------------|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | CTUAL FRAMING (E x F) | | BTO/FIX INPUT |
| Left Corner | 40-1/2" (1029mm) | 40" (1016mm) | 40-1/2" (1029mm) | 40" (1016mm) | 38" (965mm) | 38-1/8" (968mm) | 24-1/2" (622mm) | 24" (610mm) | 33" x 21-5/8" (838mm x 549mm) | 38,000 (NG) |
| Right Corner | 40-1/2" (1029mm) | 40" (1016mm) | 40-1/2" (1029mm) | 40" (1016mm) | 38" (965mm) | 38-1/8" (968mm) | 24-1/2" (622mm) | 24" (610mm) | 33" x 21-5/8" (838mm x 549mm) | 38,000 (NG) |









Top View

Non-Viewable End





MERIDIAN SERIES

Direct Vent Gas Fireplace

Meridian series gas fireplaces come alive as flames swirl around split logs. A crisp and clean interior makes these fireplaces inviting, whether they're burning or not. Easily customize your Meridian series and for more heat and bigger flames, upgrade to the Meridian Platinum.











Cottage Red

Tavern Brown

Tavern Brown Herringbone

Fade-Resistant Reflective Black Glass

Finishes







Bronze

Pewter

Black

MERIDIAN SERIES SPECIFICATIONS






Heat Duct






Meridian


| MODEL | FRONT WIDTH (A) | | REAR WIDTH (D) | | HEIGHT (B) | | DEPTH (C) | | GLASS SIZE | BTU/HR INPUT |
|-------------|-----------------|-----------------|--------------------|-----------------|---------------------|---------------------|----------------|----------------|-----------------------------------|---------------------------|
| MODEL | | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (E x F) | BIU/RK INPUI |
| Meridian 36 | 41" (1041mm) | 42" (1067mm) | 28-1/2" (724mm) | 42" (1067mm) | 40-7/8" (1038mm) | 40-1/8" (1019mm) | 21" (533mm) | 22" (559mm) | 32" x 21-9/16" (813mm x 548mm) | 30,000 (NG) / 29,000 (LP) |
| Meridian 42 | 48" (1219mm) | 49" (1245mm) | 35-1/2" (902mm) | 49" (1245mm) | 42-7/8" (1089mm) | 42-1/8" (1070mm) | 21" (533mm) | 22" (559mm) | 39" x 23-5/8" (991mm x 600mm) | 35,000 (NG) / 34,000 (LP) |



Top View




Left View




Right View

Meridian Platinum

| MODEL | FRONT WIDTH (A | | (A) REAR WIDTH (D) | | HEIGHT (B) | | DEPTH (C) | | GLASS SIZE | BTU/HR INPUT |
|----------------------|-----------------|-----------------|--------------------|-----------------|---------------------|---------------------|----------------|----------------|-----------------------------------|---------------------------|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (E x F) | BIO/HK INPUI |
| Meridian Platinum 36 | 41" (1041mm) | 42" (1067mm) | 28-1/2" (724mm) | 42" (1067mm) | 40-7/8" (1038mm) | 40-1/8" (1019mm) | 21" (533mm) | 22" (559mm) | 32" x 21-9/16" (813mm x 548mm) | 35,000 (NG) / 33,000 (LP) |
| Meridian Platinum 42 | 48" (1219mm) | 49" (1245mm) | 35-1/2" (902mm) | 49" (1245mm) | 42-7/8" (1089mm) | 42-1/8" (1070mm) | 21" (533mm) | 22" (559mm) | 39" x 23-5/8" (991mm x 600mm) | 40,000 (NG) / 37,000 (LP) |



Top View



Left View



Right View



QUARTZ SERIES Direct Vent Gas Fireplace

Quartz series gas fireplaces have the features you need, with the options you want. The shallow depth leaves you with living space to spare, while the versatile interior can be changed from traditional to contemporary to fit your style.

Interiors







Cottage Red Tavern Brown Reflective Black Glass

Media







Contemporary glass firebed available for 32" and 36" only.







Standard Logs

Bronze

Diamond


Onyx


Sapphire


Natural Stones


QUARTZ SERIES SPECIFICATIONS

| MODEL | FRONT WIDTH (A) | | REAR WIDTH (D) | | HEIGHT (B) | | DEPTH (C) | | GLASS SIZE | BTU/HR INPUT |
|-----------|-----------------|-----------------|--------------------|-----------------|----------------------|---------------------|---------------------|--------------------|--|----------------------|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (E x F) | BTO/HK INPUT |
| Quartz 32 | 36" (913mm) | 37" (940mm) | 25-3/4" (653mm) | 37" (940mm) | 34-3/8" (873mm) | 34-3/4" (882mm) | 16-5/16" (415mm) | 16-1/4" (413mm) | 27-3/16" x 18-1/16" (691mm x 459mm) | 15,000 – 21,000 (NG) |
| Quartz 36 | 41" (1041mm) | 42" (1067mm) | 30-3/4" (781mm) | 42" (1067mm) | 37-7/8" (962mm) | 38-1/4" (972mm) | 16-5/16" (415mm) | 16-1/4" (413mm) | 32-1/16" x 21-1/2" (814mm x 546mm) | 17,000 – 24,000 (NG) |
| Quartz 42 | 48" (1219mm) | 49" (1245mm) | 37-3/4" (959mm) | 49" (1245mm) | 39-9/16" (1005mm) | 39-7/8" (1013mm) | 16-5/16" (415mm) | 16-1/4" (413mm] | 39-1/16" x 23-9/16" (992mm x 599mm) | 20,000 - 28,500 (NG) |









Top View

Front View

Left Side View

Right Side View











MERCURY Direct Vent Gas Fireplace


The Mercury gas fireplace adds comforting warmth, ambiance and convenience to your space. A simple and easy hearth experience.


MERCURY SPECIFICATIONS

| MODEL | FRONT WIDTH | | REAR WIDTH | | HEIGHT | | DEPTH | | GLASS SIZE | BTU/HR INPUT |
|---------|----------------|----------------|--------------------|----------------|---------------------|--------------------|---------------------|--------------------|--|--------------|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | GLASS SIZE | BIO/HN INPUI |
| Mercury | 36" (914mm) | 37" (940mm) | 25-3/4" (654mm) | 37" (940mm) | 34-5/16" 9871mm) | 34-3/4" (883mm) | 16-5/16" (414mm) | 16-1/4" (413mm) | 27-3/16" x 18-1/16" (691mm x 459mm) | 19,100 (NG) |









Top View

Front View

Left Side View

Right Side View









WHY A GAS FIREPLACE INSERT?


Change your wood fireplace to an easy-to-use gas fireplace. Gas inserts from Majestic make relaxing simple with realistic split logs and flames. Convert your high-maintenance wood fireplace into a source of warmth and enjoyment, in three easy steps:

STEP 1: Measure your existing fireplace opening and choose your insert

The height, width and depth of the existing fireplace opening is needed to ensure an appropriately sized insert is selected.

| Α. | Fireplace from | t width | |
|----|----------------|---------|--|
| | | | |

- B. Fireplace front height_____
- C. Fireplace back width_____
- D. Fireplace depth
- E. Hearth to mantel height_____



STEP 2: Select your surround and front

A surround fills the gap between the fireplace insert and existing fireplace opening. Choose from three sizes and two finishes for a unique look.

Personalize your insert with a front that fits your style. Select from three styles and two finishes.



| SURROUND SIZE | RUBY35IN | RUBY30IN JASPER30IN | RUBY25IN | |
|------------------|-----------|------------------------|-----------|--|
| Small | 42" x 29" | 40" x 27" | 35" x 23" | |
| Medium | 44" x 32" | 42" x 30" | 37" x 26" | |
| Large | 48" x 32" | 44" x 32" | 39" x 28" | |

Front and Surround Finishes



STEP 3: Select your options to customize your insert

Choose from interior panels, contemporary conversion kits and interior media to put the finishing touches on your insert.



RUBY SERIES

Gas Fireplace Inserts

The Ruby series gas fireplace inserts make enjoying a fire easy. All the ambiance and warmth of a split-log fire, without the mess and hassle of wood. A traditional fireplace can be completely changed to a brilliant glass firebed and driftwood logs. A fireplace to fit your lifestyle, whenever you want.

*Available on Ruby 35 and Ruby 30









Cottage Red

Tavern Brown

Finishes










Black

RUBY SPECIFICATIONS

| | FRONT V | VIDTH (A) | BACK WIDTH (B) | | HEIGHT (C) | | DEP | ΓH (D) | VIEWING AREA | BTU/HR |
|----------|--------------------|------------------------|--------------------|--------------------|---------------------|------------------------|--------------------|------------------------|--|--------|
| MODEL | UNIT | MIN FIREBOX OPENING | UNIT | MIN. OPEN | UNIT | MIN FIREBOX OPENING | UNIT | MIN FIREBOX OPENING | (E X F) | INPUT |
| RUBY25IN | 26-1/8" (664mm) | 26-5/8" (676mm) | 14-5/8" (372mm) | 15-1/8" (384mm) | 17-1/16" (433mm) | 17-5/16" (439mm) | 14-1/2" (368mm) | 15" (381mm) | 22-1/2" X 12-7/16" (572mm X 316mm) | 27,000 |
| RUBY30IN | 31-1/8" (791mm) | 31-5/8" (803mm) | 19-5/8" (499mm) | 20-1/8" (511mm) | 20-3/4" (527mm) | 21" (533mm) | 14-1/2" (368mm) | 15" (381mm) | 27-1/2" X 15-15/16" (699mm X 405mm) | 32,700 |
| RUBY35IN | 36-1/8" (918mm) | 36-5/8" (930mm) | 24-5/8" (626mm) | 25-1/8" (638mm) | 24" (610mm) | 24-1/4" (616mm) | 14-1/2" (368mm) | 15" (381mm) | 32-1/2" X 19-3/8" (826mm X 492mm) | 35,000 |









Top View

Front View

Left Side View

Right Side View







JASPER Gas Fireplace Insert

Installing the Jasper gas fireplace from Majestic can be quick and will provide significantly better efficiency than an open wood fireplace. Split-logs and flames deliver the ambiance and look you expect, while removing the effort wood fireplaces require.

Interiors





Cottage Red

Tavern Brown

Finishes





Bronze


Black

JASPER SPECIFICATIONS

| | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | VIEWING AREA | BTU/HR | |
|------------|--------------------|------------------------|--------------------|--------------------|--------------------|------------------------|--------------------|------------------------|--|--------|--|
| MODEL | UNIT | MIN FIREBOX OPENING | UNIT | MIN. OPEN | UNIT | MIN FIREBOX OPENING | UNIT | MIN FIREBOX OPENING | (E X F) | INPUT | |
| JASPER30IN | 31-1/8" (791mm) | 31-5/8" (803mm) | 19-5/8" (499mm) | 20-1/8" (511mm) | 20-3/4" (527mm) | 21" (533mm) | 14-1/2" (368mm) | 15" (381mm) | 27-1/2" X 15-15/16" (699mm X 405mm) | 30,000 | |









Top View

Front View

Left Side View

Right Side View








WHY A WOOD FIREPLACE?

Majestic wood burning fireplaces are a robust, reliable and budget-friendly alternative to true masonry fireplaces and are ideal for projects where the hearth is used seasonally or when end-users are seeking the hands-on experience of a woodfueled appliance. It's important to understand local codes when specifying wood burning models, particularly when seeking to comply with EPA requirements and other state and city mandates.

Termination Requirements for Wood Burning Fireplaces

The quality of the fire depends on where you design—in the chimney and termination components for the specified wood burning model. It's important to get with a local hearth installer early in the design process to ensure proper termination placement. Variables such as roof angle, prevailing wind location, and nearby overhangs, objects and openings may need to be taken into consideration.





WarmMajic II EPA Wood-Burning Fireplace

Enhance your home's heating profile with a clean-burning, efficient wood fireplace you can depend on. This eco-friendly wood fireplace exceeds the strictest environmental standards. Come home to the comfort of the WarmMajic II wood fireplace and enjoy big heat and bold flames.

Interiors



Firebrick


Finishes




Black

WarmMajic II SPECIFICATIONS

| | MODEL | FRONT V | VIDTH (A) | HEIG | HT (B) | DEPT | TH (C) | FIREPLACE OPENING | RADIANT OR CIRCULATING | |
|----|-------------|-----------------|---------------------|---------------------|---------------------|--------------------|-----------------|----------------------------------|---------------------------|--|
| | MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (E X F) | | |
| WA | ARMMAJIC II | 40" (1016mm) | 42-1/2" (1067mm) | 40-1/2" (1029mm) | 56-3/4" (1441mm) | 23-1/2" (597mm) | 24"* (610mm) | 37" x 31-1/8" (940mm x 791mm) | Circulating | |







^{*}If interior of chase will be drywalled, add the thickness to this measurement.



ASHLAND

Wood-Burning Fireplace

The Ashland delivers on every level – customize the design with three available sizes and stylish finishing options. The large firebox gives you a front row seat for unforgettable fires, while the proven history of performance provides peace of mind for many years to come.¹

Interiors



Traditional





Bi-Fold Doors

Finishes






1 Ashland not available in Canada

ASHLAND SPECIFICATIONS

| MODEL | WIE | тн | HEI | GHT | DEI | РТН | VIEWING AREA | RADIANT OR CIRCULATING | |
|-------|---------------------|---------------------|---------------------|---------------------|--------------------|--------------------|-------------------------------|---------------------------|--|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | VIEWING AREA | | |
| ASH36 | 46-7/8" (1191mm) | 47-7/8" (1194mm) | 74-1/8" (1883mm) | 74-1/2" (1892mm) | 27-1/2" (699mm) | 28-1/2" (724mm) | 36" x 38" (914mm x 965mm) | Radiant | |
| ASH42 | 52-7/8" (1343mm) | 53-7/8" (1368mm) | 74-1/8" (1883mm) | 74-1/2" (1892mm) | 27-1/2" (699mm) | 28-1/2" (724mm) | 42" x 38" (1067mm x 965mm) | Radiant | |
| ASH50 | 60-7/8" (1524mm) | 61-7/8" (1549mm) | 74-1/8" (1883mm) | 74-1/2" (1892mm) | 27-1/2" (699mm) | 28-1/2" (724mm) | 50" x 38" (1270mm x 965mm) | Radiant | |





DESIGNER SERIES

Wood-Burning Fireplace

Now you can enjoy the incomparable warmth and beauty of your wood burning fireplace from two rooms at once. Get twice the ambiance with a designer see through fireplace.



Bi-Fold Doors

Finishes








k Stainless Steel (36 only)

DESIGNER SERIES SPECIFICATIONS

| MODEL | WIDT | ГН (А) | HEIGI | HT (B) | DEPT | TH (C) | VIEWING AREA | RADIANT OR | |
|-------------|-----------------|-----------------|---------------------|---------------------|----------------|----------------|----------------------------------|-------------|--|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (D x E) | CIRCULATING | |
| Designer 36 | 40" (1016mm) | 41" (1041mm) | 41-1/4" (1022mm) | 41-1/2" (1054mm) | 24" (610mm) | 23" (584mm) | 36" x 20-7/8" (914mm x 530mm) | Radiant | |
| Designer 42 | 47" (1194mm) | 48" (1219mm) | 58-7/8" (1496mm) | 39-1/8" (994mm) | 28" (711mm) | 27" (686mm) | 42" x 23" (1067mm x 584mm) | Radiant | |







Top View Front View Side View



BILTMORE SERIES

Wood-Burning Fireplace

Larger than life style, classic masonry appeal and a viewing area like no other. The expansive viewing area (available in up to 50")1 becomes the natural focal point of any room, and the perfect place to relax.







Traditional

Herringbone

Black

Doors









¹ 50" size not available in Canada

BILTMORE SERIES SPECIFICATIONS

| MODEL | WIDT | 'H (A) | HEIGI | HT (B) | DEPT | TH (C) | VIEWING AREA | RADIANT OR CIRCULATING | |
|--------------|---------------------|---------------------|---------------------|---------------------|--------------------|--------------------|-----------------------------------|---------------------------|--|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (D x E) | | |
| Biltmore 36 | 44-1/2" (1130mm) | 45-1/2" (1156mm) | 59-1/4" (1505mm) | 59-3/4" (1518mm) | 27-1/2" (699mm) | 28-1/2" (724mm) | 36" x 28-1/2" (914mm x 724mm) | Radiant | |
| Biltmore 42 | 50-1/2" (1283mm) | 51-1/2" (1308mm) | 59-1/4" (1505mm) | 59-3/4" (1518mm) | 27-1/2" (699mm) | 28-1/2" (724mm) | 42" x 28-1/2" (1067mm x 724mm) | Radiant | |
| Biltmore 501 | 60-5/8" (1540mm) | 61-5/8" (1565mm) | 70-1/2" (1791mm) | 71" (1803mm) | 29-1/2" (749mm) | 30-1/2" (775mm) | 50" x 33" (1270mm x 838mm) | Radiant | |








Top View Front View Side View



SOVEREIGN SERIES


Wood-Burning Fireplace


Some things never go out of style, like the beauty and old world craftsmanship of a Sovereign wood burning fireplace. Authentic masonry design and attractive finishing options allow you to create the centerpiece of your home.




SOVEREIGN SERIES SPECIFICATIONS

| MODEL | WIDT | ΓH (A) | HEIG | HT (B) | DEPT | 'H (C) | VIEWING AREA | RADIANT OR | |
|--------------|-----------------|-----------------|---------------------|---------------------|--------------------|----------------|-----------------------------------|---------------------|--|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL FRAMING | | (D x E) | CIRCULATING | |
| Sovereign 36 | 42" (1067mm) | 43" (1092mm) | 41-1/4" (1048mm) | 41-1/2" (1054mm) | 22-3/4" (578mm) | 23" (584mm) | 36" x 21-3/8" (914mm x 543mm) | Radiant/Circulating | |
| Sovereign 42 | 48" (1219mm) | 49" (1245mm) | 41-1/4" (1048mm) | 41-1/2" (1054mm) | 22-3/4" (578mm) | 23" (584mm) | 42" x 21-3/8" (1067mm x 543mm) | Radiant/Circulating | |







Top View Front View Side View



ROYALTON SERIES

Wood-Burning Fireplace

The Royalton has earned a strong reputation for classical style, superior performance and outstanding features. The detailed brick interior with classic masonry look, up to 42" viewing area and available glass doors make this fireplace a stunning addition to your home's décor.






Black


Doors




ROYALTON SERIES SPECIFICATIONS

| MODEL | WIDT | 'H (A) | HEIG | HT (B) | DEPT | 'H (C) | VIEWING AREA | RADIANT OR | |
|-------------|-----------------|-----------------|---------------------|---------------------|--------------------|------------------------------|-------------------------------|---------------------|--|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL FRAMING | | (D x E) | CIRCULATING | |
| Royalton 36 | | | 39-3/4" (1010mm) | | | 36" x 21" (914mm x 533mm) | Radiant/Circulating | | |
| Royalton 42 | 47" (1194mm) | 48" (1219mm) | 39-1/2" (1003mm) | 39-3/4" (1010mm) | 21-3/8" (543mm) | 21-1/2" (546mm) | 42" x 21" (1067mm x 533mm) | Radiant/Circulating | |







Top View Front View Side View



WHY AN ELECTRIC FIREPLACE?

A fast growing hearth category, electric fireplaces are an excellent option when no other fuel sources are available or when venting gas or wood fireplaces would be difficult.



Easy and Economical

Electric fireplaces provide a unique focal point without expensive installation costs as they require no venting. The ability to safely place a TV or artwork within inches of the fireplace provides interior design flexibility. Ideal as a second or third fireplace, electric fireplaces can be installed in any room of a property.



Heat Optional

The heat output of electric fireplaces can be adjusted or turned off altogether – an excellent solution for projects where the ambiance of a fire is desired without the supplemental warmth. Specify electric models when building in warm climates or for spaces that would benefit from a heat-optional function



Environmentally Friendly

Electric fireplaces emit zero combustion byproducts and are allowed in all national green building programs.



SIMPLIFIRE BUILT-IN

Electric Fireplace

Adding the traditional look of a fireplace to your home has never been this easy. A detailed masonry-style interior, textured log set and four different flame intensity levels enhance the appeal of the SimpliFire Built-In electric fireplace series. Enjoy the ambiance – with or without the heat. Experience "Fire Made Simple."





Optional Front


ronts

SIMPLIFIRE BUILT-IN SPECIFICATIONS

| MODEL | FRONT V | VIDTH (A) | REAR WIDTH (D) | | HEIGHT (B) | | DEPTH (C) | | BTU/HR OUTPUT | |
|------------------------|----------------|----------------|----------------|----------------|---------------------|----------------------|----------------|--------------------|---------------|--------|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | 120V | 240V |
| SimpliFire Built-In 30 | 31" (787mm) | 32" (813mm) | 24" (610mm) | 32" (813mm) | 26-3/4" (679mm) | 26-13/16" (681mm) | 11" (279mm) | 11-5/8" (295mm) | 4,800 | 10,000 |
| SimpliFire Built-In 36 | 37" (940mm) | 38" (965mm) | 30" (762mm) | 38" (965mm) | 31-7/32" (793mm) | 31-7/32" (793mm) | 11" (279mm) | 11-5/8" (295mm) | 4,800 | 10,000 |







Top View Front View Side View



SIMPLIFIRE

Electric Fireplace Insert

There has never been a more economical way to transform your drafty, dated fireplace into an efficient and attractive source of warmth. Firebox accent lighting, textured log set and multiple flame intensity levels enhance the allure. Best of all, enjoy the ambiance with or without the heat for year-round use. This is "Fire Made Simple."


Multi-Function Remote



multifunction remote control comes standard

SIMPLIFIRE INSERT SPECIFICATIONS

| | | WIDTH | | | | HEIGHT | | DEI | РТН | VIEWING AREA |
|-------------------------------------|---------------|------------------|------------------|--------------|------------------|------------------|------------------|------------------|------------------|------------------------------|
| MODEL | BTU OUTPUT | FRONT (A) | BACK (B) | FRAMING | FRONT (C) | BACK (D) | FRAMING | UNIT (E) | FRAMING* | (F X G) |
| 30" Fireplace Insert SF-INS30-BK | 5,000 | 33-1/8" [841] | 22-7/8" [581] | 31" [787] | 21-7/8" [556] | 20-1/2" [521] | 21-3/8" [543] | 11-7/8" [302] | 11-1/2" [292] | 27" x 18-1/8" [686 x 460] |





SIMPLIFIRE ALLUSION

Recessed Linear Electric Fireplace

The Allusion electric fireplace series embraces modern design by combining linear proportions with a multitude of flame and ember bed lighting themes. These fireplaces can be installed fully or partially recessed into the wall, or hung on the wall for quick enjoyment.



Driftwood Logs




Ceramic Stones

SIMPLIFIRE ALLUSION SPECIFICATIONS

| | | WIDTH | | | | HEIGHT | | DEI | РТН | VIEWING AREA |
|---------------------|---------------|-----------|-----------|----------|-----------|-----------|---------|----------|----------|--------------------|
| MODEL | BTU OUTPUT | FRONT (A) | BACK (B) | FRAMING | FRONT (C) | BACK (D) | FRAMING | UNIT (E) | FRAMING* | (F X G) |
| 40" Recessed Linear | 5,000 | 40-1/2" | 35" | 36" | 20-1/4" | 17-13/16" | 18-1/8" | 5-15/16" | 6" | 31-3/8" x 11-1/4" |
| SF-ALL48-BK | | [1029] | [889] | [914] | [515] | [453] | [461] | [151] | [152] | [797 x 285] |
| 48" Recessed Linear | 5,000 | 48-7/16" | 42-13/16" | 44-5/16" | 20-1/4" | 17-13/16" | 18-1/8" | 5-15/16" | 6" | 39-3/8" x 11-1/4" |
| SF-ALL48-BK | | [1230] | [1088] | [1126] | [515] | [453] | [461] | [151] | [152] | [1000 x 285] |
| 60" Recessed Linear | 5,000 | 60-1/4" | 54-5/8" | 56-1/8" | 20-1/4" | 17-13/16" | 18-1/8" | 5-15/16" | 6" | 51-3/16" x 11-1/4" |
| SF-ALL60-BK | | [1530] | [1388] | [1426] | [515] | [453] | [461] | [151] | [152] | [1300 x 285] |
| 84" Recessed Linear | 5,000 | 83-7/8" | 78-1/4" | 79-1/2" | 20-1/4" | 17-13/16" | 18-1/8" | 5-15/16" | 6" | 74-7/8" x 11-1/4" |
| SF-ALL48-BK | | [2130] | [1988] | [2019] | [515] | [453] | [461] | [151] | [152] | [1902 x 285] |

^{*}Reflects fully recessed into a 6" interior wall. Framing may need to be adjusted when installing in an exterior wall requiring insulation. Refer to installation manual for details.






SIMPLIFIRE ALLUSION PLATINUM

Recessed Linear Electric Fireplace

The Allusion Platinum electric fireplace ushers in unparalleled warmth and coziness to any space, without the need for gas lines or venting. Creating an elegant focal point in your home has never been easier. Install fully-recessed for a flush look, or surface-mount with the optional wall-mount kit.






SIMPLIFIRE ALLUSION PLATINUM SPECIFICATIONS

| | | | WIDTH | | | HEIGHT | | DEI | РТН | VIEWING AREA |
|-------------------------------------|---------------|--------------------|-------------------|---------------|-------------------|------------------|------------------|-----------------|----------|---------------------------|
| MODEL | BTU OUTPUT | FRONT (A) | BACK (B) | FRAMING | FRONT (C) | BACK (D) | FRAMING | UNIT (E) | FRAMING* | (F X G) |
| 50" Recessed Linear SF-ALLP50-BK | 5,000 | 52-5/16" [1329] | 50-1/2" [1295] | 51" [1295] | 20-7/16" [519] | 19-3/8" [492] | 19-1/2" [495] | 5-5/8" [143] | 2" x 6" | 48" x 15" [1219 x 381] |
| 60" Recessed Linear SF-ALLP60-BK | 5,000 | 62-5/16" [1583] | 60-1/2" [1537] | 61" [1549] | 20-7/16" [519] | 19-3/8" [492] | 19-1/2" [495] | 5-5/8" [143] | 2" x 6" | 58" x 15" [1473 x 381] |
| 72" Recessed Linear SF-ALLP72-BK | 5,000 | 74-5/16" [1888] | 72-1/2" [1842] | 73" [1854] | 20-7/16" [519] | 19-3/8" [492] | 19-1/2" [495] | 5-5/8" [143] | 2" x 6" | 70" x 15" [1778 x 381] |

^{*}Reflects fully recessed into a 6" interior wall. Framing may need to be adjusted when installing in an exterior wall requiring insulation. Refer to installation manual for details.





SIMPLIFIRE SCION

Clean Face Linear Electric Fireplace

The SimpliFire Scion fireplace provides the warmth and coziness of a fireplace without the need for gas lines or venting. Elevated style shines through with the sleek and modern design - no mesh screens or visible heat vents, a multitude of flame and ember bed lighting themes, and the ability to bring finishing materials right up to the edge of the fireplace for a flush look.






Clear Crystals

SIMPLIFIRE SCION SPECIFICATIONS

| MODEL | BTU OUTPUT | WIDTH (A)* | | HEIGHT (B) | | DEPTH (C)* | | VIEWING AREA |
|-----------------------|---------------|------------|---------|------------|---------|------------|---------|---------------|
| WODEL | | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | (D X E) |
| 43" Clean Face Linear | 5,000 | 44-1/2" | 45" | 23-7/8" | 24-1/4" | 7-5/8" | 7-5/8" | 41-1/2" x 15" |
| SF-SC43-BK | | [1130] | [1143] | [606] | [616] | [194] | [194] | [1054 x 381] |
| 55" Clean Face Linear | 5,000 | 56-1/2" | 57" | 23-7/8" | 24-1/4" | 7-5/8" | 7-5/8" | 53-1/4" x 15" |
| SF-SC55-BK | | [1435] | [1448] | [606] | [616] | [194] | [194] | [1353 x 381] |
| 78" Clean Face Linear | 5,000 | 80" | 80-1/2" | 23-7/8" | 24-1/4" | 7-5/8" | 7-5/8" | 76-7/8" x 15" |
| SF-SC78-BK | | [2032] | [2045] | [606] | [616] | [194] | [194] | [1953 x 381] |

^{*}Dimensions include louver projection on sides and top panels





SIMPLIFIRE WALL-MOUNT


Electric Fireplace


Create a distinct contemporary look. Our Wall-Mount electric fireplace models provide an instant upgrade to any space, with or without the heat. Simply hang these units on the wall and plug them in. Standard LED backlighting in multiple colors will accent any decor.



SIMPLIFIRE WALL-MOUNT SPECIFICATIONS

| | MODEL | FRONT WIDTH (A) | | REAR WIDTH (A) | | HEIGHT (B) | | DEPTH (C) | | PTII/UP OUTPUT | |
|--|-----------------------------|---------------------|---------|-----------------------|---------|--|---------|-------------------|---------|----------------|--|
| | MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | BTU/HR OUTPUT | |
| | SimpliFire Wall-Mount 38 | 37-3/4" (959mm) | N/A | 34-3/4" (883mm) | N/A | 17-3/4" (451mm) 20-3/4" w/stand (527mm) | N/A | 4-3/4" (121mm) | N/A | 4,800 | |
| | SimpliFire Wall-Mount 58 | 58-1/4" (1480mm) | N/A | 42-15/16" (1091mm) | N/A | 26-3/8" (670mm) | N/A | 5-7/8" (149mm) | N/A | 4,800 | |





Front View Side View

OUTDOOR PRODUCTS

WHY OUTDOORS?

As the lines between indoor and outdoor living continue to blur, adding a fire feature to your outdoor space design will extend its seasonality and deliver a vibrant feature that your clients will clamor for. Designed specifically to withstand the elements, outdoor fire features come in a variety of styles – from traditional to contemporary linear, fireplace to fire pit. Both gas fueled and wood burning appliances are available to suit the goals of your clients and end-users. Incorporate into the exterior of your building or as an attractive free-standing island application.



Outdoor fireplaces are in the **top 10** most essential and desired outdoor home features¹.



Fire features are the **most popular** outdoor design element².



90%
of real estate agents say an outdoor fireplace increases a home's value³.



70%
of design and build firms
report an increased demand
for outdoor living space₄

^{1:} National Association Home Builders, "Housing Preferences of Homebuyers", Dec. 2016

^{2:} Source: American Society of Landscape Architects 2016 Residential Landscape Architecture Trends Survey

^{3:} Source: Houzz.com 2016 Landscaping Study

^{4:} Source: American Institute of Architects





FORTRESS

Indoor/Outdoor Gas Fireplace

Seamlessly integrate your indoor and outdoor space with the Fortress see-through gas fireplace. The traditional style, expansive viewing area and authentic look fit perfectly in a variety of spaces. Non-reflective glass, accent lights and multiple interior brick options make this unique fireplace the ultimate in traditional luxury design. Enjoy the view both inside and out with the Fortress.






Traditional Brick



Herringbone Brick

FORTRESS SPECIFICATIONS

| MODEL | FRONT WIDTH | | REAR WIDTH | | HEIGHT | | DEPTH | | GLASS SIZE | BTU/HR INPUT | |
|----------|-------------|---------|------------|---------|---------|---------|---------|---------|-------------|----------------|--|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | GLASS SIZE | BIO/HN INPUI | |
| Fortroop | 49-3/8" | 49-1/2" | 49-3/8" | 49-1/2" | 44-3/8" | 44-1/2" | 25-5/8" | 23" | 36" x 30" | 56,000 (NG/LP) | |
| Fortress | (1254) | (1257) | (1254) | (1257) | (1154) | (1130) | (650) | (584) | (915 x 762) | 56,000 (NG/LP) | |





TWILIGHT II

Indoor/Outdoor Gas Fireplace

Add warmth and fireside views to two spaces—with one fireplace. The Twilight II is the world's first see-through indoor/outdoor gas fireplace. Enjoy the fire all year long from either side. An advanced design and strong construction ensures an impressive and consistent performance.

Finishes (Indoor)




Black

Fog Gray (Contemporary only)

TWILIGHT II SPECIFICATIONS

| MODEL | FRONT WIDTH (A) | | REAR WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE | BTU/HR INPUT |
|-------------|-----------------|---------------|----------------|---------------|-------------------|-------------------|--------------|--------------|----------------------------------|--------------------------|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (E x F) | BTU/HR INPUT |
| Twilight II | 43" (1091) | 44" (1118) | 43" (1091) | 44" (1118) | 46-7/8" (1191) | 47-5/8" (1210) | 24" (609) | 23" (584) | 35-5/8" x 21-1/2" (905 x 546) | 38,000 (NG), 36,000 (LP) |





TWILIGHT MODERN

Indoor/Outdoor Gas Fireplace

The Twilight Modern is an evolution of the industry's first indoor/outdoor see-through fireplace. This Direct Vent gas unit offers impressive fireside views whether relaxing inside or enjoying the outdoors. Bolster your favorite room and upgrade your outdoor living space—let the Twilight deliver modern style, inside and out.

Glass Media



Black (Standard)



Clear



Amb

Finishes (Indoor)




Black



TWILIGHT MODERN SPECIFICATIONS

| | MODEL | FRONT WIDTH (A) | | REAR WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE | BTU/HR INPUT |
|--|-----------------|-----------------|---------------|----------------|---------------|-------------------|-------------------|--------------|--------------|----------------------------------|--------------------------|
| | | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (E x F) | BIO/HN INPUI |
| | Twilight Modern | 43" (1091) | 44" (1118) | 43" (1091) | 44" (1118) | 46-7/8" (1191) | 47-5/8" (1210) | 24" (609) | 23" (584) | 35-5/8" x 21-1/2" (905 x 546) | 38,000 (NG), 36,000 (LP) |





LANAI Outdoor Gas Fireplace

Light up your landscape. The Lanai linear gas fireplace offers contemporary style. Feel confident enjoying the flames with proven technologies. The night comes alive with glowing flames and a colorful firebed.











Blue









Green


LANAI SPECIFICATIONS

| | MODEL | FRONT WIDTH | | REAR WIDTH | | HEIGHT | | DEPTH | | VIEWING AREA | BTU/HR INPUT |
|--|-------|---------------------|---------------------|---------------------|---------------------|--------------------|---------------------|--------------------|--------------------|-------------------------------|--------------|
| | | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | VIEWING AREA | BIU/HK INPUI |
| | Lanai | 57-1/4" (1454mm) | 57-3/4" (1467mm) | 57-1/4" (1454mm) | 57-3/4" (1467mm) | 36-3/8" (924mm) | 39-1/2" (1003mm) | 17-5/8" (448mm) | 17-5/8" (448mm) | 51" x 18" (1295mm x 457mm) | 55,000 (NG) |





Left View Front View




COURTYARD

Outdoor Gas Fireplace

The Courtyard outdoor gas fireplace is the perfect blend of artistry and function: traditional styling with ultra-realistic logs or contemporary glass, that ignite at the flip of a switch. Mesmerizing flames provide instant ambiance and relaxation. Cozy up with the Courtyard.

Framed Mesh Barrier



Interiors



Premium Herringbone



Premium Traditiona




Standard Traditional




Stainless Steel

COURTYARD SPECIFICATIONS

| MODEL | FRONT WIDTH (A) | | REAR WIDTH | | HEIGHT (C) | | DEPTH (D) | | VIEWING AREA | BTU/HR INPUT |
|--------------|---------------------|---------------------|--------------------|---------------------|-----------------|---------------------|----------------|--------------------|----------------------------|---------------------------|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (E x F) | BIO/HA INPOI |
| Courtyard 36 | 41-3/4" [1060] | 43-1/2" [1105] | 31-1/2" [800] | 43-1/2" [1105] | 44" [1118] | 44-1/8" [1121] | 18" [457] | 18-1/8" [459] | 36" x 30-3/4" [914 x 781] | 55,000 (NG) / 53,000 (LP) |
| Courtyard 42 | 47-3/4" (1213mm) | 49-1/2" (1257mm) | 37-1/2" (953mm) | 49-1/2" (1257mm) | 44" (1118mm) | 44-1/8" (1121mm) | 18" (457mm) | 18-1/8" (459mm) | 42" x 30-3/4" [1067 x 781] | 55,000 (NG) / 53,000 (LP) |







VILLA GAS SERIES

Outdoor Gas Fireplace

The Villa Gas is a versatile outdoor gas fireplace at a value price. This compact unit can easily be installed on decks or patios. A stainless steel surround thrives in the elements and complements an outdoor kitchen or space. Extend your living into the outdoors. Experience the Villa Gas fireplace.

Interiors



Traditional


Doors





Stainless Steel Operable Doors

VILLA GAS SPECIFICATIONS

| MODEL | FRONT V | FRONT WIDTH (A) | | REAR WIDTH (B) | | HEIGHT (C) | | TH (D) | VIEWING AREA | BTU/HR INPUT |
|--------------|---------------------|-----------------|--------------------|-----------------|---------------------|---------------------|--------------------|--------------------|-----------------------------------|--------------------------|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (E x F) | BTU/HK INPUT |
| Villa Gas 36 | 41-1/8" (1045mm) | 42" (1067mm) | 23-3/4" (603mm) | 42" (1067mm) | 39-1/2" (1003mm) | 39-3/4" (1010mm) | 21-3/8" (544mm) | 21-1/2" (546mm) | 36" x 20-7/8" (914mm x 532mm) | 40,000 (NG), 40,000 (LP) |
| Villa Gas 42 | 47-1/8" (1197mm) | 48" (1219mm) | 29-3/4" (756mm) | 48" (1219mm) | 39-1/2" (1003mm) | 39-3/4" (1010mm) | 21-3/8" (544mm) | 21-1/2" (546mm) | 42" x 20-7/8" (1067mm x 532mm) | 42,000 (NG), 42,000 (LP) |







Top View Front View Side View



CASTLEWOOD

Outdoor Wood Burning Fireplace

The Castlewood turns any outdoor area into a welcoming and relaxing living space. A large, high opening provides a dramatic view from across the yard, and a textured brick interior offers masonry-style looks at a fraction of the cost. Enjoy the experience of a large wood fire with the Castlewood.






Traditional




Herringbone


CASTLEWOOD SPECIFICATIONS

| MODEL | FRONT WIDTH | | REAR WIDTH | | HEIGHT | | DEPTH | | VIEWING AREA | |
|------------|---------------------|---------------------|--------------------|---------------------|---------------------|---------------------|--------------------|--------------------|-----------------------------------|--|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | VIEWING AREA | |
| Castlewood | 52-7/8" (1343mm) | 53-7/8" (1368mm) | 37-1/8" (943mm) | 53-7/8" (1368mm) | 74-1/8" (1883mm) | 74-1/2" (1892mm) | 27-1/2" (699mm) | 28-3/8" (721mm) | 41-7/8" x 38" (1063mm x 965mm) | |









Top View Front View Left View Right View



MONTANA

Outdoor Wood Burning Fireplace

The Montana is the original outdoor fireplace that started it all. It's built to maintain its sleek stainless look for years and deliver solid performance. Enhance your outdoor area with this impressive focal point.





Herringbone


Doors





Bi-Fold Glass Doors

MONTANA SPECIFICATIONS

| MODEL | FRONT WIDTH | | REAR WIDTH | | HEIGHT | | DEPTH | | VIEWING AREA |
|------------|-------------|----------|------------|----------|----------|----------|---------|---------|------------------|
| MODEL | ACTUAL FF | | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | VIEWING AREA |
| Montana 36 | 42" | 43" | 25" | 43" | 41-3/4" | 42-3/8" | 23" | 24-1/8" | 36" x 23-1/2" |
| | (1067mm) | (1091mm) | (635mm) | (1091mm) | (1060mm) | (1076mm) | (597mm) | (613mm) | (915mm x 597mm) |
| Montana 42 | 48" | 49" | 31" | 49" | 41-3/4" | 42-3/8" | 23" | 24-1/8" | 42" x 23-1/2" |
| | (1219mm) | (1246mm) | (787mm) | (1246mm) | (1060mm) | (1076mm) | (597mm) | (613mm) | (1067mm x 597mm) |







Top View Front View Side View



VILLA WOOD SERIES


Outdoor Wood Burning Fireplace


The Villa Wood is a wood-burning fireplace at home in a variety of outdoor spaces. Upgrade your outdoor kitchen, or enhance your living area with style and warmth. Attractive stainless steel surround accents your décor. Add the Villa Wood outdoor fireplace to your deck or patio and enjoy the experience of a wood fire.




VILLA WOOD SPECIFICATIONS

| MODEL | FRONT | FRONT WIDTH | | REAR WIDTH | | HEIGHT | | тн | VIEWING AREA |
|--------------|-----------|-------------|---------|------------|----------|----------|---------|---------|------------------|
| MODEL | ACTUAL FR | | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | VIEWING AREA |
| Villawood 36 | 41" | 42" | 23-3/4" | 42" | 39-1/2" | 39-3/4" | 21-3/8" | 21-1/2" | 36" x 20-7/8" |
| | (1041mm) | (1067mm) | (603mm) | (1067mm) | (1003mm) | (1010mm) | (544mm) | (546mm) | (914mm x 532mm) |
| Villawood 42 | 47" | 48" | 29-3/4" | 48" | 39-1/2" | 39-3/4" | 21-3/8" | 21-1/2" | 42" x 20-7/8" |
| | (1194mm) | (1219mm) | (756mm) | (1219mm) | (1003mm) | (1010mm) | (544mm) | (546mm) | (1067mm x 532mm) |







Top View Front View Side View



PLAZA

Outdoor Gas Fire Pit

The Plaza outdoor linear gas fire pit allows you to invite your neighbors to gather around the fire (2 or 4' lengths) or add a dramatic statement piece in your space (6, 8 or 10' lengths). Make this fire feature your own with endless finishing options to complete your outdoor oasis. With only a flick of a lighter, sit back and enjoy.









Cobalt




Amber



ava Rock

PLAZA SPECIFICATIONS

| MODEL | LENGTH | WIDTH | DEPTH | VIEWING AREA | BTU/HR INPUT |
|-----------|----------|-------------|-------------|---------------------------|--------------|
| PLAZA-24S | 24 [610] | 5-3/8 [137] | 5-3/8 [137] | 24 x 5-3/8 [613 x 137] | 32,000 |





For more information about Majestic efficient and environmentally-friendly products, please visit majesticproducts.com majesticfireplaces.ca