WRE6000 SERIES



"Impressive" is the only way to describe these massive wood burners. Designed for large outdoor applications, the WRE6000 Series fireplace features a 30" tall opening and beautiful Mosaic Masonry kiln-fired firebrick liners in a variety of designer colors and stacked or herringbone patterns. When only an authentic masonry look will do, the WRE6000 Series delivers.



FEATURED WRE6036 with Warm Red Herringbone Mosaic Masonry™ brick

EXCLUSIVE FEATURES

- Available in 36", 42" and 50" models
- Massive smoke dome with no visible smoke shelf for reliable operation
- Fully insulated firebox for increased performance in colder climates
- Mosaic Masonry Firebrick available in a variety of patterns and colors with integrated ash lip (one required)
- Durable 304-stainless steel on front face, and all surfaces exposed to weather.
- Heavy duty stainless steel log grate
- Includes stainless steel mesh fire screens
- Easy access damper control
- Optional glass doors available in black trim finish for improved safety
- √ Uses IHP 12 DM (1700°) double wall air cooled wood burning chimney
- Uses IHP 12 HT (2100°) heavy gauge double wall air cooled wood burning chimney, recommended for cold climates (required for Canada)
- 4 20 Year Limited Warranty

MOSAIC MASONRY FIREBRICK LINERS

Mosaic Masonry liners are constructed with true kiln-fired firebricks and mortared joints for a classic masonry fireplace appearance. Offered in a variety of solid colors in full stacked, full herringbone, split stacked and split herringbone patterns.



INTERIOR



Midnight Full Herringbone



Midnight Split Herringbone



Slate Grey Full Herringbone



Slate Grey Split Herringbone



Midnight Full Stacked



Midnight Split Stacked



Slate Grey Full Stacked



Slate Grey Split Stacked



Warm Red Full Herringbone



Warm Red Split Herringbone



Ivory Full Herringbone



Ivory Split Herringbone



Warm Red Full Stacked



Warm Red Split Stacked




Ivory Full Stacked




Ivory Split Stacked

OPTIONS




Expertly crafted bi-fold glass doors in black trim finish.

FLAT WALL FRAMING SPECIFICATIONS



	WRE6036	WRE6042	WRE6050	
Α	67-1/8"	67-1/8"	67-1/8"	
В	45-1/4"	51-1/4"	59-1/8"	
С	28-1/4"	30-1/8"	30-1/8"	


CORNER FRAMING SPECIFICATIONS



	WKE6036	WR16042	WK16050
D	45-1/4"	51-1/4"	59-1/4"
E	86-1/2"	92"	100"
F	61"	65"	71"

On the Cover: WRE6036 with Ivory Herringbone Mosaic Masonry™ brick

APPLIANCE SPECIFICATIONS



	WRE6036	WRE6042	WRE6050
G	36"	42"	50"
Н	45-1/8"	51-1/8"	59"
I	29"	30-1/2"	38-1/2"
J	26-5/8"	29"	28-1/2"
K	30"	30"	30"
L	49"	49"	49"
M	67"	67"	67"
N	10-1/2"	10-1/2"	10-1/2"
0	9-1/2"	9-1/2"	9-1/2"
Р	3-1/2"	3-1/2"	3-1/2"
Q	7-1/4"	8-1/2"	8-1/2"
R	11"	13"	13"
S	15-1/4"	17"	17"

IMPORTANT NOTES:

As with any fireplace, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.

Local conditions, such as elevation, wind, vent configuration and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, climate, condition and type of fuel used, appliance location, burn rate, accessories chosen, chimney installation and how the appliance is operated.

Diagrams, illustrations and photographs are not to scale—consult installation instructions. Product designs, materials, dimensions, specifications, colors and prices are subject to change or discontinuance without



