



**10" PORTABLE EVS
DUAL MITERING BANDSAW
WITH COOLANT SYSTEM**

Precision. Performance. Perfection.



10" PORTABLE EVS DUAL MITERING BANDSAW W/ COOLANT SYSTEM

EFFICIENCY

- An inverter allows this saw to run on 115V single phase power driven by a durable three phase motor
- Easily converts from Horizontal to Vertical configuration providing maximum cutting flexibility
- Quick locking vise is easy to adjust to clamp various material sizes
- Large protractor for accurate and fast angle cuts
- Locking casters and robust rear wheels deliver effortless movement around the shop
- Wire blade brush prevents chip build up in the blade guides providing cleaner cuts
- Removable chip tray for easy disposal of waste material

PERFORMANCE

- Dual mitering head produces quick & easy angle cuts to up to 45° both left and right
- Electronic Variable Speed (EVS) allows for the adjustment of blade speed "on the fly" while cutting providing access to a wider range of cutting materials
- Geared head drive is durable, efficient and long-lasting
- Integrated coolant system produces cleaner cuts and extends the life of your blade
- Hydraulic down feed control is easily adjustable allowing users to match feed rate to a variety of sizes & types of materials
- LED read out clearly identifies blade speed

SAFETY

- CSA/CUS: Following strict guidelines and electrical requirements, this Baileigh saw is CSA/CUS certified
- Fully guarded blade can be used in both Horizontal and Vertical configuration ensuring operator safety
- Automatic shut off stops the sawing process once a cut is completed
- Conveniently located E-Stop provides additional operator safety



SPECIFICATIONS	
Stock Number	BA9-1232696
Model Number	BS-10VS
Round at 90 Degrees (in.)	10
Round at 45 Degrees (in.)	6-1/2
Rectangle at 90 Degrees (in.)	8 x 9
Rectangle at 45 Degrees (in.)	8 x 5-1/2
Square at 90 Degrees (in.)	8 x 8
Square at 45 Degrees (in.)	5-1/2 x 5-1/2
Vertical Cutting Capacity (in.)	13 x 10
Head Movement (deg.)	+/- 45
Maximum Vise Opening (in.)	10
Blade Speeds (sfpm)	88-270
Blade Wheel Diameter (in.)	12-1/8
Blade Size (in.)	1 x 0.035 x 120
Horizontal Table Height (in.)	28-3/4
Vertical Table Height (in.)	34-7/8
Coolant System	Included
Coolant Pump Motor (HP)	1/8 HP, 115V, 1Ph
Electrics (HP)	1 HP, 115V, 1Ph
Overall Dimensions (L x W x H)	72 x 34.5 x 46
Shipping Dimensions (L x W x H)	61 x 29.6 x 45.5
Net Weight (lbs.)	511
Gross Weight (lbs.)	584
Country of Origin	Taiwan



CSA/CUS: Following strict guidelines and electrical requirements, this Baileigh saw is CSA/CUS certified.



10" PORTABLE EVS DUAL MITERING BANDSAW W/ COOLANT SYSTEM EFFICIENCY



**EASILY CONVERTS
FROM HORIZONTAL
TO VERTICAL
CONFIGURATION
PROVIDING MAXIMUM
CUTTING FLEXIBILITY
WITH INCLUDED
VERTICAL SUPPORT
TABLE**







10" PORTABLE EVS DUAL MITERING BANDSAW W/ COOLANT SYSTEM



AN INVERTER ALLOWS THIS SAW TO RUN ON 115V SINGLE PHASE POWER DRIVEN BY A DURABLE THREE PHASE MOTOR



QUICK LOCKING VISE IS EASY TO ADJUST TO CLAMP VARIOUS MATERIAL SIZES



LARGE PROTRACTOR FOR ACCURATE AND FAST ANGLE CUTS



LOCKING CASTERS AND ROBUST REAR WHEELS DELIVER EFFORTLESS MOVEMENT AROUND THE SHOP




WIRE BLADE BRUSH PREVENTS CHIP BUILD UP IN THE BLADE GUIDES PROVIDING CLEANER CUTS



REMOVABLE CHIP TRAY FOR EASY DISPOSAL OF WASTE MATERIAL



10" PORTABLE EVS DUAL MITERING BANDSAW W/ COOLANT SYSTEM PERFORMANCE




DUAL MITERING HEAD PRODUCES QUICK & EASY ANGLE CUTS TO UP TO 45° BOTH LEFT AND RIGHT

ELECTRONIC VARIABLE SPEED (EVS) ALLOWS FOR THE ADJUSTMENT OF BLADE SPEED "ON THE FLY" WHILE CUTTING PROVIDING ACCESS TO A WIDER RANGE OF CUTTING MATERIALS



INTEGRATED COOLANT SYSTEM PRODUCES CLEANER CUTS AND EXTENDS THE LIFE OF YOUR BLADE



HYDRAULIC DOWN FEED CONTROL IS EASILY ADJUSTABLE ALLOWING USERS TO MATCH FEED RATE TO A VARIETY OF SIZES & TYPES OF MATERIALS



10" PORTABLE EVS DUAL MITERING BANDSAW W/ COOLANT SYSTEM SAFETY



**FULLY GUARDED BLADE
CAN BE USED IN BOTH
HORIZONTAL AND VERTICAL
CONFIGURATION ENSURING
OPERATOR SAFETY**



**AUTOMATIC SHUT OFF STOPS
THE SAWING PROCESS ONCE A
CUT IS COMPLETED**

OPTIONAL ACCESSORIES AVAILABLE

BA9-1015033	1 Gallon Baileigh Saw Coolant
BA9-1015034	5 Gallon Baileigh Saw Coolant
HVBS10-DMW-6	Replacement Blade - 1" x 0.035" x 120", 5/8T
JT9-414121	Horizontal-Roller Material Support Stand
JT9-414122	V-Roller Material Support Stand
JT9-414131	Pipe Jaws



CSA/CUS: Following strict guidelines and electrical requirements, this Baileigh saw is CSA/CUS certified.