


## MATERIAL SAFETY DATA SHEET

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION



**PRODUCT NAME:** Deadline Bullets®; Deadline® M-Ps™; Deadline® T&O  
**GENERAL USE:** Molluscicide  
**PRODUCT DESCRIPTION:** Red, blue or buff colored pellets with a mild aldehyde odor  
**EPA REGISTRATION NUMBER:** 5481-507; 5481-511  
**REGISTRATION NUMBER (Under the Canadian Pest Control Products Act):** 26650  
**MSDS No.:** 305\_3  
**Current Revision Date:** 20 March, 2009

**MANUFACTURER:**  
AMVAC CHEMICAL CORPORATION  
4100 E. Washington Blvd.  
Los Angeles, CA 90023-4406  
Ph: 323-264-3910  
FAX: 323-268-1028

**EMERGENCY TELEPHONE NUMBERS:**  
**MANUFACTURER:** 323-264-3910  
**TRANSPORTATION (24 HOURS)**  
**CHEMTREC:** 800-424-9300  
**OTHER (24 HOURS)**  
**AMVAC:** 323-264-3910

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

| COMPONENT  | WT % | CAS No.  |
|--|------|----------|
| Metaldehyde [2,4,6,8-Tetramethyl-1,3,5,7-tetroxocane or 2,4,6,8-Tetramethyl-1,3,5,7-tetraoxacyclooctane] | 4%   | 108-62-3 |
| Other ingredients  | 96%  |          |

#### OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)

| COMPONENT | HAZARD | OSHA PEL* | ACGIH TLV* |
|-----------|--------|-----------|------------|
| None      |        |           |            |

\* Exposure Limits 8 hrs. TWA

Deadline and Deadline Bullets are Registered trademarks of AMVAC Chemical Corporation, USA  
M-Ps is a trademark of AMVAC Chemical Corporation, USA.

3. HAZARDS IDENTIFICATION

---

**EMERGENCY OVERVIEW:**

**CAUTION!** May be harmful if swallowed, inhaled, or absorbed through the skin. Do not breathe dust, get in eyes, on skin or clothing.

Keep pellets away from children, dogs and other pets. Bait may be attractive to dogs and other pets.

Do not contaminate water supplies.

---

POTENTIAL HEALTH EFFECTS

**ROUTE(S) OF ENTRY:** Typical routes of entry are skin or eye contact, ingestion of granules, and inhalation of dusts.

**SIGNS OF ACUTE OVEREXPOSURE:** Based on animal toxicity information for metaldehyde, it is anticipated that this material would be harmful upon ingestion and that direct contact may elicit mild eye and skin irritation. Overexposure to metaldehyde may cause excessive salivation, vomiting, nausea, acetonuria (odor of acetone on breath), convulsions, increased body temperature, depression of medullary respiratory and vasomotor control centers and coma. May be fatal. [Note: Because of the low amounts of metaldehyde in the product, it is unlikely the victim can be exposed to sufficient quantities of metaldehyde to have coma or death induced.]

**SIGNS OF CHRONIC OVEREXPOSURE:** Same as for acute overexposure.

**OTHER POTENTIAL EFFECTS:** Acetaldehyde, a decomposition product of Metaldehyde, has been listed as carcinogenic in the IARC monographs and by the NTP. Acetaldehyde is present at less than 0.01% in the product. None of the components found in appreciable quantities has been found to be carcinogenic by IARC, NTP, or OSHA.

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** Overexposure may aggravate preexisting conditions associated with the kidney, liver, and brain.

---

4. FIRST AID MEASURES

**EYES:** Immediately flush the eyes with copious amounts of clear, cool running water for a minimum of 15 minutes. Hold the eyelids apart during the flushing to ensure rinsing of the entire surface of the eyes and lids with water. Contact a physician immediately if irritation develops or persists.

**4. FIRST AID MEASURES, cont'd**

**INHALATION:** Remove victim to fresh air. If breathing has ceased, clear the victim's airway and start mouth-to-mouth artificial respiration. If breathing is difficult, give oxygen. Contact a physician immediately.

**INGESTION:** If swallowed, immediately give 3-4 glasses of water. DO NOT induce vomiting. If vomiting occurs, give fluids again. Get immediate medical attention. Have physician determine if patient's condition allows induction of vomiting or evacuation of stomach. Do not give anything by mouth to an unconscious or convulsing person.

**SKIN:** Immediately wash contaminated area with soap and warm water. Remove contaminated clothing. Wash clothing before reuse. If skin irritation develops, contact a physician immediately.

**NOTE TO PHYSICIANS:** According to a Lonza (manufacturer of Metaldehyde Technical) communication, gastric lavage with a 2.5% solution of sodium bicarbonate-powdered charcoal and prevention of acidosis by sodium bicarbonate may be needed. Administration of Diazepam or Clonidine 20 minutes after ingestion of 1000 mg/kg of Metaldehyde by mice delayed the onset of symptoms and reduced mortality. This is equivalent to 0.6 lb of product ingested for a 10 kg child. Therefore, Diazepam and Clonidine may be appropriate antidotes to reduce the symptomatology of Metaldehyde ingestion.

For acute inhalation overexposure, the patient should be monitored as respiratory failure may occur 24 to 48 hours after exposure.

Contact your local or state Poison Control Center for more information.

---

**5. FIRE FIGHTING MEASURES**

**FLAMMABLE PROPERTIES**

|                           |  |
|---------------------------|--|
| Flash Point:              | Active ingredient has a reported flash point of 97°F (TCC) |
| Autoignition Temperature: | Not applicable   |
| Flammable Limits:         |  |
| Lower flammable limit:    | Not applicable   |
| Upper flammable limit:    | Not applicable   |

**EXPLOSIVITY:**

|                    |   |
|--------------------|---|
| Mechanical Impact: | Not available. Not expected to be sensitive to mechanical impact. |
| Static Discharge:  | Not available   |
| Rate of Burning:   | Not available   |
| Explosive Power:   | Not available   |

**HAZARDOUS COMBUSTION PRODUCTS:** Carbon oxides, paraldehyde, acetaldehyde, and other unknown compounds can be formed during the combustion of Metaldehyde.

**5. FIRE FIGHTING MEASURES, cont'd**

**EXTINGUISHING MEDIA:** Alcohol foam, water, and dry chemical.

**FIRE FIGHTING INSTRUCTIONS:** Wear full protective clothing, including self-contained breathing apparatus. Stay upwind of fire.

---

**6. ACCIDENTAL RELEASE MEASURES**

**GENERAL:** Use adequate ventilation and air-supplied respirators, as well as impervious clothing and safety goggles. Keep bystanders upwind and away from the spill.

**LARGE OR SMALL SPILL:** Sweep or vacuum the spilled product into a closed container for reuse according to the label or for disposal as a hazardous waste.

---

**7. HANDLING AND STORAGE**

**HANDLING:** Wear personal protective equipment listed below (Section 8). Keep away from pets, children, and unauthorized users. Avoid contact with dust.

**STORAGE:** Store product in original labeled container in a cool, dry, locked place out of the reach of children. Keep container tightly closed when not in use. Do not store in direct sunlight. Do not contaminate water, food, or feed by storage or application.

---

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**ENGINEERING CONTROLS:** No engineering controls are necessary under normal use conditions. For manufacturing, sufficient ventilation should be used to ensure keeping the exposures to dust below the TLV's.

**RESPIRATORY PROTECTION:** In processes where dusts or airborne particulates may be generated, a Dust/Mist filtering respirator (MSHA/NIOSH approval number prefix N95 or greater) or MSHA/NIOSH approved respirator with dust cartridges or equivalent is required in the absence of effective environmental controls.

**SKIN PROTECTION:** Applicators and other handlers must wear long-sleeved shirt and long pants; waterproof gloves; shoes plus socks.

**EYE PROTECTION:** Safety glasses or goggles are required when working with chemicals.

---

9. PHYSICAL AND CHEMICAL PROPERTIES

|                          |                                      |
|--------------------------|--------------------------------------|
| PHYSICAL STATE:          | Solid                                |
| APPEARANCE:              | Red, blue or buff colored pellet     |
| ODOR:                    | Aldehyde odor                        |
| BOILING POINT:           | Not applicable                       |
| FREEZING/MELTING POINT:  | Not applicable                       |
| VAPOR PRESSURE (mm/Hg):  | 1.9 @ 24°C (active ingredient)       |
| VAPOR DENSITY:           | 6.06 (air = 1)                       |
| SPECIFIC GRAVITY:        | 0.41 - 0.72 g/cm <sup>3</sup>        |
| BULK DENSITY:            | 24 - 45 lb/ft <sup>3</sup>           |
| EVAPORATION RATE:        | Not available                        |
| PERCENT VOLATILE BY VOL: | Approx 14%                           |
| SOLUBILITY IN WATER:     | 0.2 g/l @ 17°C for active ingredient |
| pH:                      | Not available                        |
| PARTITION COEFFICIENT:   | Not available                        |

---

10. STABILITY AND REACTIVITY

**CHEMICAL STABILITY (Conditions to avoid):** Stable under normal storage and use conditions. Moisture can cause very slow hydrolysis of active ingredient.

**INCOMPATIBILITY:** Avoid oxidizing materials.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Acetaldehyde can be formed by decomposition of Metaldehyde. Decomposition by burning may result in carbon monoxide and other toxic fumes and vapors of unknown composition.

**HAZARDOUS POLYMERIZATION:** Metaldehyde is already a polymer. Further polymerization is unlikely.

---

11. TOXICOLOGICAL INFORMATION

**GENERAL:** No data is available for this product. Information on the active ingredient, Metaldehyde, is given below to help you to determine possible toxicities of this product.

|                |                                     |                              |
|----------------|-------------------------------------|------------------------------|
| INGESTION:     | Oral LD <sub>50</sub> (rat):        | 283 mg/kg (Tox Cat II)       |
| INHALATION:    | Inhalation LC <sub>50</sub> (rat):  | 314 mg/L (4 hr) (Tox Cat IV) |
| DERMAL:        | Skin LD <sub>50</sub> (rabbit):     | > 5000 mg/kg (Tox Cat III)   |
| IRRITATION:    | Eye irritation:                     | Mild irritant (Tox Cat III)  |
|                | Skin irritation:                    | Not an irritant (Tox Cat IV) |
| SENSITIZATION: | Skin sensitization:<br>(guinea pig) | Not a sensitizer             |

**11. TOXICOLOGICAL INFORMATION, cont'd**

**TERATOGENICITY:** No evidence of teratogenicity in laboratory testing.

**MUTAGENICITY:** No evidence of mutagenicity with *in vitro* testing.

**CARCINOGENICITY:** None of the components found in appreciable quantities has been found to be carcinogenic by IARC, NTP, or OSHA. Acetaldehyde, a decomposition product of Metaldehyde, has been listed as carcinogenic in the IARC monographs. Acetaldehyde is present at less than 0.01% in the product.

**REPRODUCTIVE TOXICITY:** No evidence of reproductive toxicity has been observed in laboratory studies.

**TOXICOLOGICAL SYNERGISTIC PRODUCTS:** No information is available.

---

**12. ECOLOGICAL INFORMATION**

**GENERAL:** This product may be fatal to dogs, other pests, and wild animals if eaten. May be toxic to water inhabitants. Do not contaminate water bodies.

---

**13. DISPOSAL CONSIDERATIONS**

**PESTICIDE WASTES:** Wastes resulting from the use of this product may be disposed on site by use according to the label or at an approved waste disposal facility. Federal, State and local authorities should be contacted to determine the current regulations.

**CONTAINERS:** The container may be disposed in a sanitary landfill or by incineration after completely emptying the bag into the application equipment. Federal, State and local authorities should be contacted to determine the current regulations.

---

**14. TRANSPORTATION INFORMATION**

|                                 |               |
|---------------------------------|---------------|
| <b>DOT CLASS:</b>               | Not regulated |
| <b>UN NUMBER:</b>               | Not regulated |
| <b>IMDG CLASS (sea):</b>        | Not regulated |
| <b>IATA CLASS (air):</b>        | Not regulated |
| <b>MARINE POLLUTANT:</b>        | No            |
| <b>PACKING GROUP:</b>           | Not regulated |
| <b>HAZARD LABEL(s):</b>         | Not regulated |
| <b>ADR CLASS (road):</b>        | Not regulated |
| <b>PROPER SHIPPING NAME(s):</b> | Not regulated |
| <b>REPORTABLE QUANTITY:</b>     | None          |

**14. TRANSPORTATION INFORMATION, cont'd**

**PACKAGING**

**GENERAL DESCRIPTION:** 10 lb and 50 lb plastic lined bag; 2000 lb supersack

---

**15. REGULATORY INFORMATION**

**U.S. FEDERAL REGULATIONS:** This product is registered under EPA/FIFRA Regulations. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

**CANADIAN REGULATIONS:** This product is registered under the Canadian Pest Control Products Act. It is a violation of Canadian Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions.  
This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

**SARA TITLE III DATA**

**Section 311 & 312 Hazard Categories:**

|                                 |     |
|---------------------------------|-----|
| Immediate Health Hazard:        | Yes |
| Delayed Health Hazard:          | Yes |
| Fire Hazard:                    | No  |
| Reactive Hazard:                | No  |
| Sudden Pressure Release Hazard: | No  |

**Section 302 Extremely Hazardous Substances:** None

**Section 313 Toxic Chemicals:** This product contains trace amounts (less than 0.01% each) of Acetaldehyde (CAS # 75-07-0) and Paraldehyde (CAS # 123-63-7).

**CERCLA Reportable Quantities (RQ):** Acetaldehyde (CAS # 75-07-0) - 1000 lbs  
Paraldehyde (CAS # 123-63-7) - 1000 lbs

**STATE REGULATIONS:**

**CALIFORNIA (Proposition 65):** This product may contain trace amounts of acetaldehyde, known to the State of California to cause cancer.

---

**16. OTHER INFORMATION**

**MSDS STATUS:**

**Date This Revision:** 20 March, 2009

**Date Previous Revision:** 27 May, 2008

**Person Responsible for Preparation:** Gary A. Braden

**REASONS FOR REVISION:** An update of the specific language used to indicate registration of the product in Canada was necessary. Also, the description of the product was updated to reflect current knowledge.

**16. OTHER INFORMATION, cont'd**

**DISCLAIMER:** This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.

**ABBREVIATIONS:**

|        |   |   |
|--------|---|---|
| ACGIH  | - | American Conference of Governmental Industrial Hygienists                           |
| ADR    | - | European Agreement Concerning the International Carriage of Dangerous Goods by Road |
| CERCLA | - | Comprehensive Environmental Response, Compensation, and Liability Act               |
| EPA    | - | Environmental Protection Agency   |
| FIFRA  | - | Federal Insecticide, Fungicide, and Rodenticide Act                                 |
| IARC   | - | International Agency for Research on Cancer   |
| NTP    | - | National Toxicology Program   |
| OSHA   | - | Occupational Safety and Health Agency   |
| SARA   | - | Superfund Amendments and Reauthorization Act  |
| TSCA   | - | Toxic Substances Control Act  |

---

This is the last page of this MSDS. There should be 8 pages.