## **ROLL UP DOOR INSTRUCTIONS**

#### Step 1

- Make sure the end wall kit (door frame) and greenhouse film are installed properly. Attach wire-lock base around door frame before you pull the greenhouse film. (Fig 1.1)
- Your film is 12' wide so it can be wired closed.

### Step 2

• Attach roll-up door film to the top of door (header/wire-lock) with wiggle wire. (Fig 2.1)

Place the roll-up pipe in the bottom hook clip. Cut the excess film off

#### Step 3

• Place the roll-up pipe in the bottom of the door poly. Cut excess film off the bot-tom in a straight line, leaving about 8 inches. Then, roll the film up on the pipe so that the film rolls on the pipe to the inside. This will keep water from collecting in door roll Pipe. (Fig 3.1)

## Step 4

• Attach the film to the roll up pipe with the snap clamps by spacing equally on pipe. You will have one clamp on each end and in the center. (Fig 4.1)

# Step 5

- Assemble the swivel handle. (Fig 5.1)
- Attach the "knuckle" to the 4' extension pole. (Fasten with tek screws) (Fig 5.2)
- Attach the handle to the opposite end of the 3 ft. handle extension pole. (Fasten with tek screws) (Fig 5.3)
- Slip boot over the "knuckle" and secure with zip ties.
  (Fig 5.4)
- Attach the swivel handle assembly to the roll-Up pipe. (Fasten with tek screws) (**Fig 5.5**)



Figure 1.1



Fig 2.1



Figure 3.1




Figure 4.1



Figure 5.1







Figure 5.4



Figure 5.5

# Step 6

- Tightly attach batten tape to the top and bottom of the roll-up door. Attach the batten tape with 2 tek screws and washers to the upright on top and the wood base on bottom. (Fig 6.1)
- Remember to fold over ends twice to reinforce. This keeps strap from tearing out. (Fig 6.2)

# Step 7

• You can use wire-lock to seal your door shut if needed (Fig 8.1).



Figure 6.1



Figure 6.2



Figure 7.1



Finished Roll Up Door

Page 11

## WIND STRAPPING INSTRUCTIONS

### Step 1

• The best way to throw your wind strapping over the green house is to use a water bottle or soda bottle filled with water. It will not puncture or cut your film. Simply tie strapping onto the bottle (**Fig 1.1**) and throw over the greenhouse.



Figure 1.1

#### Step 2

• Place wind strapping between the first and second bow and then between the next to last and the last bow. With the remaining wind strapping equally space your strapping the length of your green house. Strapping should be placed between the hoops. (Fig. 2.1)



Figure 2.1

## Step 3

• When attaching strapping to your base or head board, fold over twice for strength (Fig 3.1). Use a washer and wood screw to attach (Fig 3.2).



Figure 3.2



Figure 3.1

#### Please feel free to call us with additional questions, 866.928.3390.

#### Additional Information Concerning Weather

During windy, stormy, or winter conditions it is mandatory to roll sides down and wire lock ends. If you fail to do this, it may result in greenhouse damage due to wind uplift. If you are expecting severe snow (4"plus) you should brush snow off of the greenhouse. Feel free to call for more explanation, 866-928-3390.

LIMITATION OF WARRANTY: Grower's Solution, LLC makes no warranty either expressed or implied, as to any matter in connection with the sale or use of goods or services offered nor does the company make any warranty of merchantability of fitness for any purpose. Grower's Solution, LLC Is not responsible for improper assembly or improper installation of any products. If any item is warranted by the manufacturer, the buyer shall look solely to the manufacturer for redress of the manufacturer's warranty.

RECOMMENDATIONS: All recommendations by us are compiled for recognized horticultural sources. Because conditions of use which are of critical importance are beyond our control, we make no warranty or representation, expressed or implied, except that all products conform to the description of the label. We are not responsible for damage or failure because of any recommendations given by us or our <u>Severdiabelity</u> as the seller shall be limited to the stated selling price of any defective goods, which in no event shall include buyers cost, lost profits or good will, or any other special consequential damages.