

Precor 2000[®] Plus

Premise Spray

CONTROLS: Adult Fleas, Hatching Flea Eggs, Flea Larvae, Ticks, Cockroaches and Ants

FOR USE IN: Garages, Homes, Hospitals, Hotels, Kennels, Motels, Offices, Schools, Supermarkets, Transportation Equipment, Warehouses, Utilities, Veterinary Clinics and other Commercial and Industrial Buildings

SPECIMEN LABEL

ACTIVE INGREDIENTS:

(S)-Methoprene (CAS #65733-16-6)	0.085%
Permethrin (CAS #52645-53-1)	0.350%
Phenothrin (CAS #26002-80-2)	0.300%
N-octyl bicycloheptene dicarboximide (CAS #113-48-4) ...	2.000%
Piperonyl butoxide* (CAS #51-03-6)	1.750%

OTHER INGREDIENTS:** 95.515%

TOTAL: 100.000%

* (butylcarbityl)(6-propylpiperonyl) ether and related compounds

**Contains petroleum distillates

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Additional Precautionary Statements and
Directions for Use

EPA Reg.No. 2724-490
EPA Est. No. (A) 11623-GA-3 (B) 11623-GA-1

Precor 2000[®] Plus Premise Spray (Precor 2000[®] Plus) kills adult fleas, hatching flea eggs, flea larvae, and ticks, cockroaches, and ants. PRECOR[®], the ingredient in **Precor 2000[®] Plus** provides 210 days' protection by preventing eggs from ever developing into biting fleas. For best results, use **Precor 2000[®] Plus** with Petcor[®] on-animal products for complete control of fleas and ticks.

READ ENTIRE LABEL BEFORE USE. NOT FOR USE ON HUMANS OR PETS.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **SHAKE WELL BEFORE USING.**

PRECAUTIONS AND RESTRICTIONS

Do not use in food areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served, such as dining

rooms, but excluding areas where foods may be prepared or held. Remove or cover exposed food or drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use. Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application. Do not enter or allow others to enter until sprays have dried. Do not wet articles to point of runoff or drip. Do not use treated article until spray has dried. Do not use in aircraft cabins. Do not use in dairy barns or facilities. To apply at the maximum rate, spray for about 25 seconds to cover a 20 ft X 10 ft area. Do not apply more than one time per day.

Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application.

FOR USE IN THE HOME/GARAGE/KENNEL

Identify treatment areas, especially those where pets frequent, such as in and around pet's sleeping and resting areas. These are the primary areas where fleas, their eggs, and ticks are found. Before treatment, make a test application to upholstery, drapery, light-colored, delicate fabrics, or wood surfaces in an inconspicuous place.

Prepare treatment areas. Remove pets and birds, and cover and unplug fish aquariums before spraying. Remove motor vehicles before using in garages. For best results with Surface/Carpet treatments, vacuum thoroughly before spraying and discard vacuum bag in outside trash. This product may also be used for infested surfaces inside motor vehicles.

Apply treatment. For flea/tick infestations, a single 16 oz. can treats 2000 square feet (22 oz. can treats 2750 square feet). Hold container upside down 2-3 feet from surface, point actuator towards the surface and push button. Using a sweeping motion, apply a light uniform spray to all surfaces of furniture, rugs, carpets, drapes, and around all pet resting areas. Mist treated areas only until "slightly damp". Reapply in 14 days, if necessary. **IMPORTANT:** Only complete and proper application to carpets, upholstery, drapes, and other fabrics will provide thorough flea/tick elimination. Keep people and pets out of areas during treatment. Do not apply directly to pets or animals. Vacate room after treatment, and ventilate until surfaces are dry before reoccupying. To eliminate fleas/ticks on your pets, only use products approved for such uses, such as Petcor® Flea Spray.

For use in: Hospitals, Hotels, Motels, Offices, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks), Warehouses, Utilities, Veterinary Clinics and Other Commercial and Industrial Buildings:

Prepare Treatment Areas. For best results with Surface/Carpet treatments, vacuum thoroughly before spraying and discard vacuum bag in outside trash. Test in an inconspicuous area before treating. Keep people and pets out of areas during treatment. Cover and unplug aquariums before spraying. Thoroughly ventilate until surfaces are dry before reoccupying.

Apply Treatment. For flea/tick infestations, a single 16 oz. can treats 2000 square feet (22 oz. can treats 2750 square feet). Hold container upside down 2-3 feet from surface, point actuator towards the surface and push button. Using a sweeping motion, apply a light uniform spray to all surfaces of furniture, rugs, carpets, drapes, and around all pet resting areas. Mist treated areas only until "slightly damp". Reapply in 14 days, if necessary. **IMPORTANT:** Only complete and proper application to carpets, upholstery, drapes, and other fabrics will provide thorough flea/tick elimination. **For cockroaches:** Spray into hiding places, such as cracks, crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible.

For ants: Spray trails, nests, and points of entry. Spray on ants where possible.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **Pesticide Storage:** Store in a cool, dry area. Do not transport or store below 32° F. **Container Handling and Disposal:** Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

PRECAUTIONARY STATEMENTS – HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Avoid contact with skin or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Some materials that are chemical-resistant to this product are barrier laminate, nitrile rubber \geq 14 mils, neoprene rubber \geq 14 mils, viton \geq 14 mils. If you want more options, follow the instructions for category E on an EPA chemical-resistance category selection chart.

Personal Protective Equipment (PPE)

Applicators must wear the following:

Long-sleeve shirt and long pants

Shoes plus socks

Chemical-resistant gloves

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product. Do not reuse them.

FIRST AID

IF ON SKIN OR CLOTHING • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.

IF SWALLOWED • Immediately call a poison control center or doctor for treatment advice. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give ANY liquid to the person. • Do not give anything by mouth to an unconscious person.

In case of emergency, call 1-800-248-7763 or a poison control center. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN/VETERINARIAN: Contains petroleum distillates – vomiting may cause aspiration pneumonia.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach, or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

For information or in case of emergency, call 1-800-248-7763.



Manufactured for:

Wellmark International, 1501 East Woodfield Road, 200W, Schaumburg, Illinois 60173

NOTE: This specimen label is for informational purposes only. All uses may not be approved in all states. See product labeling for use directions. Circled letter in front of the EPA Est No. corresponds to the first letter in lot number on bottom of container.

Precor 2000, Precor, Petcor and Zoecon with design are registered trademarks of Wellmark International. © 2015 Wellmark International.