PSpice Model
Nch IGBT
Infineon
IKW40N65H5



Model Information

Model	An original macro model based on BSIM3 and Gummel-Poon model	
Call Name	MDC_IKW40N65H5_PS	
Pin Assign	1:G 2:C 3:E	
File List	Model Library	MDC_IKW40N65H5_PS02.lib
	Model Report	MDC_IKW40N65H5_PS.pdf (this file)
Verified Simulator Version		PSpice version 16.6
Note		

References

The information which was used for modeling is as follow:

[Data Sheet]

- ●Date/Version Rev.2.1
- ●Product name IKW40N65H5
- ●Company name Infineon Technologies AG
- ●Characteristics IcVce[Vge],IcVge[Temp],Vce(sat)Temp[Ic],VthTemp[Ic],Vge Qg[Vcc],Cres,Coes,Cies,IfVf[Temp],tdon,tr,tdoff,tf,Transient

Simulation Range

This table shows the range of evaluated simulation range that was not occurs any convergence problems in this area.

Item	Range			Unit
	Min.		Max.	
Collector-emitter voltage (DC)	0	to	650	V
Gate-emitter voltage (DC)	0	to	30	V
Temperature	-55	to	150	deg C

Simulation results are following.
Explanatory notes — : simulated

IcVce[Vge]
Temp. = 25deg C



IcVce[Vge]
Temp. = 150deg C



IcVge[Temp]
Vce = 20V



Vce(sat)Temp[Ic]
Vge = 15V



VthTemp[Ic]



VgeQg[Vcc]
Ic = 40A



Simulation results are following.
Explanatory notes — : simulated

VgeQg[Vcc]

Ic = 40A



Cres

Freq. = 1MHz



Coes

Freq. = 1MHz



Cies

Freq. = 1MHz



IfVf[Temp]



tdon

Vcc = 400V, Ic = 20A, +Vg = 15V, -Vg = 0V,
Rg = 15.0ohm, L = 100uH



Simulation results are following.
Explanatory notes — : simulated

tr

Vcc = 400V, Ic = 20A, +Vg = 15V, -Vg = 0V,
Rg = 15.0ohm, L = 100uH



tdoff

Vcc = 400V, Ic = 20A, +Vg = 15V, -Vg = 0V,
Rg = 15.0ohm, L = 100uH



tf

Vcc = 400V, Ic = 20A, +Vg = 15V, -Vg = 0V,
Rg = 15.0ohm, L = 100uH



Simulation results are following.
Explanatory notes — : simulated

Transient

Vcc = 400V, Ic = 20A, +Vg = 15V, -Vg = 0V, Rg = 15.0ohm, L = 100uH



DISCLAIMER

1. This SPICE (Simulation Program with Integrated Circuit Emphasis) model and its content (the “Contents”) are copyright of MoDeCH Inc. All rights reserved. Any redistribution or reproduction of any or all part of the Contents in any form is prohibited without express written permission made by MoDeCH Inc.
2. MoDeCH Inc. as licensor (the” Licensor”) hereby grants to you, as licensee (the “Licensee”), a non-exclusive, non-transferable license to use the Contents as long as you abide by the terms and conditions of this DISCLAIMER.
3. The Licensee is not authorized to sell, loan, rent and redistribute or license the Contents in whole or in part, or in modified form, to anyone.
4. The Licensor shall in no way be liable to the Licensee or any third party for any loss or damage (including ,but not limited to, lost profits, or other incidental, consequential, or punitive damages), however caused (including through negligence) which may be directly or indirectly suffered from, arising out of, or in connection with, any use of the Contents .
5. Notwithstanding anything contained in this DISCLAIMER, in no event shall Licensor be liable for any claims, damages or loss which may arise from the modification, combination, operation or use of the Contents with the Licensee’s computer programs.
6. The Licensor does not warrant that the Contents will function in any environment.
7. The Contents may be changed or updated without notice. MoDeCH Inc. may also make improvements and/or changes in the products, pricing and/or the programs related to the Contents at any time without notice.

Modeling Design Technology

MoDeCH Inc.

Head Office
Location: Mitsuiseimei Hachioji Bldg., 5-15 Yokoyama-cho, Hachioji-Shi, Tokyo 192-0081, Japan
Tel:+81-42-656-3360
E-Mail:model-on-support@modech.co.jp
URL:http://www.modech.com/en/