FOR THOSE WHO WORK

WAFRE OTHERS WON'S



BOLD. BRAVE. DETERMINED

Stout gloves was created to offer quality industrial gloves to the North American market. We specialize in Just-In-Time Service and offer unmatched support and knowledge to the customer in all facets of the supply chain.

Stout gloves are designed with the client in mind, using the highest quality materials, researching the industry standards along with their applications to properly understand their needs.

We want to thank all of our supporters who have embraced Stout Gloves. We are very grateful.

Please work safe, enjoy life, laugh lots and never give up.

TABLE OF CONTENTS

JUGGERNAUT SERIES

1 ODYSSEY SERIES 31 UTILITY SERIES
10 PLATINUM SERIES 41 TACTICAL SERIES
18 MECHANICS SERIES 45 EXTREME SERIES

APPENDIX



24

WATER RESISTANCE



OIL RESISTANCE



FIRE RESISTANCE



OD455E4 SERIES

APPENDIX



WATER RESISTANCE





OIL RESISTANCE



FIRE RESISTANCE















PRODUCT NUMBER	OS-108	OS-112	OSO-112	OS-115
All Sizes Available (S-XXXL)	\checkmark	\checkmark	\checkmark	\checkmark
Defiant Impact Hi-Vis Protection	\checkmark	\checkmark	\checkmark	\checkmark
EVA Anti-Vibration Gel Palm	\checkmark	\checkmark	\checkmark	\checkmark
ANSI Cut 5 Spam Fabric, Steel and Para aramid blend		\checkmark	\checkmark	\checkmark
Hi Visibility	\checkmark	\checkmark	\checkmark	\checkmark
Oil & Water Resistant			\checkmark	
ANSI Impact Rating ANSI/SEA 138-2019	2	2	2	2
ANSI Cut Resistant Rating		A5	A5	A5
ANSI Puncture Resistant Rating		3	3	3
Winter Ready Part #C100 3M Thinsulate Lining	WOS-108	WOS-112	WOSO-112	W0S-115
Winter ANSI Cut Resistant Rating (Palm)		A5	A5	A5
Winter ANSI Puncture Resistant Rating (Palm)		3	3	3








ODVSSEY SERIES





FEATURES

- → Grade A Full Grain Goatskin Leather
- → Powerful Defiant Impact Protection[™] TPR Impact Guards
 - ▶ Stout's proprietary TPR is designed to disperse impact force energy away from the hand by distributing impact outwards and upwards to absorb the force and reduce as much injury as possible. Stout TPR creates a cushion barrier from the tip of the fingertip, over the knuckle and to the back of the hand, equaling a reduction in peak impact force.
- → EVA Anti-Vibration Gel-Padded Palm
- → Double Stitched Keylar ® Seams

- → Contractors
- → Mechanics
- → Equipment Operators
- → Maintenance Workers
- → Oil & Gas Workers



05-112

ODYSSEY SERIES









FEATURES

- → Grade A Full Grain Goatskin Leather
- → Powerful Defiant Impact Protection[™] TPR Impact Guards
 - ▶ Stout's proprietary TPR is designed to disperse impact force energy away from the hand by distributing impact outwards and upwards to absorb the force and reduce as much injury as possible. Stout TPR creates a cushion barrier from the tip of the fingertip, over the knuckle and to the back of the hand, equaling a reduction in peak impact force.
- → EVA Anti-Vibration Gel-Padded Palm
- → Double Stitched Kevlar ® Seams
- → ANSI Cut 5 Spam Fabric, Steel and Para aramid blend.
- → Reinforced Keystone Thumb

- → Contractors
- → Mechanics
- → Equipment Operators
- → Maintenance Workers
- → Oil & Gas Workers




050-112

ODVSSEV SERIES









FEATURES

- → Treated For High Performance Oil And Water Resistance
- → Grade A Full Grain Goatskin Leather
- → Powerful Defiant Impact Protection™ TPR Impact Guards
 - ▶ Stout's proprietary TPR is designed to disperse impact force energy away from the hand by distributing impact outwards and upwards to absorb the force and reduce as much injury as possible. Stout TPR creates a cushion barrier from the tip of the fingertip, over the knuckle and to the back of the hand, equaling a reduction in peak impact force.
- → EVA Anti-Vibration Gel-Padded Palm
- → Double Stitched Kevlar® Seams
- → ANSI Cut 5 Spam Fabric, Steel and Para aramid blend.
- → Reinforced Keystone Thumb

- → Contractors
- → Mechanics
- → Equipment Operators
- → Maintenance Workers
- → Oil & Gas Workers
















FEATURES

- → Grade A Full Grain Goatskin Leather
- → Powerful Defiant Impact Protection[™] TPR Impact Guards
 - ▶ Stout's proprietary TPR is designed to disperse impact force energy away from the hand by distributing impact outwards and upwards to absorb the force and reduce as much injury as possible. Stout TPR creates a cushion barrier from the tip of the fingertip, over the knuckle and to the back of the hand, equaling a reduction in peak impact force.
- → Split Grain Gauntlet Cuff With Hi-Vis Reflective Stripe
- → EVA Anti-Vibration Gel-Padded Palm
- → Double Stitched Keylar ® Seams
- → Full 360 Cool Para-Aramid Kevlar® Lining

HAND PROTECTION FOR:

- → Contractors
- → Mechanics
- → Equipment Operators
- → Maintenance Workers
- → Oil & Gas Workers


FOR THOSE WHO WORK WHERE OTHERS WON'T | STOUTGLOVES.COM | 1-877-558-5547





ODVSSEY SERIES





FEATURES

- → Grade A Full Grain Goatskin Leather
- → Powerful Defiant Impact Protection[™] TPR Impact Guards
 - ▶ Stout's proprietary TPR is designed to disperse impact force energy away from the hand by distributing impact outwards and upwards to absorb the force and reduce as much injury as possible. Stout TPR creates a cushion barrier from the tip of the fingertip, over the knuckle and to the back of the hand, equaling a reduction in peak impact force.
- → EVA Anti-Vibration Gel-Padded Palm
- → Double Stitched Keylar® Seams

WINTER FEATURES

→ C100 3M Thinsulate Lining™ With Fleece For Exceptional Warmth in Sub-Zero Temperatures

- → Contractors
- → Mechanics
- → Equipment Operators
- → Maintenance Workers
- → Oil & Gas Workers















FEATURES

- → Grade A Full Grain Goatskin Leather
- → Powerful Defiant Impact Protection[™] TPR Impact Guards
- ▶ Stout's proprietary TPR is designed to disperse impact force energy away from the hand by distributing impact outwards and upwards to absorb the force and reduce as much injury as possible. Stout TPR creates a cushion barrier from the tip of the fingertip, over the knuckle and to the back of the hand, equaling a reduction in peak impact force.
- → EVA Anti-Vibration Gel-Padded Palm
- → Double Stitched Kevlar® Seams
- → Ansi Cut 5 Spam Fabric Palm Lining
- → Reinforced Keystone Thumb

WINTER FEATURES

- → C100 3M Thinsulate Lining™ With Fleece For **Exceptional Warmth in Sub-Zero Temperatures**
- → A5 Puncture 3 on Palm Side Only

- → Contractors
- → Maintenance Workers

- → Mechanics
- → Oil & Gas Workers
- → Equipment Operators





ODVSSEY SERIES













FEATURES

- → Grade A Full Grain Goatskin Leather
- → Powerful Defiant Impact Protection[™] TPR Impact Guards
- → Stout's proprietary TPR is designed to disperse impact force energy away from the hand by distributing impact outwards and upwards to absorb the force and reduce as much injury as possible. Stout TPR creates a cushion barrier from the tip of the fingertip, over the knuckle and to the back of the hand, equaling a reduction in peak impact force.
- → Split Grain Gauntlet Cuff With Hi-Vis Reflective Stripe
- → EVA Anti-Vibration Gel-Padded Palm
- → Double Stitched Kevlar® Seams
- → Full 360 Cool Para-Aramid Kevlar® Lining

WINTER FEATURES

- → C100 3M Thinsulate Lining™ With Fleece For **Exceptional Warmth in Sub-Zero Temperatures**
- → A5 Puncture 3 on Palm Side Only

HAND PROTECTION FOR:

→ Welders

- → Equipment Operators
- → Contractors
- → Maintenance Workers
- → Mechanics
- → Oil & Gas Workers

APPENDIX



WATER RESISTANCE



OIL RESISTANCE



WINTER READY



FLEXIBILITY













PRODUCT NUMBER	PNT-0808	PNT-0812	PNTO-0812
All Sizes Available (S-XXXL)	✓	✓	✓
Premium Grain Goatskin	\checkmark	\checkmark	\checkmark
EVA Anti-Vibration Gel Palm	\checkmark	✓	✓
Full 360 Cool Para-Aramid Kevlar Lining		✓	\checkmark
Hi Visibility	✓	✓	✓
Oil & Water Resistant			\checkmark
ANSI Impact Rating ANSI/SEA 138-2019	2	2	2
ANSI Cut Resistant Rating		A5	A5
ANSI Puncture Resistant Rating		3	3
Winter Ready Part #C100 3M Thinsulate Lining	WPNT-0808*	WPNT-0812	WPNTO-0812
Winter ANSI Cut Resistant Rating (Palm)		A5	A5
Winter ANSI Puncture Resistant Rating (Palm)		3	3











PRODUCT NUMBER	PNT-0814	PNT-0815	WPNT-0818	PNT-0820	PNT-0852
	,	,	,	,	
All Sizes Available (S-XXXL)	✓	\checkmark	✓	✓	\checkmark
Premium Grain Goatskin	✓	✓	\checkmark	✓	✓
EVA Anti-Vibration Gel Palm	✓	\checkmark			\checkmark
Full 360 Cool Para-Aramid Kevlar Lining	✓	✓	✓	✓	✓
Hi Visibility		\checkmark	\checkmark	\checkmark	\checkmark
Oil & Water Resistant					
ANSI Impact Rating ANSI/SEA 138-2019	2	2	1	1	2
ANSI Puncture Resistant Rating		A5	A5	A5	5
ANSI Cut Resistant Rating		3	3	3	6
Winter Ready Part #C100 3M Thinsulate Lining	WPNT-0814	WPNT-0815	✓	WPNT-820	
Winter ANSI Cut Resistant Rating (Palm)		A5	A5	A5	
Winter ANSI Puncture Resistant Rating (Palm)		3	3	3	







PNT-Ø8Ø8 WPNT-Ø8Ø8

PLATINUM SERIES

ANSI / ISEA 138







FEATURES

- → Premium grain goatskin allows soft comfortable fit
- → Soft, flexible TPR backhand offers durable protection and dexterity EVA Anti Vibration Gel-padded palm
- → Kevlar® Stitched

WINTER FEATURES

- → *CIOO 3M Thinsulate™ Lining with Fleece
- → Available sizes: S XXXXL

- → Contractors
- → Mechanics
- → Equipment Operators
- → Maintenance Workers
- → Oil & Gas Workers





PLATINUM SERIES

FEATURES

- → Premium grain goatskin allows soft comfortable fit → Full 360 cool Para-aramid Kevlar lining ANSI Cut A5 Puncture 3 Soft, flexible TPR backhand offers durable protection and dexterity EVA Anti Vibration Gel-padded palm
- → Kevlar® Sewn & Stitched
- → *CIOO 3M Thinsulate™ Lining with Fleece ANSI Cut A5 Puncture 3 on Palm Side Only











PNTO-0812 WPNTO-0812

PLATINUM SERIES

FEATURES

- → Premium grain goatskin allows soft comfortable fit → Full 360 cool Para-aramid Kevlar lining ANSI Cut A5 Puncture 3 Soft flexible TPR backhand offers durable protection and dexterity EVA Anti Vibration Gel-padded palm
- → Kevlar® Sewn & Stitched
- → Treated for Exceptional Water & Oil Resistance
- → *CIOO 3M Thinsulate™ Lining with Fleece ANSI Cut A5 Puncture 3 on Palm Side Only













PNT-0852

PLATINUM SERIES











FEATURES

Stout Tough Hide Full 360 Leather EVA Gel Padded palm w/vibration resistance TPR Back of Hand ANSI/ASTM A5 Spam Fabric Cut Liner Vibration resistance and comfort Kevlar Stitched for superior durability



PNT-Ø814 WPNT-Ø814

PLATINUM SERIES

FEATURES

- → Premium grain goatskin allows soft comfortable fit
 → Soft, flexible TPR backhand offers durable
- Soft, flexible TPR backhand offers durable protection and dexterity EVA Anti Vibration Gelpadded palm
- → Split Grain Gauntlet Cuff with Hi-Vis Reflective stripe
- → Kevlar® Stitched
- → *C100 3M Thinsulater" Lining with Fleece







PNT-Ø815 WPNT-Ø815

PLATINUM SERIES

FEATURES

- Premium grain goatskin allows soft comfortable fit
 Soft, flexible TPR backhand offers durable protection and dexterity EVA Anti Vibration Gelpadded palm
- → Full 360 cool Para-aramid Kevlar lining ANSI Cut A5 Puncture 3 Split Grain Gauntlet Cuff with Hi-Vis Reflective stripe
- → Kevlar® Sewn & Stitched
- → C100 3M Thinsulate™ Lining with Fleece ANSI Cut A5 Puncture 3 on palm side only















₩PNT-Ø818

PLATINUM SERIES

FEATURES

- → Premium grain goatskin allows soft comfortable fit
- → Soft, flexible TPR backhand offers durable protection and dexterity Cut & Sewn Kevlar" lining
- → Split Grain Gauntlet Cuff with Hi-Vis Reflective stripe
- → Trigger Finger-style Mitt
- → Full 360 Para-aramid Kevlar lining ANSI Cut A5, Puncture 3
- → Full C150 3M Thinsulate and Fleece 100s









₩PNT-Ø82Ø

PLATINUM SERIES

FEATURES

- → Premium Grain Goatskin Allows Soft Comfortable Fit → Soft, Flexible TPR Backhand Offers Durable Protection and Dexterity
- → Split Grain Gauntlet Cuff with Hi-Vis Reflective Stripe
- → Cut & Sewn Full 360 Para-aramid Kevlar Lining ANSI Cut A5, Puncture 3
- → Full Winter Mitten Lined with C150
 3M Thinsulate and Fleece











MECHANICS SERIES

APPENDIX



WATER RESISTANCE



OIL RESISTANCE





FIRE RESISTANCE



WINTER READY



FLEXIBILITY















PRODUCT NUMBER	MNT-0508	MNT-0510	MNT-0603	MNT-0608	MNT-0613	MNT-0617
All Sizes Available (S-XXL)	\checkmark	S-XXXL	\checkmark	\checkmark	S-XXXL	\checkmark
Cuff Type	Glove Leather Velcro Strap	Glove Leather Velcro Strap	Elastic Seamless Knit	Elastic Seamless Knit	Elastic Seamless Knit	Elastic Seamless K
Palm Material	Premium Grain Goatskin	Premium Grain Goatskin	Double-dipped sandy foam nitrile	Double-dipped sandy foam nitrile	Double-dipped sandy foam nitrile	Double-dipped sa foam nitrile
Back of Hand Material	Goatskin/Spandex Blend	Goatskin/Spandex Blend	15-guage seamless nylon/spandex liner	13-guage HPPE+ steel fibre shell	13-guage HPPE+ steel fibre shell	13-guage HPPE+ s fibre shell
EVA Anti-Vibration Gel Palm	✓	\checkmark				\checkmark
Oil & Water Resistant (Palm Only)			\checkmark	✓	√	
ANSI Impact Rating ANSI/SEA 138-2019	E 1	1			3	2
ANSI Cut Resistant Rating		A5	J	A5	A5	A5
ANSI Puncture Resistant Rating		3	Ū	2	3	3
Winter Ready Part #C70 3M Thinsulate Lining	WMNT-0508	WMNT-0510				
Winter ANSI Cut Resistant Rating		A5				
Winter ANSI Puncture Resistant Rating		3				
EN388 Rating			4131	4X42E	4X42E	4X43E







MNT-Ø5Ø8 **₩MNT-**Ø5Ø8

MECHANICS SERIES

FEATURES

- → Soft, flexible TPR backhand offers durable protection and dexterity
- → Leather Velcro Sizing Strap
- → Natural Goatskin Leather Palm with EVA Gel Padding
- → C40 3M Thinsulate with Fleece





MNT-Ø51Ø *WMNT-Ø51Ø

MECHANICS SERIES

FEATURES

- → Soft, flexible TPR backhand offers durable protection and dexterity
- → Leather Velcro Sizing Strap
- → Natural Goatskin Leather Palm with EVA Gel Padding
- → Kevlar lined ANSI Cut A5 Puncture 3 on Palm Side Only
- → C40 3M Thinsulate with Fleece















MNT-Ø6Ø3

MECHANICS SERIES

FEATURES

- → 15 gauge seamless nylon & spandex liner delivers superb comfort, dexterity and breathability
- → Double dipped foam nitrile palm provides excellent abrasion resistance
- → EN388:2016 Rating 4131





MNT-Ø6Ø8

MECHANICS SERIES

FEATURES

- → 13 Gauge High Performance Polyethylene (HPPE) & Steel Fibre Shell
- → Sandy Foam Nitrile Palm Coating Resistance
- → ANSI A5 Cut Resistance
- → EN388 Cut Rating Level E
- → EN388 Rated Abrasion 4. Tear 4 and Puncture 2









MNT-Ø613

MECHANICS SERIES











FEATURES

- → 13 Gauge High Performance Polyethylene (HPPE) & Steel Fibre Shell
- → Sandy Foam Nitrile Palm Coating
- → ANSI A5 Cut Resistance
- → EN388 Cut Rating Level E
- → EN388 Rated Abrasion 4, Tear 4 and Puncture 2
- → Back of Hand TPR Provides Impact Protection

- → Contractors
- → Mechanics
- → Equipment Operators
- → Maintenance Workers
- → Oil & Gas Workers



MNT-Ø617

MECHANIC SERIES











FEATURES

- → Soft, flexible TPR on back of hand
- → 13-gauge HPPE fiber shell
- → Sandy foam nitrile palm coating (abrasion resistance)
- → ANSI Cut A5, Impact 2
- → Back of Hand TPR Provides Impact Protection
- → Gel Padded Palm

- → Contractors
- → Mechanics
- → Equipment Operators
- → Maintenance Workers
- → Oil & Gas Workers

JUGGERNAUT SERIES

APPENDIX



WATER RESISTANCE



OIL RESISTANCE



WINTER READY



FLEXIBILITY















PRODUCT NUMBER	JNT-0704	JNT-0706	JNT-0711	JNT-1050	JNT-1052
Sizes Available	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Defiant Impact Hi-Vis Protection	✓	✓	✓	✓	\checkmark
EVA Anti-Vibration Gel Palm					
Full 360 Cool Para-Aramid Kevlar Lining			✓		
Hi Visibility	\checkmark			\checkmark	\checkmark
Oil & Water Resistant	\checkmark	\checkmark			
ANSI Impact Rating ANSI/SEA 138-2019			1	3	3
ANSI Puncture Resistant Rating			U	2	3
ANSI Cut Resistant Rating			5	2	5
Winter Ready Part #C100 Thinsulate Lining		WJNT-0706			
Winter ANSI Cut Resistant Rating					
Winter ANSI Puncture Resistant Rating					

JUGGERNAUT - FEATURES





JNT-Ø7Ø4



FEATURES

Soft. Flexible TPR Backhand
Offers Durable Protection & Dexterity
Neoprene Cuff Ensures a Snug Fitting Wrist
PVC Reinforced Thumb-Saddle Extra Protection
at Critical Pinch Point
Corded Cotton Palm Provides Superior Dexterity & Grip

HAND PROTECTION FOR

Equipment Operators Maintenance Workers Oil & Gas Workers Contractors Mechanics







FEATURES

Soft. flexible TPR backhand offers durable protection and dexterity Cotton/Acrylic Palm

PVC Reinforced Thumb-saddle

Neoprene Cuff

*C70 Thinsulate™ Lining with Fleece Lining WJNT-0706 only

HAND PROTECTION FOR

Equipment Operators Maintenance Workers Oil & Gas Workers Contractors Mechanics






JNT-Ø711

JUGGERNAUT SERIES









FEATURES

- → Soft, flexible TPR backhand offers durable protection and dexterity
- → Kevlar® Stitched
- → Microfibre palm with Silicone grip map
- → Neoprene Cuff
- → Full 360 cool Para-Aramid Kevlar® lining ANSI Cut, A5 Puncture 3







JNT-1Ø5Ø

JUGGERNAUT SERIES









FEATURES

ANSI/ISEA 138 Impact Level 3 Hand Protection, Reinforced TPR Finger Tips

2mm D30™ Foam Insert

ANSI Cut A2, Puncture 2 Palm only

Durable XTD Grip Palm

Reinforced Thumb Crotch

Neoprene Slip Cuff with TPR Pull ID wrist

HAND PROTECTION FOR

Oil & Gas Workers Equipment Operators Maintenance Workers Contractors Mechanics



JNT-1Ø52

JUGGERNAUT SERIES









FEATURES

Featuring Stout Tough $\mathsf{Hide}^\mathsf{TM}$ - Exceptional Abrasion Resistance and Grip

ANSI/ISEA 138 Impact Level 2 Hand Protection, reinforced TPR Finger Tips

ANSI/ASTM Cut A5, Puncture 3, Spam Fabric, Palm only Reinforced Thumb Crotch

Neoprene Slip Cuff with TPR Pull ID wrist

HAND PROTECTION FOR

Oil & Gas Workers Equipment Operators Maintenance Workers Contractors Mechanics



JTILITH 5ERIE5

APPENDIX



WATER RESISTANCE



OIL RESISTANCE



FIRE RESISTANCE



WINTER READY



FLEXIBILITY















PRODUCT NUMBER	SC-0402	NT-1930	EXT-5010	NTO-0917	NTO-0922	NT-0404
All Sizes Available (S-XXL)	\checkmark	\checkmark	\checkmark	S-XXXL	✓	\checkmark
Material	Absorbent Terry Cloth Lining	Full-grain cowhide	Heavy Duty Kevloc Grip System on Palm	Premium Grain Goatskin Shirred Elastic Wrist*	Premium Grain Goatskin, Split-grain gauntlet cuff	10-Gauge Acryli Thermal Liner
Clute Cut Design with Backhand Patch						
Kevlar• Para-Aramid			\checkmark	\checkmark	\checkmark	
Hi Visibility					✓	
Oil & Water Resistant	\checkmark	\checkmark		\checkmark	\checkmark	
ANSI Impact Rating ANSI/SEA 138-2019						
ANSI Cut Resistant Rating			A5	A5	A5	
ANSI Puncture Resistant Rating			3	3	3	
Winter Ready Part #C100 3M Thinsulate Lining	WSC-0402			WNTO-0917	WNTO-0922	
Winter ANSI Puncture Resistant Rating (Palm)				A5	A5	
ANSI Puncture Resistant Rating				3	3	

UTILITY SERIES - FEATURES













PRODUCT NUMBER	SGW-0612	SGW-0614	SGW-0616	SGW-0620/25*	SGW-0621/26*
All Sizes Available	\checkmark	✓	✓	L-XXL / M-XXL*	S-L
Material	Goatskin Leather palm, Cow Split Leather Back, Cotton Twill Liner	Natural Goatskin Leather	Goatskin Leather Palm, Cow Split Leather Back	Tan Reversed Grain Cowhide	Pink Reversed Grain Cowhide
Clute Cut Design with Backhand Patch				\checkmark	\checkmark
Kevlar• Stitched	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Hi Visibility					
Oil & Water Resistant					
ANSI Impact Rating ANSI/SEA 138-2019					
ANSI Puncture Resistant Rating				A5*	A5'
ANSI Cut Resistant Rating				3'	3.
Winter Ready Part #C100 3M Thinsulate Lining					
Winter ANSI Cut Resistant Rating (Palm)					
Winter ANSI Puncture Resistant Rating					

UTILITY SERIES - FEATURES









PRODUCT NUMBER	UTL-2552	NT-0912	NTO-0917
All Sizes Available	✓	✓	S-XXXL
Material	Stout Tough Hide Palm for optimal Abrasion Resistance and Grip	Premium goatskin leather	Premium Grain Goatskin Shirred Elastic Wrist*
EVA Anti-Vibration Gel Palm			
Full 360 Cool Para-Aramid Kevlar Lining			\checkmark
Hi Visibility			
Oil & Water Resistant			✓
ANSI Impact Rating ANSI/SEA 138-2019			
ANSI Puncture Resistant Rating		2	A5
ANSI Cut Resistant Rating		2	3
Winter Ready Part #C100 Thinsulate Lining		WNT-0912	WNTO-0917
Winter ANSI Cut Resistant Rating		2	A5
Winter ANSI Puncture Resistant Rating		2	3

UTILITY SERIES - FEATURES





NT-1930 WESTERN WOLF

UTILITY SERIES

FEATURES

- → Full-grain cowhide driver's glove.
- → Double stitched Kevlar® Seams.
- → Keystone thumb provides maximum reinforcement and dexterity.
- → Shirred Elastic Wrist with slip-on style cuff
- → Treated for exceptional Oil and Water Resistance





UTILITY SERIES

- → Flexible TPR Impact protection on knuckles and fingers
- → High Visibility for increased safety
- → Para Aramid CE Rated EN388 Cut Level 4, Abrasion Level 4, ANSI Cut Level 5
- → Heavy Duty Kevloc Grip System on palm & fingers, Kevlar PU Para Aramid Palm with Thumb Panels & Side Panels
- → Extended Nylon Cuff with gaiter closure to keep out debris
- → Internal Cooldry Mesh Liner with Liquid Resistant Membrane
- → Reflective markings on fingertips for increased visibility















FEATURES

- Premium goatskin leatherKeystone thumb





NTO-Ø917 WNTO-Ø917

UTILITY SERIES

- → Premium grain goatskin
- → Full 360 cool Para-Aramid Kevlar lining ANSI Cut A5 Puncture 3
- → Kevlar® Sewn & Stitched
- → Drivers Glove
- → Treated for Exceptional Water & Oil Resistance
- → CIOO 3M Thinsulate™ Lining with Fleece
- → ANSI Cut A5 Puncture 3 (Palm)











- FEATURES
 - → Premium grain goatskin
 - → Full 360 cool Para-Aramid Kevlar lining ANSI Cut A5 Puncture 3
 - → Kevlar® Sewn & Stitched
 - → Drivers Glove
 - → Treated for Exceptional Water & Oil Resistance
 - → CIOO 3M Thinsulate™ Lining with Fleece
 - → ANSI Cut A5 Puncture 3 (Palm)









NTO-Ø922 **≫NTO-**Ø922

UTILITY SERIES

- → Premium Grain Goatskin
- → Split Grain Gauntlet Cuff with Hi-Vis Reflective Stripe
- → Full 360 cool Para-Aramid Kevlar lining ANSI Cut A5 Puncture 3
- → Kevlar Sewn & Stitched
- → Treated for Exceptional Water & Oil Resistance
- → CIOO 3M Thinsulate™ Lining with Fleece
- → ANSI Cut A5 Puncture (Palm)









5C-Ø4Ø2

UTILITY SERIES

FEATURES

- → Slip-on Rubberized Safety Cuff
 → EN388 Certified 4.2.1,1- For Expectational Abrasion Resistance
- → Full Nitrile Dip Provides Protection From Liquid & Good Grip
- → Absorbent Terry Cloth Lining





UTL-2552

UTILITY SERIES

FEATURES

- → Stout Tough Hide Palm for optimal Abrasion Resistance and Grip
- → Soft, Flexible TPR Impact protection
- → Reinforced TPR on finger tips TPR velcro closure for secure fit
- → Rienforced Index Finger and Thumb
- → 2mm EVA Gel Pad and Palm Reinforcement Breathable Mesh back for cool comfortable feel
- → Reinforced through the fingers with Nylon for Breathability
- → Comfort Machine Washable







UTILITY SERIES

- → Slip-On Rubberized Safety Cuff
- → EN388 Certified 4,2,1,1
- → Full Nitrile Dip Provides Protection From Liquid and Also
- → Provides a Superior Grip
- → Imitation Cashmere Lining Certified EN511 Contact Level 2





NT-Ø4Ø4

UTILITY SERIES

FEATURES

- → 10 gauge brushed acrylic thermal liner
- → Seamless knit with elastic wrist
- → High-viz green





5GW-Ø614

UTILITY SERIES

FEATURES

- → Goatskin Leather Glove→ Straight Thumb
- → 4 1/T "Golden Cow Split Leather Cuff
- → Kevlar" Stitched





5GW-Ø612

UTILITY SERIES

FEATURES

- → Premium grain goatskin allows soft comfortable fit
- → Kevlar" Stitched
- → Cotton twill lined
- → Split grain leather cuff and back of hand





5GW-Ø616

UTILITY SERIES

- → Goatskin Leather Palm. Index Finger and Thumb
- → Cow Split Leather Back
- → Straight Thumb
- → 4 1/2" Split Leather Cuff
- → Kevlar® Stitched





5GW-Ø62Ø

UTILITY SERIES

FEATURES

- → Tan Reversed Grain Cowhide
 → Clute Cut Design with Backhand
 Patch For Superior Heat Resistance
- → Slip On Gauntlet Cuff
- → Kevlar Stitched





SGW-Ø625

UTILITY SERIES

FEATURES

- → Tan Reversed Grain Cowhide
 → Clute Cut Design with Backhand Patch - For Superior Heat Resistance
- → Slip On Gauntlet Cuff
- → Kevlar Stitched
- → 360 Para-Aramid Kevlar Lining -Rated ANSI Cut A5 / Puncture 3









5GW-Ø621

UTILITY SERIES

FEATURES

- → Pink Reversed Grain Cowhide
- → Clute Cut Design with Backhand Patch - For Superior Heat
- → Resistance
- → Slip On Gauntlet Cuff
- → Kevlar Stitched





5GW-Ø626

UTILITY SERIES

FEATURES

- → Pink Reversed Grain Cowhide
- → Clute Cut Design with Backhand Patch - For Superior Heat Resistance
- → Slip On Gauntlet Cuff
- → Kevlar Stitched
- → 360 Para-Aramid Kevlar Lining -Rated ANSI Cut A5 / Puncture 3







FOR THOSE WHO WORK WHERE OTHERS WON'T | STOUTGLOVES.COM | 1-877-558-5547



APPENDIX



WATER RESISTANCE



OIL RESISTANCE



FIRE RESISTANCE



WINTER READY



FLEXIBILITY













PRODUCT NUMBER	TCT-5003	TCT-5012	TCT-5014	TCT-5015
Sizes Available	\checkmark	\checkmark	\checkmark	\checkmark
Touch Screen Compatible	\checkmark	\checkmark	\checkmark	
EVA Anti-Vibration Gel Palm		\checkmark	\checkmark	\checkmark
Palm Leather	Water resistant Goat Skin	Water resistant Goat Skin	Water resistant Goat Skin	Genuine Leather
Camoflage Visibility	\checkmark	\checkmark	✓	\checkmark
2mm EVA Gel Pad	✓	✓	✓	
ANSI Impact Rating ANSI/SEA 138-2019				
ANSI Puncture Resistant Rating		3	3	3
ANSI Cut Resistant Rating		5	5	5







TCT-5003

TACTICAL SERIES

FEATURES

- → TPR Impact Knuckle Protection
- → Strong Goat skin leather palm treated for exceptional Water Resistance
- → 2mm EVA Gel Pad and Palm Reinforcement
- → Touch Screen Compatible
- → Spandex Back with Reinforced Finger Tips
- → Reinforced through the fingers with Lycra for Breathability and Comfort
- → Velcro Closure for Secure Fit
- → Leather Carrier Loops



TCT-5012

TACTICAL SERIES

FEATURES

- → ANSI/ASTM Cut A5 Spam Fabric, Puncture 3 on palm only
- → Camouflage Mesh Back for Breathability and Comfort
- → Reinforced Thumb and Index Finger for Wear & Tear
- → Strong Goat skin leather palm treated for exceptional Water Resistance
- → Touch Screen Compatible
- → 2mm EVA Gel Pad and Palm Reinforcement
- → Reinforced through the fingers with Nylon for Breathability and Comfort
- → TPR Velcro Closure for Secure Fit
- → Carrier Loops







FOR THOSE WHO WORK WHERE OTHERS WON'T | STOUTGLOVES.COM | 1-877-558-5547

STOUT GLOVES





TCT-5014

TACTICAL SERIES FEATURES

- → TPR Impact Knuckle Protection
- → ANSI/ASTM Cut A5 Spam Fabric, Puncture 3 on palm only
- → Camouflage Mesh Back for Breathability and Comfort
- → Reinforced Thumb and Index Finger for Wear & Tear
- → Strong Goat skin leather palm treated for exceptional Water Resistance
- → Touch Screen Compatible
- → 2mm EVA Gel Pad and Palm Reinforcement
- → Reinforced through the fingers with Nylon for Breathability and Comfort
- → TPR Velcro Closure for Secure Fit
- → Carrier Loops







TCT-5015

TACTICAL SERIES

- → Compression fit on back of hand
- → TPR Velcro Closure for Secure Fit
- → Genuine leather palm
- → ANSI/ASTM Cut A5 Spam Fabric, Puncture 3 on palm only







EXTREME 5 ERIES

APPENDIX



WATER RESISTANCE



OIL RESISTANCE



FIRE RESISTANCE



WINTER READY



FLEXIBILITY













PRODUCT NUMBER	MX-3232	MX-3240	MXI-3232	MXI-3240
All Sizes Available	✓	\checkmark	\checkmark	✓
Soft Flexible TPR			\checkmark	\checkmark
Gel Palm	\checkmark		\checkmark	
Touchscreen Compatible	\checkmark	\checkmark	\checkmark	\checkmark
Hi Visibility			\checkmark	\checkmark
Spandex Blend	✓	✓	✓	✓
ANSI Impact Rating ANSI/SEA 138-2019			1	1
ANSI Puncture Resistant Rating		3		2
ANSI Cut Resistant Rating		5		2
EN388 RATING	2221	3432	2221	3432





THE HOLESHOT

MX-3535 WX−3535

EXTREME SERIES

FEATURES

- → Spandex Blend Back Of Hand
- → Microfibre Palm Provides a comfortable fit & abrasion resistance
- → Honeycomb Gel Padded Palm Reduces hand fatigue
- → Velcro-Cuff Sizing Strap Allows an adjustable fit
- → Fleeced Lined For Winter







THE GAP

MX-3240

EXTREME SERIES

FEATURES

- → Soft, flexible TPR backhand offers durable protection and dexterity
- → Spandex blend back of the hand
- → Abrasion resistance with silicone grips
- → Microfibre palm for comfort fit
- → Reinforced Thumb Crotch
- → Touch Screen Compatible
- → Full 360 Para-aramid Kevlar lining ANSI Cut A5 Puncture 3









FOR THOSE WHO WORK WHERE OTHERS WON'T | STOUTGLOVES.COM | 1-877-558-5547

STOUTGLOVES





EXTREME SERIES

FEATURES

- → Soft Flexible TPR on the back of hand
- → Spandex blend back of the hand
- → Honeycomb gel padded palm
- → Microfibre palm for comfort fit
- → Abrasion resistance with silicone grips
- → Touch Screen Compatible
- → Reinforced Thumb Crotch









THE INTAKE

MXI-3240

EXTREME SERIES

- → Soft, flexible TPR backhand offers durable protection and dexterity
- → Spandex blend back of the hand
- → Abrasion resistance with silicone grips
- → Microfibre palm for comfort fit
- → Reinforced Thumb Crotch
- → Touch Screen Compatible
- → Full 360 Para-aramid Kevlar lining ANSI Cut A5 Puncture 3


















SIZE	WIDTH	LENGTH
X5	17.5 - 19cm	17cm
5	18.5 - 20cm	18cm
M	19.5 - 21cm	19cm
L	20.5 - 22cm	20cm
XL	21 - 22.5cm	21cm
XXL	22 - 23.5cm	22cm

GLOVE SIZING GUIDE



