



DISCOVER UNMATCHED QUALITY WITH OUR ROLLING PAPERS AND PRE-ROLLED CONES

In the realm of rolling papers and pre-rolled cones, we set the standard for excellence and safety.

Our products, crafted for discerning brands and consumers, stand as a testament to our commitment to quality.

Unparalleled Safety and Compliance:

- 1. Heavy Metals:** Our products surpass the strictest limits for heavy metal content.
- 2. Mycotoxins:** Rigorous screening ensures the absence of harmful mycotoxins.
- 3. Pesticides:** Extensive testing guarantees zero detectable levels, maintaining utmost purity.

Diverse Range with Precision Manufacturing:

Our diverse range includes various paper types and colors, all produced with machine precision to ensure consistency and safety.

Adherence to Strict Regulations:

We adhere to the most rigorous regulatory requirements, including California's Phase 3 Regulations, and align with FDA and EU standards for materials in contact with food.

Partner with Us:

Choose our products for unparalleled safety, quality, and compliance.

Visit www.rollyourownpapers.com to explore our range and view our detailed test reports.

Partner with us for products that symbolize trust and quality.



NO LACTOSE



NO HEAVY METALS



GMO


NO GMO



NO GLUTEN



NO PESTICIDES



LAB TESTED



MSG

NO MSG



TEST REPORT

Client:	ROLL YOUR OWN PAPERS.COM
Address:	1119, PAOMADI BUILDING, 350 TANCUN ROAD TIANHE DISTRICT, GUANGZHOU GUANGDONG, CHINA
The following test samples are provided and confirmed by the applicant:	
Sample name:	PRE ROLL CONE ROLLING PAPER AND TIPS
Identify category:	Submit for inspection
Sample serial number:	HJW20231215-03
Number of samples:	1
Material:	/
Batch number:	/
Trademark:	/
Production unit:	/
Sample arrival date:	2023/12/15
Detection cycle:	2023/12/15-2023/12/28
Sample properties:	See picture
Test results:	See next page
Remark:	

Edit: 李海莹Approved: 汤常青Audit: 张传斌Seal: 



Report No: HJW20231215-03

Data: 2023/12/25

Page number: 2/8

Microbiological Test result: PASS

Analyte	Method	Findings	Status
Aspergillus sumigatus	GENE-UP Aspergillus PRO	Negative/1g	PASS
Aspergillus slavus	GENE-UP Aspergillus PRO	Negative/1g	PASS
Aspergillus siger	GENE-UP Aspergillus PRO	Negative/1g	PASS
Aspergillus terreus	GENE-UP Aspergillus PRO	Negative/1g	PASS
Salmonella	AOAC 2016.01	Negative/1g	PASS
STEC	3M MDS STEC/EAE	Negative/1g	PASS

Pesticide Residue Screen Test result: PASS

Analyte	LOD / LOQ (ppm)	ppm	Limit	Status
Acephate	0.006/0.02	ND	0.02	Pass
Acequinocyl	0.009/0.03	ND	0.03	Pass
Acetamip rid	0.015/0.05	ND	0.1	Pass
Aflatoxin B1	0.0006/0.002	ND	0.002	Pass
Aflatoxin B2	0.0012/0.004	ND	0.004*	Pass
Aflatoxin G1	0.0012/0.004	ND	0.004*	Pass
Aflatoxin G2	0.0012/0.004	ND	0.004*	Pass
Total Aflatoxins	0.0012/0.004	ND	0.004	Pass
Aldicarb	0.02/0.06	ND	1	Pass
Allethrin	0.06/0.2	ND	0.2	Pass
Avermectin B1a	0.03/0.1	ND	0.1	Pass
Azadirachtin	0.3/1	ND	1	Pass
Azoxystrobin	0.003/0.01	ND	0.02	Pass
Benzovindiflu pyr	0.003/0.01	ND	0.02	Pass
Bifenazate	0.003/0.01	ND	0.02	Pass



Report No: HJW20231215-03

Data: 2023/12/25

Page number: 3/8

Bifenthrin	0.03/0.1	ND	1	Pass
Boscalid	0.003/0.01	ND	0.02	Pass
Bu profezin	0.006/0.02	ND	0.02	Pass
Carbaryl	0.008/0.025	ND	0.05	Pass
Carbofuran	0.003/0.01	ND	0.02	Pass
Chlorantranilip role	0.006/0.02	ND	0.02	Pass
Chlorfenapyr	0.015/0.05	ND	0.05	Pass
Chlorpyrifos	0.01/0.04	ND	0.04	Pass
Clofentezine	0.003/0.01	ND	0.02	Pass
Clothianidin	0.008/0.025	ND	0.05	Pass
Cou maphos	0.003/0.01	ND	0.02	Pass
Cyantranilip role	0.003/0.01	ND	0.02	Pass
Cyfluthrin	0.06/0.2	ND	0.2	Pass
Cypermeth rin	0.06/0.2	ND	0.3	Pass
Cyprodinil	0.015/0.05	ND	0.25	Pass
Daminozide	0.03/0.1	ND	0.1	Pass
Deltameth rin	0.09/0.3	ND	0.5	Pass
Diazinon	0.006/0.02	ND	0.02	Pass
Dichlorvos (DDVP)	0.015/0.05	ND	0.1	Pass
Dimethoate	0.006/0.02	ND	0.02	Pass
Dimethomorph	0.015/0.05	ND	0.05	Pass
Dinotefuran	0.015/0.05	ND	0.1	Pass
Dodemorph	0.015/0.05	ND	0.05	Pass
Endosulfan Sulphate	0.015/0.05	ND	0.05	Pass
Endosulfan-alpha	0.015/0.05	ND	0.2	Pass



Report No: HJW20231215-03

Data: 2023/12/25

Page number: 4/8

Endosulfan-beta	0.015/0.05	ND	0.05	Pass
Ethoprophos	0.006/0.02	ND	0.02	Pass
Etofen prox	0.015/0.05	ND	0.05	Pass
Etoxazole	0.006/0.02	ND	0.02	Pass
Etridiazole	0.009/0.03	ND	0.03	Pass
Fenoxycarb	0.003/0.01	ND	0.02	Pass
Fen pyroximate	0.006/0.02	ND	0.02	Pass
Fensulfothion	0.003/0.01	ND	0.02	Pass
Fenthion	0.006/0.02	ND	0.02	Pass
Fenvalerate	0.03/0.1	ND	0.1	Pass
Fipronil	0.02/0.06	ND	0.06	Pass
Flonicamid	0.008/0.025	ND	0.05	Pass
Fludioxonil	0.003/0.01	ND	0.02	Pass
Fluopyram	0.003/0.01	ND	0.02	Pass
Hexythiazox	0.003/0.01	ND	0.01	Pass
I mazalil	0.003/0.01	ND	0.05	Pass
I midaclop rid	0.003/0.01	ND	0.02	Pass
Iprodione	0.15/0.5	ND	1	Pass
Kinoprene	0.15/0.5	ND	0.5	Pass
K resoxim-methyl	0.006/0.02	ND	0.02	Pass
Malathion	0.003/0.01	ND	0.02	Pass
Metalaxyl	0.003/0.01	ND	0.02	Pass
Methiocarb	0.003/0.01	ND	0.02	Pass
Methomyl	0.008/0.025	ND	0.05	Pass
Methop rene	0.61/2	ND	2	Pass



Report No: HJW20231215-03

Data: 2023/12/25

Page number: 5/8

Parathion methyl	0.015/0.05	ND	0.05	Pass
Mevin phos	0.008/0.025	ND	0.05	Pass
MGK-264	0.015/0.05	ND	0.05	Pass
Myclobutanil	0.003/0.01	ND	0.02	Pass
Naled	0.015/0.05	ND	0.1	Pass
Novalu ron	0.008/0.025	ND	0.05	Pass
Oxamyl	0.015/0.05	ND	3	Pass
Paclobutrazol	0.003/0.01	ND	0.02	Pass
Pentachloronitrobenzne (Quintozene)	0.006/0.02	ND	0.02	Pass
Permeth rins	0.06/0.2	ND	0.5	Pass
Phenothrin	0.015/0.05	ND	0.05	Pass
Phosmet	0.006/0.02	ND	0.02	Pass
Piperonyl butoxide	0.015/0.05	ND	0.2	Pass
Pirimicarb	0.003/0.01	ND	0.02	Pass
Prallethrin	0.015/0.05	ND	0.05	Pass
Propiconazole	0.015/0.05	ND	0.1	Pass
Propoxur	0.003/0.01	ND	0.02	Pass
Pyraclostrobin	0.003/0.01	ND	0.02	Pass
Pyreth rins	0.015/0.05	ND	0.05	Pass
Pyridaben	0.006/0.02	ND	0.05	Pass
Resmeth rin	0.03/0.1	ND	0.1	Pass
Spinetoram	0.003/0.01	ND	0.02	Pass
Spinosad	0.003/0.01	ND	0.1	Pass
Spirodiclofen	0.03/0.1	ND	0.25	Pass



Report No: HJW20231215-03

Data: 2023/12/25

Page number: 6/8

Spiromesifen	0.03/0.1	ND	3	Pass
Spirotetramet	0.003/0.01	ND	0.02	Pass
Spiroxamine	0.015/0.05	ND	0.1	Pass
Tebuconazole	0.003/0.01	ND	0.05	Pass
Tebufenozide	0.003/0.01	ND	0.02	Pass
Tenu benzuron	0.015/0.05	ND	0.05	Pass
Tetrachlorvin phos	0.006/0.02	ND	0.02	Pass
Tetrameth rin	0.03/0.1	ND	0.1	Pass
Thiaclop rid	0.003/0.01	ND	0.02	Pass
Thiamethoxam	0.003/0.01	ND	0.02	Pass
Thiophanate-methyl	0.015/0.05	ND	0.05	Pass
Trinoxystrobin	0.003/0.01	ND	0.02	Pass

Heavy Meta Test result: PASS

Analyte	LOD/LOQ($\mu\text{g/g}$)	Findings ($\mu\text{g/g}$)	Limit($\mu\text{g/g}$)	Status
Cadmium (Cd)	0.02/0.05	ND	0.2	Pass
Lead (Pb)	0.02/0.05	0.2	0.5	Pass
Arsenic (As)	0.02/0.05	0.06	0.2	Pass
Mercury (Hg)	0.02/0.05	ND	0.1	Pass
Nickel (Ni)	0.02/0.05	ND	0.1	Pass
Chromium (Cr)	0.02/0.05	ND	0.2	Pass
Antimony (Sb)	0.02/0.05	ND	0.1	Pass
Barium (Ba)	0.02/0.05	ND	0.01	Pass
Beryllium (Be)	0.02/0.05	ND	0.01	Pass
Silver (Ag)	0.02/0.05	ND	0.01	Pass
Thallium (Tl)	0.02/0.05	ND	0.01	Pass



Statement

1.	Huajian Testing Technology Service (Guangzhou) Co., Ltd. (hereinafter referred to as [the company]) accepts relevant samples and goods in order to provide tests and reports in accordance with the following terms and conditions. The company provides services based on the following terms, which are the agreement between the company and the individual, enterprise or company applying for services (hereinafter referred to as [customer]).
2.	This report is invalid if not affixed with authorized stamp of test and paging seal.
3.	This report is invalid without signature of verifier and approver.
4.	This report is invalid if being supplemented, deleted or altered.
5.	Without written permission of our Company, this report can not be reproduced in part (except in whole).
6.	The result(s) shown in this report refer only to the sample(s) tested, but do not apply to the same batch, size or brand of products (except the test samples) or to prove the related methods of making, processing or production of the test sample(s), or the correctness and rationality of processes or process.
7.	Objections to this report must be submitted to our Company within 15 days. Otherwise, it will automatically deem to have accepted this report.
8.	When the sample is submitted for inspection, the source information of the sample is provided by the customer, and the company is not responsible for its authenticity.
9.	The company will strictly keep confidential any report issued by this test application. Unless required by relevant government departments, laws or courts, the company shall not discuss or disclose the contents of the report to a third party without the consent of the customer.
10.	The result(s) or conclusion(s) shown in this report about the description of the characteristics, composition, properties or quality are based on the specific time, methods and applicable criteria. Using different methods and criteria or under different environmental conditions for testing may come to different conclusions.
11.	Relevant projects are not within the scope of qualification recognition and are only for scientific research, teaching or internal quality control reference; This report has no demonstrative effect on society.
12.	Since our Company's causes lead to modify the contents of this report, our Company shall reissue this report and bear the modification cost. The Client shall return the original report. Since the Client's causes lead to modify the contents of this report, the Client need to submit an application form for the change of report to our Company. The Client shall bear the modification cost and return the original report if our Company approves to reissue this report.
13.	The English version of this statement is translated from the Chinese one. If there is any disagreement between them, the Chinese version will be the final explanation.



Huajiang Testing

Huajian Testing Technology Service (Guangzhou) Co., Ltd

Report No: HJW20231215-03

Data: 2023/12/25

Page number: 7/8

Sample photo:



***** The end *****