

GEL KLEEN

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER		
Product Name	Gel Kleen	
Product Code	1GK	
Product Use	Bath and tile cleaner.	
Company Name	Sure Kleen Products Pty. Ltd.	
Address	9 Agett Road Malaga WA 6090	
Emergency Telephone	1800 057 377	
Telephone	(08) 92487444	
Fax	(08) 92487733	
Web	www.surekleenproducts.com.au	

2. HAZARDS IDENTIFICATION

Hazardous Nature:

Not Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

This material is hazardous according to Safe Work Australia; HAZARDOUS SUBSTANCE.

Poisons Schedule (SUSMP): S5 Poison.

Classification of the substance or mixture:

Skin Corrosion/Irritation - Category 3

Serious Eye Damage / Eye Irritation - Category 2A



Signal Word: Warning

Hazard Statement(s):

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary Statement(s):

Prevention:

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves / protective clothing / eye protection / face protection.

Response:

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P321 Specific treatment (see First Aid Measures on Safety Data Sheet).

P332 + P337 + P313 If skin or eye irritation occurs: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before re-use.

Storage:

None allocated.

Disposal:

None allocated.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Proportion
Sodium hydroxide	1310-73-2	<2%
Sodium hypochlorite	7681-52-9	<2% available chlorine
Water and other non-hazardous ingredients	-	to 100%

Date of Issue: December 2021 Page 1 of 4



	ENVIRONMENTALLY RESPONSIBLE SOLUTIONS		
4. FIRST AID MEAS	URES		
Inhalation	Remove victim from exposure. Seek medical attention if III-effects persist.		
Ingestion	Do not induce vomiting. Give glass of water and seek immediate medical attention.		
Skin	Remove contaminated clothing and flush affected area with running water. Wash contaminated clothing before re-use.		
Eye	If in eyes, hold eyelids apart and irrigate with clean water for at least 15 minutes. Seek urgent medical assistance.		
First Aid Facilities	Eye wash station.		
Advice to Doctor	Treat symptomatically as for strong alkali. May cause corneal burn. Mucosal damage may contraindicate the use of gastric lavage.		
5. FIRE FIGHTING M	IEASURES		
Extinguishing Media	Not flammable. Use extinguishing media appropriate to the source of the fire.		
Hazards from	In the event of a major fire, this product may emit toxic fumes including carbon		
Combustion Products	monoxide and carbon dioxide.		
Precautions for Fire Fighters	Cool containers with water to prevent containers from rupturing.		
6. ACCIDENTAL RE	LEASE MEASURES		
Emergency Procedures	Personnel involved in the clean up should wear appropriate protective clothing as specified in Section 8. Clean up spills immediately to prevent further accidents. Evacuate all unnecessary personnel. Increase ventilation. Stop leak if safe to do so. Do not let product reach drains or waterways.		
Spills & Disposals	Contain and recover liquid where possible. Use material such as earth to contain spill and pack residue into appropriate containers for disposal at approved site. Wash affected area with water.		
7. HANDLING AND	STORAGE		
Storage	Store in original container in a cool, well-ventilated area out of direct sunlight. Keep containers closed when not in use. Do not store near strong oxidising agents or acids.		
Handling	Wear protective clothing as specified in Section 8. Prevent the build up of mists or aerosols in the work atmosphere. Avoid inhalation of aerosol or mist. Wash hands and other exposed areas with soap and water immediately after handling and before eating, drinking, smoking or using the toilet.		
8. EXPOSURE CON			
	TROL/PERSONAL PROTECTION		
Exposure Standards	No exposure standard has been established for this product by the Australian Safety and Compensation Council (ASCC). The exposure standards for ingredients are: TWA for sodium hydroxide = 2 mg/m ³ TWA for chlorine gas = 3 mg/m ³		
	No exposure standard has been established for this product by the Australian Safety and Compensation Council (ASCC). The exposure standards for ingredients are: TWA for sodium hydroxide = 2 mg/m³ TWA for chlorine gas = 3 mg/m³ TWA = Time Weighted Average		
Biological Limits Engineering controls	No exposure standard has been established for this product by the Australian Safety and Compensation Council (ASCC). The exposure standards for ingredients are: TWA for sodium hydroxide = 2 mg/m³ TWA for chlorine gas = 3 mg/m³ TWA = Time Weighted Average None allocated. Use with good general ventilation. If mists or aerosols are generated, a system of local and/or general exhaust is recommended to keep employee exposure as low as possible. Local exhaust ventilation is preferable because it can control emissions at source preventing dispersion into the general work area.		
Biological Limits	No exposure standard has been established for this product by the Australian Safety and Compensation Council (ASCC). The exposure standards for ingredients are: TWA for sodium hydroxide = 2 mg/m³ TWA for chlorine gas = 3 mg/m³ TWA = Time Weighted Average None allocated. Use with good general ventilation. If mists or aerosols are generated, a system of local and/or general exhaust is recommended to keep employee exposure as low as possible. Local exhaust ventilation is preferable because it can control emissions at		
Biological Limits Engineering controls Personal Protective Equipment	No exposure standard has been established for this product by the Australian Safety and Compensation Council (ASCC). The exposure standards for ingredients are: TWA for sodium hydroxide = 2 mg/m³ TWA for chlorine gas = 3 mg/m³ TWA = Time Weighted Average None allocated. Use with good general ventilation. If mists or aerosols are generated, a system of local and/or general exhaust is recommended to keep employee exposure as low as possible. Local exhaust ventilation is preferable because it can control emissions at source preventing dispersion into the general work area. Eye Protection: Face shield and/or chemical goggles (AS 1336/1337). Glove Type: Impervious PVC, rubber or nitrile gloves (AS 2161). Clothing: PVC, nitrile or rubber splash apron and rubber boots.		
Biological Limits Engineering controls Personal Protective Equipment 9. PHYSICAL AND C	No exposure standard has been established for this product by the Australian Safety and Compensation Council (ASCC). The exposure standards for ingredients are: TWA for sodium hydroxide = 2 mg/m³ TWA for chlorine gas = 3 mg/m³ TWA = Time Weighted Average None allocated. Use with good general ventilation. If mists or aerosols are generated, a system of local and/or general exhaust is recommended to keep employee exposure as low as possible. Local exhaust ventilation is preferable because it can control emissions at source preventing dispersion into the general work area. Eye Protection: Face shield and/or chemical goggles (AS 1336/1337). Glove Type: Impervious PVC, rubber or nitrile gloves (AS 2161). Clothing: PVC, nitrile or rubber splash apron and rubber boots. Respirator: If an inhalation risk exists, wear an approved respirator (AS 1716).		
Biological Limits Engineering controls Personal Protective Equipment 9. PHYSICAL AND C	No exposure standard has been established for this product by the Australian Safety and Compensation Council (ASCC). The exposure standards for ingredients are: TWA for sodium hydroxide = 2 mg/m³ TWA for chlorine gas = 3 mg/m³ TWA = Time Weighted Average None allocated. Use with good general ventilation. If mists or aerosols are generated, a system of local and/or general exhaust is recommended to keep employee exposure as low as possible. Local exhaust ventilation is preferable because it can control emissions at source preventing dispersion into the general work area. Eye Protection: Face shield and/or chemical goggles (AS 1336/1337). Glove Type: Impervious PVC, rubber or nitrile gloves (AS 2161). Clothing: PVC, nitrile or rubber splash apron and rubber boots. Respirator: If an inhalation risk exists, wear an approved respirator (AS 1716).		
Biological Limits Engineering controls Personal Protective Equipment 9. PHYSICAL AND C	No exposure standard has been established for this product by the Australian Safety and Compensation Council (ASCC). The exposure standards for ingredients are: TWA for sodium hydroxide = 2 mg/m³ TWA for chlorine gas = 3 mg/m³ TWA = Time Weighted Average None allocated. Use with good general ventilation. If mists or aerosols are generated, a system of local and/or general exhaust is recommended to keep employee exposure as low as possible. Local exhaust ventilation is preferable because it can control emissions at source preventing dispersion into the general work area. Eye Protection: Face shield and/or chemical goggles (AS 1336/1337). Glove Type: Impervious PVC, rubber or nitrile gloves (AS 2161). Clothing: PVC, nitrile or rubber splash apron and rubber boots. Respirator: If an inhalation risk exists, wear an approved respirator (AS 1716). CHEMICAL PROPERTIES Clear viscous liquid		

Date of Issue: December 2021



	ERWATRONIMIEWITYATA TRESIAMENTETE SOTATIIOME			
Vapour Density	Not determined			
Boiling Point/Range	Approximately 100°C			
Freezing/Melting point	<0°C			
Solubility in Water	Miscible in all proportions			
Specific Gravity	Approximately 1.1			
Flash Point	Not applicable			
Flammable Limits	Not flammable			
10. STABILITY AND REACTIVITY				
Chemical Stability	May degrade slowly especially if left in direct sunlight releasing toxic chlorine gas.			
Conditions to Avoid	Heat.			
Materials to Avoid	Incompatible with acids and aluminium metal.			
Decomposition	May emit toxic or irritating fumes if heated above approximately 70°C.			
Hazardous Reactions	In contact with aluminium, product will release highly flammable hydrogen gas. In			
	contact with acids, product will release highly toxic chlorine gas.			
11. TOXICOLOGICAL INFORMATION				
Health Hazard Summary	Product is alkaline and corrosive. Severe hazard to skin and eyes.			
Inhalation	Inhalation of mist or aerosol will cause pulmonary irritation with possible harmful corrosive effects including pulmonary oedema, pneumonitis, emphysema and lesions of nasal septum.			
Ingestion	Low systemic toxicity. Corrosive. May cause burning of the mouth and oesophagus, nausea, vomiting, abdominal pain and oedema (swelling of the larynx).			
Skin	Corrosive to skin. Irritant dermatitis may result from working with this material. If left unattended, skin contact may produces burns, ulceration and gelatinous necrotic areas at the site of contact. Skin contact can result in little or no pain thus contamination of gloves or boots can be very damaging.			
Еуе	Severe eye irritant. Highly corrosive to eyes. May cause conjunctivitis, corneal burns and ulceration. Permanent eye damage, including loss of sight, may occur if not treated immediately.			
Toxicity Data	Sodium hydroxide: Acute oral toxicity: LD50 (Mouse): 40 mg/kg Oral lowest lethal dose (rabbit): 125 mg/kg Acute dermal toxicity (rabbit): 500 mg/24 hours (severe)			
12. ECOLOGICAL INF	FORMATION			
Ecotoxicity	This product is considered toxic to aquatic organisms. Do not contaminate waterways with the product or used containers.			
Persistence and	The surfactants used in this product are readily biodegradable (AS 4351).			
Degradability	None of the components of this product will bioaccumulate.			
Mobility	No data available for this product.			
13. DISPOSAL CONS	IDERATIONS			
Waste Disposal	Dispose of as hazardous waste. Refer to waste management authority. Containers should be thoroughly rinsed and recycled.			
Legislation	Dispose of in accordance with applicable local and national regulations. Contact a specialist waste company or local regulator for advice.			
14. TRANSPORT INF				
	ed as a Dangerous Good according to the criteria of the ADG Code			
U.N. Number	None allocated			
Proper Shipping Name	None allocated			
Class and Subsidiary Risk(s)	None allocated			
Packing Group	None allocated			
Special Precautions	None allocated			
Hazchem Code	None allocated			

Date of Issue: December 2021 Page 3 of 4



15. REGULATORY INFORMATION		
Poisons Schedule	Schedule 5	
AICS	All ingredients are listed on the Australian Inventory of Chemical Substances (AICS).	
16. OTHER INFOR	John Browner	
Title	Technical Manager	
Telephone	08 92487444	
After Hours	1800 057 377	

The information contained in this Safety Data Sheet is believed to be accurate and reliable; however, Sure Kleen Products shall not be liable for any inaccuracy in the information or for any loss, injury or damage whatsoever arising from the use of this product as conditions and methods of use are beyond our control. Users should read this Safety Data Sheet and evaluate the information in the context of how the user intends to handle and use the product in the workplace including the use of this product with other products.

End of Report

Date of Issue: December 2021 Page 4 of 4