

# ATMOSPHERE DEMOLISHER INSTALL GUIDE






#### INCLUDED

**STICKERS** 

PACK





4 x M8 NUTS

#### 1


#### **ASSEMBLE YOUR WING**


 $\textbf{PRO TIP:} \ \text{for all metal components, spray wd-40 during installation to keep bolts from binding}$ 






## 2 CENTER UP & MARK IT








### 3 DRILL & MOUNT




MEASURE IN ALL DIRECTIONS TO MAKE SURE YOU'RE CENTERED UP

DOUBLE CHECK TO ENSURE THERE ARE NO WIRES WHERE YOU'LL BE DRILLING

CHECK THE DEPTH OF THE TRUNK BOLTS TO MAKE SURE THEY ARE A GOOD FIT WHEN THE TRUNK IS CLOSED






## 4 THE EASY STUFF

PRO TIP: SPRAY OUT BOLT HOLES WITH COMPRESSED AIR AND TEST-SCREW BOLTS IN TO ENSURE NO DEBRIS IS PRESENT. TAP TO CLEAN THREADS IF NECESSARY.

INSTALL ENDPLATES

DO NOT OVERTIGHTEN!
HANDS TOOLS ONLY



#RCT

WE LOVE CHECKING OUT CUSTOMER CARS, SO TAG US ON INSTAGRAM

#### @BIGCOUNTRYLABS

AND USE #BCL OR #BIGCOUNTRYLABS FOR YOUR POSTS. WE LOVE IT.

4D

BEFORE TAKING YOUR CAR OUT FOR A TEST RUN, GIVE EVERY BOLT ONE FINAL CHECK. CHECK THE WING BOLTS AFTER 15MPH, 30MPH, 50MPH, AND 70MPH TO ENSURE THEY ARE PROPERLY SECURED. CHECK WEEKLY TO PROTECT AGAINST LOOSE BOLTS OR AN UNTIMELY DEPARTURE. **HAVE FUN.**