



Product: MIPP/AD/1S9N

Configurator: MIPP/AD/1S9N

Configurator Description

Belden's Modular Industrial Patch Panel MIPP is a robust and versatile termination panel for both fiber and copper cables that need to be connected from operating environment to active equipment. Easily installed on any standard 35mm DIN rail, MIPP features high port-density to meet expanding network connectivity needs within limited space. MIPP is Belden's high-quality solution for performance-critical Industrial Ethernet Applications.

Technical Specifications

Product description

Description	MIPP™ is an industrial termination and patching panel enabling cables to be terminated and linked to active equipment such as switches. Its robust design protects connections in nearly any industrial application. MIPP™ comes as either a Fiber Splice Box, Copper Patch Panel, or a combination, allowing flexible network design for network engineers and flexible patching for system installers. Installation: Standard DIN Rail ///
Housing Type	1 x single module.
Description Module 1	Single fiber module with 6 SC OS2 duplex adapters blue

Mechanical construction

Dimensions (WxHxD)	Front side 1.65 in × 5.24 in × 5.75 in (42 mm × 133 mm × 146 mm). Rear side 1.65 in × 5.24 in × 6.58 in (42 mm × 133 mm × 167 mm)
Weight	LC/SC/ST/E-2000 Single module 8.29 oz 235 g 10.58 oz 300 g with metal adapters /// CU single module 18.17 oz 515 g 22.58 oz 640 gwith shielding /// Double module 15.87 oz 450 g 19.05 oz 540 g with metal adapters /// Pre-Terminated MPO Cassette 9.17 oz 260 g /// Device casing wall 6.00 oz 170 g /// Spacer with divider 4.94 oz 140 g /// Spacer without divider 2.51 oz 71 g

Reliability

Guarantee	24 months (please refer to the terms of guarantee for detailed information)

Scope of delivery and accessories

Scope of delivery	Device, Installation user manual

Further Instructions

Product Documentation	https://www.doc.hirschmann.com/index.html
Certificates	https://www.doc.hirschmann.com/certificates.html

© 2024 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.