





H 26,77", SH 17,32", W 107,28", D 35,43"/ 22,83" H 680, S 440, W 3175, D 900/580 H 680, S 440, W 3175, D 900/580 H 26,77", SH 17,32", W 125", D 35,43"/ 22,83" H 26,77", SH 17,32", W 125", D 35,43"/ 22,83" Offecct AB, Box 100, SE-543 21, Tibro, Sweden. Phone +46 504 415 00, e-mail support@offecct.se, www.offecct.com

PRODUCT INFORMATION

"Lucy is a modular sofa system based on individual seats - something that greatly facilitates the furnishing of a lobby, for example. The idea was a soft and inviting piece of furniture, so much of the work involved ensuring comfort and shape permanence", says Lucy Kurrein.

Lucy is upholstered with lacquered frame.

Benefits & functions

- Can be upholstered in fabric or leather.
- Is based on individual seats which simplifies the furnishing.

The frame is available i black, silver or white lacquer alternative in Offecct Flexicolor.

TECHNICAL INFORMATION

Currently not available for the United States market.

Metal frame. Seat in cold foam with sea-bird down. Fully upholstered in fabric or leather. Frame in matte black texture lacquer, RAL 9005. Standard leather Elmo Nordic.

Clothes stand: Matte grey texture lacquer, RAL 9005. Height 1270 mm above the floor Table: Lacquered Valchromat® in anthracite grey, Ø300 mm. Height 565 mm above the floor.

Connection table: Designed for linking together different combinations. Lacquered Valchromat® anthracite grey, 450 x 870 mm Height 240 mm above the floor.

OPTIONS Legs in Offecct Flexicolor.

ACCESSORIES

LUCY

Clothes stand: Matte black texture lacquer, RAL 9005. Height Table: Lacquered Valchromat® in anthracite grey, Ø300 mm.

Connection table: Designed for linking together different com






H 680, S 440, W 1825, D 900/580

CONNECTON TABLE

TARI F



H 680, S 440, W 925, D 900/580 H 26,77", SH 17,32", W 36,42", D 35,43"/ 22,83"



H 680, S 440, W 2725, D 900/580 H 26,77", SH 17,32", W 107,28", D 35,43"/ 22,83"

Ĩ		1		
		P	 	

FABRIC LEATHER **RAL 9005**

ENVIRONMENTAL LABELING

DFFECCT







H 26,77", SH 17,32", W 71,85", D 35,43"/ 22,83"

H 680, S 440, W 2725, D 900/580

				-			1
			1	(Ĺ
	L		U	U	U	. U	1

OFFECCT