



DESIGN BY JOHN BOLLEN 2000

HOWE.COM/SIMPLA

SIMPLA

Simpla is a four-legged, lightweight table system with a 'lift off' top and a unique flat folding frame, folding within its own length. It is intended for use in training, meeting and conference environments. The separate top and frame elements make the setting up and storing away an easy process even for just one person, probably the trainer him or herself! The folded frame has a thickness of only 3.1", and with the purpose designed trolley, 8 tables can be wheeled away for storing thereby saving valuable space. Simpla won a Best of NeoCon award in 2001.





DESCRIPTION

Two-piece table with flat folding frame and lift-off top intended for use in training, meeting, conference and lounge environments.

PRODUCT DETAILS

TABLETOPS

VENEER VERSION

Natural wood veneer or stained wood veneer. 0.02" knife-cut sanded veneer on both sides. Total thickness of 0.71". Standard finishes comes in maple, oak, cherry, and walnut as well as stained in black, walnut, and white.

LAMINATE VERSION

Coloured laminates or wood grain laminates. 0.03" laminate on both sides. Total thickness of 0.69". Standard coloured laminates are black, white and grey. Any Formica Colour System Colour available. Standard wood grain laminates are maple, cherry, and walnut.

LOCATION BLOCKS

2.76" x 1.18" x 1.77" designed to position the tabletop easily in the frame. 8-10 pcs per top. Construction of two polyamide types in one mould: Core in PP, surface in SEBS.

EDGES

Standard options include:

0.08" matching hardwood edge on veneer tabletops.

0.08" matching hardwood edge on wood grain laminate tabletops.

0.08" hardwood edge in beech on coloured laminate tabletops.

0.08" matching ABS edge on laminate tabletops.

Edge with bumper (corner radius 10) in dark slate colour on veneer and laminate tops.

BASES

Round steel tube $\varnothing 1.50"$ x 0.06" gauge. Norm DIN 2394. Fe content 97-98%.

Rectangular subframe 1.4" x 0.6" x 0.05" gauge. Norm DIN 2394. Fe content 97-98%.

Hinges in high pressure die cast zinc.

Base finish comes in chrome3 (20-50 μ) and black, HOWE grey or aluminium coloured powder coating (40-100 μ).



GLIDES & CASTORS

Four adjustable glides in black polyamide (PP) as standard. Two swivelling castors (Ø1.97") with brakes on one end in black polyamide (PA6) optional.

STACKING CAPACITY

8 tables (frames and tops) can be stacked on mobile table transporter.
Folded frames have a stacking depth of 3.1"

Tabletop with location blocks is 2" height with veneer surface.

Tabletop with location blocks is 2" height with laminate surface.

DIMENSIONS AND WEIGHT

DIMENSIONS

The height of the table is 28.7"

WEIGHT

60" x 30" rectangular table with veneered tabletop and chromed base weighs 50.9 lb.

60" x 30" chromed base weighs 22.5 lb.

60" x 30" veneered tabletop weighs 28.4 lb.

STANDARD SHAPES & SIZES

RECTANGLES:

48" x 24"

60" x 30"

72" x 36"

HALF ROUNDS:

60" x 30"

TRAPEZOIDS:

60" x 30"

SQUARES:

30" x 30"

V-SHAPES:

60" x 30"

ROUNDS:

Ø42"

Ø48"

Other sizes available, please contact HOWE a/s for further inquiries.



ACCESSORIES

MODESTY PANEL WITH INTEGRATED CABLE MANAGEMENT in perforated steel, 0.04" gauge. "Hang-on" design - to be mounted or demounted on table base without need for screws. Powder coated according to selected base finish or in white. Height 9.84", length to follow table length. Base is stackable on table transporter with modesty panel attached.

MODESTY PANEL in 0.16" green shaded acrylic mounted on two hooks attached on the table frame. Height 13.8"

LINKING BRACKETS in U-profile style to be placed on base. No use of tooling or screws. Bracket always in chrome. Steel 1.57" x 1.57" x 0.12" gauge. When stored, the brackets nests on the base. Two brackets are recommended per table.

SOCKET ACCESS PORT in anodized extruded aluminium profile Ø3.33". Anodized extruded aluminium cover with brushes.

TABLE TRANSPORTER made of Ø1.50" x 0.06" gauge steel frame. Bed fitted with rubber mat for anti-slide and edge protection. Powder coated in HOWE grey colour. Secure strap to hold tabletops. Stores up to 8 tables, adjustable, sizes 40"-72" Height: 74.8", depth: 33.1", width: 35.4" to 59.1". Goes through a normal doorway.

ERGONOMY & ENVIRONMENT

Due to the two-piece construction of the Simpla table, it is easy to manage for one person. No heavy lifts are required. All parts of the table can be dismantled and recycled.

TESTS

The Simpla table has been subjected to EN 15372:2008, level 2 table strength and durability test. The table passed without damages or signs of beginning damages. The Simpla table has also passed the ANSI/BIFMA X5.5 test.



WARRANTIES

HOWE a/s gives a 5 years guarantee on all Simpla tables against weld breakages, defective material, workmanship and performance under normal use. For full information please see the warranty provision on www.howe.com.

AWARDS

Simpla won silver medal in Best of NeoCon in 2001.