





DESIGN BY JOHN BOLLEN 2004

HOWE.COM/TUTOR

## TUTOR

Tutor is a high density stacking table for use in education and training establishments where flexibility is key and the maximum utilisation of space is of paramount importance. Developed as a companion table to the renowned 40/4 stacking chair programme, the chair and table provide the ultimate space-saving solution for flexible learning interiors. The table uses the same materials, angles, proportions and mounting principles as the minimalist best-selling 40/4 chair. By combining Tutor and 40/4, you achieve optimal ergonomics, great flexibility and the perfect design combination for your interior.





## DESCRIPTION

Tutor is a high density stacking table for learning environments. Stackable up to 30 tables on dolly.

## PRODUCT DETAILS

### TABLETOP

0.24" post-formed compact laminate with black core and ultra-thin coloured laminate on both sides. 0.24" total thickness. A versatile, high performance material with inherent structural solidity for applications demanding damage resistance, hygiene, long-life and minimum maintenance. The tabletop continues down to form a structural modesty panel.

Standard finishes are white and black. Any compact laminate also available - ask HOWE. The horizontal part of the tabletop is lowered 0.04" from the top of the steel frame. The vertical part of the tabletop is centred within the steel frame.

### EDGE

Always black natural core edge.

### BASE

The table frame is in sledge design. The steel-tube is  $\varnothing 0.55"$ . Base finish comes in chrome (20-50  $\mu$ ), satin chrome (20-50  $\mu$ ) and black, HOWE grey or aluminium coloured powder coating (40-100  $\mu$ ). The front cross steel-tube is  $\varnothing 0.47"$  with 0.12" steel-pins for fixing of the tabletop. Frames on two-person tables are strengthened with an extra steel tube inlay in the front part of the table frame. The horizontal part of the tabletop is mounted on four steel mounting plates. A cross-stretcher in folded steel ensures the stability of the table.

### GLIDES

4 glides in transparent polycarbonate (PC) are mounted on the frame. Moulded felt on glides optional for extra floor protection.

## STACKING CAPACITY

Up to 30 tables can be stacked on dolly. The tables stacking height is 65.4". Up to 10 tables can be stacked on floor in a height of 35.6".



## DIMENSIONS AND WEIGHT

### DIMENSIONS

The height of the table is 28.3"

The width of top is either 23.6" (one-person), 47.2" (two-person; side chairs) or 54.7" (two-person; armchairs and swivel chairs) .

Total width is either 26.4" (one-person), 50" (two-person; side chairs) or 57.5" (two-person; armchairs and swivel chairs).

Total depth is 26.2"

Depth of top is 19.7"

30 one-person tables stacked on dolly:

Height: 65.4", Width: 28", Depth: 39.4"

30 two-person tables for side chairs stacked on dolly:

Height: 65.4", Width: 51.6", Depth: 39.4"

30 two-person tables for armchairs and swivel chairs stacked on dolly:

Height: 65.4" Width: 58.9" Depth: 39.4"

The dolly including 30 one-person tables takes up 7.63 sq. ft. floor space.

The dolly including 30 two-person tables for side chairs takes up 14.1 sq. ft. floor space.

The dolly including 30 two-person tables for armchairs and swivel chairs takes up 16.2 sq. ft. floor space.

### WEIGHT

One-person table with chrome frame weighs 17.6 lb.

Two-person table for side chairs with chrome frame weighs 28 lb.

Two-person table for armchairs and swivel chairs with chrome frame weighs 30.9 lb.

## ACCESSORIES

TRANSPORT DOLLY in HOWE grey powdercoating. Capacity of 30 tables. Dolly-dimensions is 31.5" x 28" for one-person tables, 31.5" x 51.6" for two-person tables for side chairs and 31.5" x 59.1" for two-person tables for armchairs and swivel chairs.

LINKING DEVICE in black POM link table frames at floor level.



## ERGONOMY & ENVIRONMENT

The waterfall curved tabletop design does not restrict blood circulation and so prevents undue pressure under the lower arms. The stacking of the tables is ergonomically correct - the tables only require a low lift to slide from front.

The tabletops and frames are produced according to ISO14001 standards. All parts of the table can be dismantled and recycled.

## TESTS

The Tutor table has been subjected to the EN 15372:2008, table strength, durability and stability test, level 3. The table passed without damages or signs of beginning damages. The Tutor table has also passed the ANSI/BIFMA X5.5 test.

## WARRANTIES

HOWE a/s gives a 5 years guarantee on all Tutor tables against weld breakages, defective material, workmanship and performance under normal use. For full information please see the warranty provision on [howe.com](http://howe.com).

## AWARDS

Tutor won an AIT Innovation Award at Orgatec, Cologne in 2006 in the category "Produkte von hoher architektonischer Qualität".