

BRŐMIC

TUNGSTEN SMART-HEAT™ PORTABLE

It's neutral black finish, and award-winning design makes it a piece of modern art. The Tungsten Smart-Heat[™] Portable heater offers efficient directional heat and a versatile heating solution for the outdoor settings. It's modular construction with built-in wheels allows for easily manoeuvrability throughout tighter spaces.


SPECIFICATIONS

Reference the specification guide below to help you select the correct solution for your needs.

MODEL NUMBER LPG | NG FUEL TYPE COLOR BLACK HEAT AREA 215FT² ELECTRICAL CONNECTION _ MINIMUM CEILING CLEARANCE 36" **MOUNTING OPTIONS CEILING MOUNT** _ WALL MOUNT RECESSED | FLUSH MOUNT _ CEILING POLE MOUNT _ \checkmark FREESTANDING CONTROL OPTIONS ON | OFF _ DIMMER MASTER REMOTE

DIMENSIONS

With a wide range of sizes available, find the ideal heater to suit your outdoor space.



Measurements displayed within this document are minimum requirements for installation. Bromic takes no responsibility for incorrect or non-compliant installations. All measurement in this document are displayed in inches.

CLEARANCE

With a wide array of mounting options, Bromic offers solutions to compliment any décor and provide functionality for ambiance and comfort.


CEILING & WALL CLEARANCE 12" (1') (3) 36" 36" (3') 36" (3') 121" (101')

HEATING REACH

Creating ideal comfort levels, Bromic heaters offer a variety of heat distribution options to suit your outdoor heating needs.

HEAT AREAS

TUNGSTEN PORTABLE HEATING APPORXIMATELY 215FT² 38,500 BTU HEATING POWER



EXTEND THE BOUNDARIES OF INSIDE SPACE, BY INCLUDING THE OUTDOORS. CONTROL THE CLIMATE IN YOUR NEXT PROJECT WITH BROMIC SMART-HEAT™.

BROMIC.COM/HEAT

ASIA PACIFIC | NORTH AMERICA | EUROPE

Bromic pursues a policy of continuing improvement in its products. The right is therefore reserved to vary sp

esign and performance of ifications without notice.

NNN A AM