


INSIGHT

CORDLESS LIGHTING



CORDLESS AMBIENCE

Bursting with elegance and personality our collection of cordless table lamps sets the new standard for table lighting, redefining the way you illuminate restaurants, bars and hotels. Boasting innovative designs and material combinations, combined with advanced lighting and battery technology to elevate your venues' ambience and functionality.



TRUSTED BY THE BEST

-  Sandals
-  Kempinski
-  WESTIN
HOTELS & RESORTS
-  Jumeirah
HOTELS & RESORTS
-  FOUR SEASONS
Hotels and Resorts
-  SILVERSEA
-  Hilton
HOTELS & RESORTS
-  ROSEWOOD
HOTELS & RESORTS
-  Fairmont
HOTELS & RESORTS
-  SIX SENSES
-  Royal Caribbean
INTERNATIONAL

COMMITMENT TO EXCELLENCE

At the heart of our cordless table lamps is our unique removeable battery module. Offering exceptional convenience when the user wishes to replace the batteries and prolong the life of their lamp. Now equipped with the safest and most durable lithium battery on the market, our lamps can provide 42 hours of light from a single charge. The most impressive edge is our charge life cycle - Our batteries can last over 10 years if recharged every 2 days. Furthermore the longer lifespan of our batteries contributes to their overall sustainability. By reducing the frequency of battery replacements, our batteries help to minimize electronic waste and the environmental impact associated with battery production and disposal - This is a crucial aspect in the pursuit of a greener and more sustainable future.

DESIGNED FOR HOSPITALITY

To guarantee performance night after night, year after year, our cordless Lamps use the highest quality components sourced locally and around the world to our exact specification. Designed to withstand the demands of any environment, our cordless table lamps boast exceptional durability with an IP44 water resistant rating, makes them ideal for both indoor and outdoor use.


Enjoy the wireless charging features, with a choice of multi charging pads and charging trolleys to recharge large quantities of lamps with ease and convenience.

Sofia Dome Cordless Table Lamp, Brass



CHARM DOME PRO

MODEL NO: 80601-MP02-029
MATERIAL: ALUMINIUM ALLOY
SURFACE FINISH: BRASS / COPPER / NICKEL / BLACK
DIMENSIONS: 89MM (D) X 226MM (H)
WEIGHT: 0.783KG
INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
PROTECTION RATING: IP44-WATER + DUST PROTECTION




TYPE	BATTERY	CELLS	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
QI WIRELESS	LI-FEPO4 4000MAH 2,000 CYCLES	1	<9	1W LED WARM WHITE 1W 16 RGB COLOURS	2700K	42	63	84	< 154	> 80	50,000





CHARM EMPIRE PRO

- MODEL NO:** 80602-MP02-030
- MATERIAL:** ALUMINIUM ALLOY
- SURFACE FINISH:** BRASS / COPPER / NICKEL / BLACK
- DIMENSIONS:** 94MM (D) X 223MM (H)
- WEIGHT:** 0.799KG
- INTERNATIONAL COMPLIANCE:** UKCA, CE, ROHS
- PROTECTION RATING:** IP44-WATER + DUST PROTECTION




TYPE	BATTERY	CELLS	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
QI WIRELESS	LI-FEPO4 4000MAH 2,000 CYCLES	1	<9	1W LED WARM WHITE 1W 16 RGB COLOURS	2700K	42	63	84	< 154	> 80	50,000





CHARM DRUM PRO

MODEL NO: 80603-MP02-031
MATERIAL: ALUMINIUM ALLOY
FINISH: BRASS / COPPER / NICKEL / BLACK
DIMENSIONS: 89MM (D) X 226MM (H)
WEIGHT: 0.899KG
INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
PROTECTION RATING: IP44-WATER + DUST PROTECTION



TYPE	BATTERY	CELLS	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
QI WIRELESS	LI-FEPO4 4000MAH 2,000 CYCLES	1	<9	1W LED WARM WHITE 1W 16 RGB COLOURS	2700K	42	63	84	< 154	> 80	50,000





SOFIA FABRIC PRO

- MODEL NO:** 80609-MP02-033
- MATERIAL:** ALUMINIUM ALLOY
- FINISH:** BRASS
- SHADE COLOUR:** COTTON IVORY / COTTON RED
- DIMENSIONS:** 140MM (D) X 280MM (H)
- WEIGHT:** 0.655KG
- INTERNATIONAL COMPLIANCE:** UKCA, CE, ROHS
- PROTECTION RATING:** IP44-WATER + DUST PROTECTION



TYPE	BATTERY	CELLS	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
QI WIRELESS	LI-FEPO4 4000MAH 2,000 CYCLES	1	<9	1W LED WARM WHITE 1W 16 RGB COLOURS	2700K	42	63	84	< 154	> 80	50,000





SOFIA EMPIRE PRO

MODEL NO: 80605-MP02-032 / 80610-MP02-032
MATERIAL: ALUMINIUM ALLOY
FINISH: BRASS / COPPER / NICKEL / BLACK
DIMENSIONS: 109MM (D) X 215MM (H) / 109MM (D) X 330MM (H)
WEIGHT: 0.905KG / 0.985KG
INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
PROTECTION RATING: IP44-WATER + DUST PROTECTION



TYPE	BATTERY	CELLS	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
QI WIRELESS	LI-FEPO4 4000MAH 2,000 CYCLES	1	<9	1W LED WARM WHITE 1W 16 RGB COLOURS	2700K	42	63	84	< 154	> 80	50,000





SOFIA FLAT PRO

MODEL NO: 80607-MP02-035
MATERIAL: ALUMINIUM ALLOY
FINISH: BRASS / COPPER / NICKEL / BLACK
DIMENSIONS: 118MM (D) X 265MM (H)
WEIGHT: 0.635KG
INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
PROTECTION RATING: IP44-WATER + DUST PROTECTION



TYPE	BATTERY	CELLS	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
QI WIRELESS	LI-FEPO4 4000MAH 2,000 CYCLES	1	<9	1W LED WARM WHITE 1W 16 RGB COLOURS	2700K	42	63	84	< 154	> 80	50,000





SOFIA DOME PRO

MODEL NO: 80608-MP02-036
MATERIAL: ALUMINIUM ALLOY
FINISH: BRASS / COPPER / NICKEL / BLACK
DIMENSIONS: 104MM (D) X 300MM (H)
WEIGHT: 0.644KG
INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
PROTECTION RATING: IP44-WATER + DUST PROTECTION




TYPE	BATTERY	CELLS	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
QI WIRELESS	LI-FEPO4 4000MAH 2,000 CYCLES	1	<9	1W LED WARM WHITE 1W 16 RGB COLOURS	2700K	42	63	84	< 154	> 80	50,000





ROUND BRASS

MODEL NO: 80502-MP02-037
MATERIAL: ACRYLIC + ALUMINIUM ALLOY
BASE FINISH: BRASS
DIMENSIONS: 80MM (D) X 125MM (H)
WEIGHT: 1.138KG
INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
PROTECTION RATING: IP44-WATER + DUST PROTECTION




TYPE	BATTERY	CELLS	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
QI WIRELESS	LI-PO 3.7V 1350MAH 500 CYCLES	1	<6	1W LED WARM WHITE 1W 16 RGB COLOURS	2700K	12	18	24	<90	>80	50,000





ROUND WOOD

MODEL NO: 80501-MP02-015
MATERIAL: ACRYLIC
BASE FINISH: WOOD
DIMENSIONS: 80MM (D) X 125MM (H)
WEIGHT: 0.950KG
INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
PROTECTION RATING: IP44-WATER + DUST PROTECTION



TYPE	BATTERY	CELLS	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
QI WIRELESS	LI-PO 3.7V 1350MAH 500 CYCLES	1	<6	1W LED WARM WHITE 1W 16 RGB COLOURS	2700K	12	18	24	<90	>80	50,000





CURVE



MODEL NO: 80101-MP02-001
MATERIAL: CRYSTAL GLASS
FINISH: FROSTED
DIMENSIONS: 80MM (W) X 135MM (H)
WEIGHT: 1.137KG
INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
PROTECTION RATING: IP44-WATER + DUST PROTECTION



TYPE	BATTERY	CELLS	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
QI WIRELESS	LI-PO 3.7V 1350MAH 500 CYCLES	1	<6	1W LED WARM WHITE 1W 16 RGB COLOURS	2700K	12	18	24	<90	>80	50,000






SWIRL



MODEL NO: 80104-MP02-003
MATERIAL: CRYSTAL GLASS
FINISH: FROSTED
DIMENSIONS: 80MM (W) X 137MM (H)
WEIGHT: 0.911KG
INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
PROTECTION RATING: IP44-WATER + DUST PROTECTION




TYPE	BATTERY	CELLS	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
QI WIRELESS	LI-PO 3.7V 1350MAH 500 CYCLES	1	<6	1W LED WARM WHITE 1W 16 RGB COLOURS	2700K	12	18	24	<90	>80	50,000





RIDGE

MODEL NO: 80125-MP02-004
MATERIAL: CRYSTAL GLASS
FINISH: FROSTED
DIMENSIONS: 80MM (W) X 125MM (H)
WEIGHT: 0.800KG
INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
PROTECTION RATING: IP44-WATER + DUST PROTECTION



TYPE	BATTERY	CELLS	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
QI WIRELESS	LI-PO 3.7V 1350MAH 500 CYCLES	1	<6	1W LED WARM WHITE 1W 16 RGB COLOURS	2700K	12	18	24	<90	>80	50,000






JUPITER V1



- MODEL NO:** 80125-MP02-004
- MATERIAL:** CRYSTAL GLASS
- FINISH:** FROSTED
- DIMENSIONS:** 80MM (W) X 125MM (H)
- WEIGHT:** 0.800KG
- INTERNATIONAL COMPLIANCE:** UKCA, CE, ROHS
- PROTECTION RATING:** IP44-WATER + DUST PROTECTION



TYPE	BATTERY	CELLS	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
QI WIRELESS	LI-PO 3.7V 1350MAH 500 CYCLES	1	<6	1W LED WARM WHITE 1W 16 RGB COLOURS	2700K	12	18	24	<90	>80	50,000






JUPITER V2



MODEL NO: 80106-MP02-0067
MATERIAL: CRYSTAL GLASS
FINISH: FROSTED
DIMENSIONS: 90MM (D) X 100MM (H)
WEIGHT: 0.667KG
INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
PROTECTION RATING: IP44-WATER + DUST PROTECTION



TYPE	BATTERY	CELLS	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
QI WIRELESS	LI-PO 3.7V 1350MAH 500 CYCLES	1	<6	1W LED WARM WHITE 1W 16 RGB COLOURS	2700K	12	18	24	<90	>80	50,000





PILLAR

MODEL NO: 80107-MP02-008
MATERIAL: CRYSTAL GLASS
FINISH: FROSTED
DIMENSIONS: 80MM (D) X 150MM (H)
WEIGHT: 0.698KG
INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
PROTECTION RATING: IP44-WATER + DUST PROTECTION




TYPE	BATTERY	CELLS	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
QI WIRELESS	LI-PO 3.7V 1350MAH 500 CYCLES	1	<6	1W LED WARM WHITE 1W 16 RGB COLOURS	2700K	12	18	24	<90	>80	50,000





STONE

MODEL NO: 80112-MP02-013
MATERIAL: GYPSUM ALABASTER
FINISH: STONE EFFECT
DIMENSIONS: 90MM (D) X 160MM (H)
WEIGHT: 1.184KG
INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
PROTECTION RATING: IP44-WATER + DUST PROTECTION



TYPE	BATTERY	CELLS	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
QI WIRELESS	LI-PO 3.7V 1350MAH 500 CYCLES	1	<6	1W LED WARM WHITE 1W 16 RGB COLOURS	2700K	12	18	24	<90	>80	50,000





SHELL

MODEL NO: 80135-MP02-014
MATERIAL: SYNTHETIC PEARLISED SHELL
FINISH: SHELL
DIMENSIONS: 80MM (D) X 160MM (H)
WEIGHT: 0.395KG
INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
PROTECTION RATING: IP44-WATER + DUST PROTECTION



TYPE	BATTERY	CELLS	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
QI WIRELESS	LI-PO 3.7V 1350MAH 500 CYCLES	1	<6	1W LED WARM WHITE 1W 16 RGB COLOURS	2700K	12	18	24	<90	> 80	50,000





PE ROUND

MODEL NO: 80136-MP02-016
MATERIAL: POLYETHYLENE PLASTIC
SURFACE FINISH: SAND BLASTED
DIMENSIONS: 100MM (D) X 150MM (H)
WEIGHT: 0.234KG
INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
PROTECTION RATING: IP44-WATER + DUST PROTECTION



TYPE	BATTERY	CELLS	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
QI WIRELESS	LI-PO 3.7V 1350MAH 500 CYCLES	1	<6	1W LED WARM WHITE 1W 16 RGB COLOURS	2700K	12	18	24	<90	> 80	50,000




CHARGING PADS



MODEL NO: 90203-QI
DIMENSIONS: 145MM(W) X 145MM(L) X 17MM(H)
WEIGHT: 0.100KG
CHARGING CAPACITY: 1 LAMPS
VOLTAGE INPUT 100-240V
OUTPUT 5V-12V MAX 2A / 10W
FREQUENCY 50 / 60 HZ




MODEL NO: 90202-QI
DIMENSIONS: 290MM(W) X 145MM(L) X 17MM(H)
WEIGHT: 0.200KG
CHARGING CAPACITY: 1-2 LAMPS
VOLTAGE INPUT 100-240V
OUTPUT 5V-12V MAX 2A / 10W
FREQUENCY 50 / 60 HZ



***CONNECT TECHNOLOGY FEATURE**



MODEL NO: 90206-QI
DIMENSIONS: 290mm(W) x 435mm(L) x 17mm(H)
WEIGHT: 0.600KG
CHARGING CAPACITY: 1-6 LAMPS
VOLTAGE INPUT 100-240V
OUTPUT 12V MAX 6A / 30W
FREQUENCY 50 / 60 HZ



***CONNECT TECHNOLOGY FEATURE**

CHARGING TROLLEY



MODEL NO: 90224-QI
DIMENSIONS: 450MM(W) X 650MM(L) X 900MM(H)
WEIGHT: 12KG
CHARGING CAPACITY: 1-24 LAMPS
VOLTAGE INPUT 100-240V
OUTPUT 12V MAX 15A / 400W
FREQUENCY 50 / 60 HZ



MODEL NO: 90236-QI
DIMENSIONS: 450MM(W) X 650MM(L) X 900MM(H)
WEIGHT: 15KG
CHARGING CAPACITY: 1-36 LAMPS
VOLTAGE INPUT 100-240V
OUTPUT 12V MAX 15A / 400W
FREQUENCY 50 / 60 HZ



***NOT COMPATIBLE WITH SOFIA & CHARM SERIES OF LAMPS DUE TO DISTANCE BETWEEN SHELVES**

REMOTE CONTROL




MODEL NO: 80201-IR
DIMENSIONS: 52MM (W) X 85MM (L) X 5MM (H)
WEIGHT: 0.010KG
TECHNOLOGY: INFRA RED
BATTERY TYPE: CR2025 3V
OPERATION: TURN LAMPS ON/OFF
 16 COLOURS AND 2700K WARM WHITE
 ADJUST THE LAMPS BRIGHTNESS SETTING
 CONTROLS AN UNLIMITED QUANTITY OF LAMPS




SPARE BATTERY MODULES



MODEL NO: 1010-QI
DIMENSIONS: 75MM (D) X 33MM (H)
WEIGHT: 0.053KG
BATTERY TYPE: LI-PO 1350MAH
CYCLE LIFE: 500 CHARGES
CHARGING: QI TECHNOLOGY
LED INTEGRATED: YES, 1W
LIGHT DURATION: 12 / 18 / 24 HOURS



MODEL NO: 10103-PRO-QI
DIMENSIONS: 86MM (D) X 27MM (H)
WEIGHT: 0.100KG
BATTERY TYPE: LI-FEPO4 4000MAH
CYCLE LIFE: 2,000 CHARGES
CHARGING: QI TECHNOLOGY
LED INTEGRATED: NO
LIGHT DURATION: 42 / 63 / 84 HOURS



*ONLY COMPATIBLE WITH SOFIA & CHARM SERIES OF LAMPS

INSIGHT
CORDLESS LIGHTING



INSIGHT CORDLESS LIGHTING LTD

UNIT 3, THE MEADOW,
ALMS CLOSE, HUNTINGDON
CAMBRIDGESHIRE, PE29 6AJ, UNITED KINGDOM
(0)1487 773 211

INFO@INSIGHTCORDLESSLIGHTING.COM

COMPANY REGISTRATION NO. 9938893

VAT NUMBER: 167994345

VISIT US ONLINE

WWW.INSIGHTCORDLESSLIGHTING.COM

ALL RIGHTS RESERVED. NO PART OF THIS PUBLICATION MAY BE REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT THE PRIOR WRITTEN PERMISSION OF INSIGHT CORDLESS LIGHTING. SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.