



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31021009-001
Harvest/Lot ID: H-SC1500-23
Batch#: H-SC1500-23
Batch Date: 10/13/23
Sample Size Received: 1 units
Total Amount: 1500 mg
Retail Product Size: 30 ml
Sample Density: 1.0 g/mL
Ordered: 10/17/23
Sampled: 10/21/23
Completed: 10/24/23
Sampling Method: SOP.T.20.010.FL











PASSED

Oct 24, 2023 | PharmaCanna


2615 state Road 7
Wellington, FL, 33414, US



Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes NOT TESTED

Cannabinoid **PASSED**



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.108	ND	5.238	ND	ND	0.089	ND	0.038	ND	0.040	0.291
mg/g	1.08	ND	52.38	ND	ND	0.89	ND	0.38	ND	0.40	2.91
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 3335, 3605, 585, 4044	Weight: 2.9631g	Extraction date: 10/23/23 11:07:11	Extracted by: 3335
Analysis Method : SOP.T.40.031, SOP.T.30.031		Reviewed On : 10/24/23 11:43:53	
Analytical Batch : DA065639POT		Batch Date : 10/23/23 06:58:38	
Instrument Used : DA-LC-007			
Analyzed Date : 10/23/23 11:07:22			
Dilution : 400			
Reagent : 100423.01; 100423.R32; 060723.50; 060723.24; 100423.R35			
Consumables : 947.109; 1852142; CE0123; R1KB14270			
Pipette : DA-079; DA-108; DA-078			

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
10/24/23



Certificate of Analysis

PASSED

PharmaCanna

2615 state Road 7
Wellington, FL, 33414, US
Telephone: 9543050078
Email: johnny@pharmacanna.us

Sample : DA31021009-001
Harvest/Lot ID: H-SC1500-23

Batch# : H-SC1500-23
Sampled : 10/21/23
Ordered : 10/21/23

Sample Size Received : 1 units
Total Amount : 1500 mg
Completed : 10/24/23 Expires: 10/24/24
Sample Method : SOP Client Method

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRETHRIN I	0.010	ppm	1	PASS	ND
ACEQUINOYL	0.010	ppm	2	PASS	ND	PYRETHRIN II	0.010	ppm	1	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
DIAZINON	0.010	ppm	3	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4044	Weight: 0.2347g	Extraction date: 10/23/23 14:10:04	Extracted by: 450,3379		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Instrument Used : DA-LCMS-004 (PES)	Reviewed On : 10/24/23 13:01:04	Batch Date : 10/23/23 08:59:25		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065655PES	Analyzed Date : 10/23/23 15:09:57	Dilution : 250	Reagent : 102023.R02; 102323.R01; 101723.R11; 101723.R01; 101023.R01; 101823.R05; 040521.11		
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Consumables : 326250IW	Pipette : DA-093; DA-094; DA-219	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.			
FENHEXAMID	0.010	ppm	3	PASS	ND	Analyzed by: 585, 450, 4044	Weight: 0.2347g	Extraction date: 10/23/23 14:10:04	Extracted by: 450,3379		
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville)	Analytical Batch : DA065657VOL	Reviewed On : 10/24/23 12:59:45	Batch Date : 10/23/23 09:02:31		
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Instrument Used : DA-GCMS-010	Analyzed Date : 10/24/23 08:23:34	Dilution : 250	Reagent : 102023.R02; 102323.R01; 101723.R11; 101723.R01; 101023.R01; 101823.R05; 040521.11		
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW	Pipette : DA-093; DA-094; DA-219	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.			
FLONICAMID	0.010	ppm	2	PASS	ND						
FLUDIOXONIL	0.010	ppm	3	PASS	ND						
HEXYTHIAZOX	0.010	ppm	2	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	3	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND						
MALATHION	0.010	ppm	2	PASS	ND						
METALAXYL	0.010	ppm	3	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
10/24/23



Certificate of Analysis

PASSED

PharmaCanna

 2615 state Road 7
 Wellington, FL, 33414, US
 Telephone: 9543050078
 Email: johnny@pharmacanna.us

 Sample : DA31021009-001
 Harvest/Lot ID: H-SC1500-23
 Batch# : H-SC1500-23
 Sampled : 10/21/23
 Ordered : 10/21/23

 Sample Size Received : 1 units
 Total Amount : 1500 mg
 Completed : 10/24/23 Expires: 10/24/24
 Sample Method : SOP Client Method

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	5	PASS	ND
ACETONE	75.000	ppm	5000	PASS	ND
DICHLOROMETHANE	12.500	ppm	600	PASS	ND
BENZENE	0.100	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	60	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	5000	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	2000	PASS	ND
ACETONITRILE	6.000	ppm	410	PASS	ND
ETHYL ETHER	50.000	ppm	5000	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	3000	PASS	ND
N-HEXANE	25.000	ppm	290	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	890	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	2100	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	80	PASS	ND
XYLENES-M&P (1,3&1,4-DIMETHYLBENZENE)	27.000	ppm	2170	PASS	ND
XYLENES-O (1,2-DIMETHYLBENZENE)	13.500	ppm	2170	PASS	ND

Analyzed by: 850, 585, 4044	Weight: 0.0202g	Extraction date: 10/24/23 14:59:53	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA065661SOL Instrument Used : DA-GCMS-002 Analyzed Date : 10/24/23 15:39:19	Reviewed On : 10/24/23 16:01:37 Batch Date : 10/23/23 15:28:08
---	---

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

PharmaCanna

 2615 state Road 7
 Wellington, FL, 33414, US
 Telephone: 9543050078
 Email: johnny@pharmacanna.us

 Sample : DA31021009-001
 Harvest/Lot ID: H-SC1500-23

 Batch# : H-SC1500-23
 Sampled : 10/21/23
 Ordered : 10/21/23

 Sample Size Received : 1 units
 Total Amount : 1500 mg
 Completed : 10/24/23 Expires: 10/24/24
 Sample Method : SOP Client Method

Page 4 of 5


	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3336, 3621, 585, 4044 Weight: 0.8191g Extraction date: 10/22/23 11:56:09 Extracted by: 3336,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Reviewed On : 10/24/23 13:33:00 Analytical Batch : DA065629MIC Batch Date : 10/22/23 10:43:12 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems MiniAmp Thermocycler DA-190, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 10/22/23 16:41:13 Dilution : N/A Reagent : 083123.168; 100423.R39; 081023.03; 100423.R40 Consumables : 7566003048 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 4044 Weight: 0.2347g Extraction date: 10/23/23 14:10:04 Extracted by: 450,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA065656MYC Reviewed On : 10/24/23 10:24:13 Instrument Used : N/A Batch Date : 10/23/23 09:02:28 Analyzed Date : 10/23/23 15:10:10 Dilution : 250 Reagent : 102023.R02; 102323.R01; 101723.R11; 101723.R01; 101023.R01; 101823.R05; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4044 Weight: 0.2237g Extraction date: 10/22/23 15:29:27 Extracted by: 4306,1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Reviewed On : 10/24/23 12:55:49 Analytical Batch : DA065609HEA Batch Date : 10/21/23 10:37:35 Instrument Used : DA-ICPMS-004 Analyzed Date : 10/23/23 13:32:38 Dilution : 50 Reagent : 092123.R14; 101123.R29; 102023.R13; 101823.R29; 102023.R11; 102023.R12; 101123.R28; 101123.R27 Consumables : 179436; 1852142; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4044 Weight: 0.2237g Extraction date: 10/22/23 15:29:27 Extracted by: 4306,1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Reviewed On : 10/24/23 12:55:49 Analytical Batch : DA065609HEA Batch Date : 10/21/23 10:37:35 Instrument Used : DA-ICPMS-004 Analyzed Date : 10/23/23 13:32:38 Dilution : 50 Reagent : 092123.R14; 101123.R29; 102023.R13; 101823.R29; 102023.R11; 102023.R12; 101123.R28; 101123.R27 Consumables : 179436; 1852142; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Kaycha Labs

SpectraCanna 1500

N/A

Matrix : Edible



Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

Certificate of Analysis

PASSED

PharmaCanna

2615 state Road 7
 Wellington, FL, 33414, US
 Telephone: 9543050078
 Email: johnny@pharmacanna.us

Sample : DA31021009-001
 Harvest/Lot ID: H-SC1500-23

Batch# : H-SC1500-23
 Sampled : 10/21/23
 Ordered : 10/21/23

Sample Size Received : 1 units
 Total Amount : 1500 mg
 Completed : 10/24/23 Expires: 10/24/24
 Sample Method : SOP Client Method

Page 5 of 5

	Filth/Foreign Material	PASSED
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 4044	NA	N/A	N/A

Analysis Method : SOP.T.40.090
 Analytical Batch : DA065628FIL
 Instrument Used : Filth/Foreign Material Microscope
 Analyzed Date : 10/23/23 01:34:49
 Reviewed On : 10/23/23 01:47:05
 Batch Date : 10/22/23 10:13:55

Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

Signature
 10/24/23