



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA31110011-002  
 Harvest/Lot ID: J-1200-23  
 Batch#: J-1200-23  
 Batch Date: 11/08/23  
 Sample Size Received: 1200 mg  
 Total Amount: 1200 mg  
 Retail Product Size: 30 ml  
 Sample Density: 1.0 g/mL  
 Ordered: 11/08/23  
 Sampled: 11/10/23  
 Completed: 11/14/23  
 Sampling Method: SOP.T.20.010.FL











**PASSED**

Nov 14, 2023 | PharmaCanna


2615 state Road 7  
 Wellington, FL, 33414, US



Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides <b>PASSED</b>	 Heavy Metals <b>PASSED</b>	 Microbials <b>PASSED</b>	 Mycotoxins <b>PASSED</b>	 Residuals Solvents <b>PASSED</b>	 Filtration <b>PASSED</b>	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes NOT TESTED

### Cannabinoid **PASSED**



Analyzed by: 1665, 585, 1440      Weight: 3.1022g      Extraction date: 11/13/23 09:40:35      Extracted by: 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA066337POT      Reviewed On : 11/14/23 10:10:24  
 Instrument Used : DA-LC-007      Batch Date : 11/11/23 23:49:19  
 Analyzed Date : 11/13/23 09:41:14

Dilution : 40  
 Reagent : 102423.R05; 070121.27; 110723.R05  
 Consumables : 947.109; 280670723; CE0123; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 11/14/23



# Certificate of Analysis

**PASSED**


PharmaCanna

2615 state Road 7  
Wellington, FL, 33414, US  
Telephone: 9543050078  
Email: johnny@pharmacanna.us

Sample : DA31110011-002  
Harvest/Lot ID: J-1200-23  
Batch# : J-1200-23  
Sampled : 11/10/23  
Ordered : 11/10/23

Sample Size Received : 1200 mg  
Total Amount : 1200 mg  
Completed : 11/14/23 Expires: 11/14/24  
Sample Method : SOP Client Method

Page 2 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	<b>Analyzed by:</b> 4056, 3379, 585, 1440	<b>Weight:</b> 0.2184g	<b>Extraction date:</b> 11/11/23 17:14:41	<b>Extracted by:</b> 4056		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA066325PES				<b>Reviewed On :</b> 11/14/23 11:10:13	
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-LCMS-003 (PES)				<b>Batch Date :</b> 11/11/23 13:45:25	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> 11/12/23 17:22:09					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	<b>Dilution :</b> 250					
FENHEXAMID	0.010	ppm	3	PASS	ND	<b>Reagent :</b> 110823.R01; 040423.08; 110723.R28; 110823.R02; 110923.R03; 101023.R01; 110823.R03					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	<b>Pipette :</b> DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	2	PASS	ND	<b>Analyzed by:</b> 450, 585, 1440	<b>Weight:</b> 0.2184g	<b>Extraction date:</b> 11/11/23 17:14:41	<b>Extracted by:</b> 4056		
FLUDIOXONIL	0.010	ppm	3	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	<b>Analytical Batch :</b> DA066326VOL				<b>Reviewed On :</b> 11/14/23 11:08:58	
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-GCMS-001				<b>Batch Date :</b> 11/11/23 13:46:10	
IMIDACLOPRID	0.010	ppm	1	PASS	ND	<b>Analyzed Date :</b> 11/13/23 13:59:07					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	<b>Dilution :</b> 250					
MALATHION	0.010	ppm	2	PASS	ND	<b>Reagent :</b> 110823.R01; 040423.08; 103123.R19; 103123.R20					
METALAXYL	0.010	ppm	3	PASS	ND	<b>Consumables :</b> 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
11/14/23



# Certificate of Analysis

**PASSED**

PharmaCanna

 2615 state Road 7  
 Wellington, FL, 33414, US  
 Telephone: 9543050078  
 Email: johnny@pharmacanna.us

Sample : DA31110011-002

Harvest/Lot ID: J-1200-23

Batch# : J-1200-23

Sampled : 11/10/23

Ordered : 11/10/23

Sample Size Received : 1200 mg

Total Amount : 1200 mg

Completed : 11/14/23 Expires: 11/14/24

Sample Method : SOP Client Method

Page 3 of 5



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 1440

 Weight:  
 0.0286g

 Extraction date:  
 11/14/23 11:18:27

 Extracted by:  
 850

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA066317SOL  
 Instrument Used : DA-GCMS-003  
 Analyzed Date : 11/14/23 11:47:17

 Reviewed On : 11/14/23 12:23:56  
 Batch Date : 11/11/23 12:26:41

 Dilution : 1  
 Reagent : 030420.09  
 Consumables : R2017.167; 172723  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

PharmaCanna

2615 state Road 7  
Wellington, FL, 33414, US  
Telephone: 9543050078  
Email: johnny@pharmacanna.us

Sample : DA31110011-002  
Harvest/Lot ID: J-1200-23

Batch# : J-1200-23  
Sampled : 11/10/23  
Ordered : 11/10/23

Sample Size Received : 1200 mg  
Total Amount : 1200 mg  
Completed : 11/14/23 Expires: 11/14/24  
Sample Method : SOP Client Method

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>
	<b>Mycotoxins</b>	<b>PASSED</b>

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
<b>Analyzed by:</b> 3336, 585, 1440 <b>Weight:</b> 0.8824g <b>Extraction date:</b> 11/11/23 11:27:42 <b>Extracted by:</b> 3621 <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA066290MIC <b>Reviewed On :</b> 11/14/23 12:25:41 <b>Instrument Used :</b> PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 <b>Analyzed Date :</b> 11/11/23 17:32:39 <b>Dilution :</b> N/A <b>Reagent :</b> 083123.134; 083123.146; 100423.R40; 081023.02; 081023.07 <b>Consumables :</b> 7566004033 <b>Pipette :</b> N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 4056, 3379, 585, 1440 <b>Weight:</b> 0.2184g <b>Extraction date:</b> 11/11/23 17:14:41 <b>Extracted by:</b> 4056 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA066327MYC <b>Reviewed On :</b> 11/14/23 10:10:11 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 11/11/23 13:46:24 <b>Analyzed Date :</b> 11/12/23 17:23:50 <b>Dilution :</b> 250 <b>Reagent :</b> 110823.R01; 040423.08; 110723.R28; 110823.R02; 110923.R03; 101023.R01; 110823.R03 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 3336, 3963, 585, 1440 <b>Weight:</b> 0.8824g <b>Extraction date:</b> 11/11/23 11:27:42 <b>Extracted by:</b> 3621 <b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL <b>Analytical Batch :</b> DA066292TYM <b>Reviewed On :</b> 11/14/23 10:10:24 <b>Instrument Used :</b> Incubator (25-27C) DA-097 <b>Batch Date :</b> 11/11/23 10:09:04 <b>Analyzed Date :</b> 11/11/23 17:36:12 <b>Dilution :</b> N/A <b>Reagent :</b> 083123.134; 083123.146; 101723.R10 <b>Consumables :</b> N/A <b>Pipette :</b> N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 1879, 1022, 585, 1440 <b>Weight:</b> 0.2956g <b>Extraction date:</b> 11/13/23 10:36:10 <b>Extracted by:</b> 1022 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA066306HEA <b>Reviewed On :</b> 11/14/23 10:43:42 <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 11/11/23 11:24:24 <b>Analyzed Date :</b> 11/14/23 10:04:33 <b>Dilution :</b> 50 <b>Reagent :</b> 102723.R12; 111023.R05; 110123.R33; 111023.R03; 111023.R04; 110123.R34; 110123.49; 111023.R06 <b>Consumables :</b> 179436; 210508058; 12594-247CD-247C <b>Pipette :</b> DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
11/14/23



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Kaycha Labs

.....  
 CBG+CBD 1200MG  
 N/A  
 Matrix : Edible  
 Type: Other Edible Product



# Certificate of Analysis

**PASSED**

PharmaCanna

2615 state Road 7  
 Wellington, FL, 33414, US  
 Telephone: 9543050078  
 Email: johnny@pharmacanna.us

Sample : DA31110011-002  
 Harvest/Lot ID: J-1200-23  
 Batch# : J-1200-23  
 Sampled : 11/10/23  
 Ordered : 11/10/23

Sample Size Received : 1200 mg  
 Total Amount : 1200 mg  
 Completed : 11/14/23 Expires: 11/14/24  
 Sample Method : SOP Client Method

Page 5 of 5

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 1440	NA	N/A	N/A

Analysis Method : SOP.T.40.090  
 Analytical Batch : DA066301FIL  
 Instrument Used : Filth/Foreign Material Microscope  
 Analyzed Date : 11/12/23 20:50:47  
 Reviewed On : 11/12/23 21:35:03  
 Batch Date : 11/11/23 11:13:19

Dilution : N/A  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 11/14/23