

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** 

# **Certificate of Analysis**

**COMPLIANCE FOR RETAIL** 

**Kaycha Labs** 

CBDROPS 1500 N/A Matrix: Edible



Sample: DA30228009-001 Harvest/Lot ID: A150023

> Batch#: A150023 **Cultivation Facility: Processing Facility:**

> **Distributor Facility:** Source Facility: Seed to Sale# N/A

Batch Date: 01/06/23 Sample Size Received: 15 mg

Total Amount: 1500 mg Retail Product Size: 15 mg

Ordered: 02/23/23 Sampled: 02/23/23

Completed: 03/02/23 Sampling Method: SOP.T.20.010.FL

MISC.

PASSED

Mar 02, 2023 | PharmaCanna

2615 state Road 7 Wellington, FL, 33414, US

PharmaCanna

PRODUCT IMAGE

SAFETY RESULTS







Heavy Metals PASSED



Microbials



Mycotoxins



PASSED







Pages 1 of 5



NOT TESTED

**PASSED** 

Moisture NOT TESTED



#### Cannabinoid






**Total CBD** Total CBD/Container: 1543.2 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 1549.05



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA056734POT Instrument Used : DA-LC-007 Running on : 02/28/23 12:20:53 Reviewed On: 03/01/23 10:56:20

LOD

Dilution: 40 Reagent: 022023.R05; 071222.46; 071222.01; 021023.R26; 020123.02 Consumables: 245081; CE123; 115C4-1151; 12607-302CC-302; R1KB45277 Pipette: DA-079; DA-108; DA-078

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/02/23



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** 

Kaycha Labs

CBDROPS 1500

N/A Matrix : Edible



# **Certificate of Analysis**

PharmaCanna

2615 state Road 7 Wellington, FL, 33414, US **Telephone:** 9543050078

Sample : DA30228009-001 Harvest/Lot ID: A150023

Batch#: A150023 Sampled: 02/23/23 Ordered: 02/23/23

Sample Size Received: 15 mg Total Amount: 1500 mg Completed: 03/02/23 Expires: 03/02/24 Sample Method : SOP Client Method

**PASSED** 

Page 2 of 5



#### **Pesticides**

P	A	S	S	E	D

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
OTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
OTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.3	PASS	ND		0.01	ppm	0.1	PASS	ND
CEPHATE	0.01	ppm	3	PASS	ND	PROPOXUR					
CEQUINOCYL	0.01	ppm	2	PASS	ND	PYRETHRIN I	0.01	ppm	1	PASS	ND
CETAMIPRID	0.01	ppm	3	PASS	ND	PYRETHRIN II	0.01	ppm	1	PASS	ND
DICARB	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ZOXYSTROBIN	0.01	ppm	3	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
FENAZATE	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
FENTHRIN	0.01	ppm	0.5	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
DSCALID	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND			1 · · · · · · · · · · · · · · · · · · ·	1	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	THIAMETHOXAM	0.01	ppm			
HLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
ILORPYRIFOS	0.01	ppm	0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
OFENTEZINE	0.01	ppm	0.5	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
AZINON	0.01	ppm	3	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
METHOATE	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
THOPROPHOS	0.01	ppm	0.1	PASS	ND				\ · \	11.7%	
TOFENPROX	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight: 3379, 585, 1440 0.2416q		ion date: 3 12:43:58		Extracted 1665,3379	by:
TOXAZOLE	0.01	ppm	1.5	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gaine			(Davia) COD		^ nin ocuil
NHEXAMID	0.01	ppm	3	PASS	ND	SOP.T.40.102.FL (Davie)	sville), SUP.	.30.102.FL	(Davie), SUP	.1.40.101.FL (	Jairiesvii
NOXYCARB	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056742PES	F	Reviewed O	n:03/01/23	11:13:06	
NPYROXIMATE	0.01	ppm	2	PASS	ND	Instrument Used : N/A	/ E	Batch Date :	02/28/23 09	:38:50	
PRONIL	0.01	ppm	0.1	PASS	ND	Running on : 02/28/23 12:58:48					
ONICAMID	0.01	ppm	2	PASS	ND	Dilution: 250					
UDIOXONIL	0.01	ppm	3	PASS	ND	Reagent: 022423.R05; 022723.R03; 0227	23.R02; 022	823.R09; 02	2123.R33; 0	22223.R01; 04	0521.11
EXYTHIAZOX	0.01	ppm	2	PASS	ND	Consumables: 6697075-02 Pipette: DA-093; DA-094; DA-219					
IAZALIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed u	tilizina Liquia	Chromaton	ranhy Trinla	Quadrupala Ma	00
MIDACLOPRID	0.01	ppm	3	PASS	ND	Spectrometry in accordance with F.S. Rule 64		a Cilioniatog	гарпу тпріе-	диаці проје ма	55
RESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analyzed by: Weight:		traction da	te:	Extracted	bv:
ALATHION	0.01	ppm	2	PASS	ND	<b>1665, 585, 1440</b> 0.2416g				1665	7
ETALAXYL	0.01	ppm	3	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gaine	sville), SOP.1	Г.30.151A.FL	(Davie), SO	P.T.40.151.FL	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056744VOL	R	eviewed On	:03/01/23 1	.0:43:04	
THOMYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006	В	atch Date :	02/28/23 09:	40:42	
EVINPHOS	0.01	ppm	0.1	PASS	ND	Running on : 02/28/23 12:45:20					
YCLOBUTANIL	0.01	ppm	3	PASS	ND	Dilution: 25	2 001. 0225	22.002			
ALED	0.01	ppm	0.5	PASS	ND	Reagent: 022723.R02; 040521.11; 02252 Consumables: 6697075-02; 14725401 Pipette: DA-080; DA-146; DA-218	3.KU1; U225.	23.KU2			

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/02/23



**DAVIE, FL, 33314, US** 

### Kaycha Labs CBDROPS 1500

N/A Matrix : Edible



### PASSED

Page 3 of 5

# **Certificate of Analysis**

PharmaCanna

2615 state Road 7 Wellington, FL, 33414, US **Telephone:** 9543050078 Email: johnny@pharmacanna.us Sample : DA30228009-001 Harvest/Lot ID: A150023

Batch#: A150023 Sampled: 02/23/23 Ordered: 02/23/23

Sample Size Received: 15 mg Total Amount: 1500 mg Completed: 03/02/23 Expires: 03/02/24 Sample Method : SOP Client Method

# **Residual Solvents**

A	S	S	Е	D

Solvents		LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE		0.8	ppm	8	PASS	ND	
1,2-DICHLOROETHANE		0.2	ppm	5	PASS	ND	
2-PROPANOL		50	ppm	500	PASS	ND	
ACETONE		75	ppm	5000	PASS	ND	
ACETONITRILE		6	ppm	410	PASS	ND	
BENZENE		0.1	ppm	2	PASS	ND	
BUTANES (N-BUTANE)		500	ppm	2000	PASS	ND	
CHLOROFORM		0.2	ppm	60	PASS	ND	
DICHLOROMETHANE		12.5	ppm	600	PASS	ND	
ETHANOL		500	ppm	5000	PASS	ND	
ETHYL ACETATE		40	ppm	5000	PASS	ND	
ETHYL ETHER		50	ppm	5000	PASS	ND	
ETHYLENE OXIDE		0.5	ppm	5	PASS	ND	
HEPTANE		500	ppm	5000	PASS	ND	
METHANOL		25	ppm	3000	PASS	ND	
N-HEXANE		25	ppm	290	PASS	ND	
PENTANES (N-PENTANE)		75	ppm	5000	PASS	ND	
PROPANE		500	ppm	2100	PASS	ND	
TOLUENE		15	ppm	890	PASS	ND	
TOTAL XYLENES		15	ppm	150	PASS	ND	
TRICHLOROETHYLENE		2.5	ppm	80	PASS	ND	
XYLENES-M&P (1,3&1,4-DIMETHYLBENZENE)		27	ppm	2170	PASS	ND	
XYLENES-O (1,2-DIMETHYLBENZENE)		13.5	ppm	2170	PASS	ND	
Analyzed by: 850, 585, 1440	<b>Weight:</b> 0.0273g		Extraction date: 02/28/23 15:44:18			Extracted by: 850	

Analysis Method: SOP.T.40.041.FL Analytical Batch : DA056752SOL Instrument Used : DA-GCMS-003 **Running on:** 03/01/23 13:16:59

Reviewed On: 03/01/23 14:27:56 Batch Date: 02/28/23 15:34:38

Dilution: 1 Reagent: 030420.09 Consumables: 27296; KF140 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/02/23



**DAVIE, FL, 33314, US** 

### Kaycha Labs

CBDROPS 1500

N/A Matrix : Edible



# **Certificate of Analysis**

PASSED

2615 state Road 7 Wellington, FL, 33414, US **Telephone:** 9543050078 Email: johnny@pharmacanna.us Sample : DA30228009-001 Harvest/Lot ID: A150023

Batch Date: 02/28/23 09:08:50

Batch Date: 02/28/23 11:49:16

Extracted by:

Batch# : A150023 Sampled: 02/23/23 Ordered: 02/23/23

Sample Size Received: 15 mg Total Amount: 1500 mg Completed: 03/02/23 Expires: 03/02/24 Sample Method : SOP Client Method

Page 4 of 5

Reviewed On: 03/01/23 11:16:08

Batch Date: 02/28/23 09:40:11



### **Microbial**



# **Mycotoxins**

#### **PASSED**

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
	Veight:	Extraction		Extracte	ed by:
<b>3390, 3336, 585, 1440</b> 0	.9864g	02/28/23 1	3390		

Extraction date:

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA056731MIC Reviewed On : 03/02/23 13:17:14

Instrument Used: DA-265 Gene-UP RTPCR

 $\textbf{Running on:}\ 02/28/23\ 11:53:28$ 

Dilution : N/A

Analyzed by:

Reagent: 022323.R28; 022323.R04 Consumables: 2112100

Pipette: N/A

3390, 585, 1440	1.1339g	02/28/23 11:51:53	3390
Analysis Method : SOP.	.T.40.208 (Gaines	sville), SOP.T.40.209.FL	
Analytical Batch: DA05	56750TYM	Reviewed On	: 03/02/23 16:40:06

Weight:

Analytical Batch: DA056750TYM

Instrument Used: Incubator (25-27C) DA-097 Running on: 02/28/23 12:14:17

Dilution: 10 Reagent: 110822.13; 013123.R21

Consumables: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440	Weight: 0.2416g	Extraction N/A	n date:		ktracted b	y:

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA056743MYC

Instrument Used: N/A Running on: 02/28/23 12:59:14

Reagent: 022423.R05; 022723.R03; 022723.R02; 022823.R09; 022123.R33; 022223.R01; 040521.11 Dilution: N/A

Consumables : 6697075-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



### **Heavy Metals**

## **PASSED**

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LO	AD METAL	<b>S</b> 0.11	ppm	ND	PASS	5
ARSENIC		0.02	ppm	ND	PASS	1.5
CADMIUM		0.02	ppm	ND	PASS	0.5
MERCURY		0.02	ppm	ND	PASS	3
LEAD		0.05	ppm	ND	PASS	0.5
	eight: 4203g	Extraction date 02/28/23 11:1			tracted b	y:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA056738HEA Instrument Used : DA-ICPMS-003 Running on: 03/01/23 11:58:44

Reviewed On: 03/02/23 08:36:12 Batch Date: 02/28/23 09:24:18

Reagent: 021723.R02; 123022.R14; 022423.R26; 022423.R04; 022423.R24; 022423.R25;

021423.R08; 022323.R22; 020123.02

Consumables: 179436; 210508058; 12608-302CD-302C

**Pipette**: DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/02/23



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** 

# **Certificate of Analysis**

PharmaCanna

2615 state Road 7 Wellington, FL, 33414, US **Telephone:** 9543050078

Sample: DA30228009-001 Harvest/Lot ID: A150023

Batch#: A150023 Sampled: 02/23/23 Ordered: 02/23/23

Sample Size Received: 15 mg Total Amount: 1500 mg Completed: 03/02/23 Expires: 03/02/24 Sample Method : SOP Client Method

Kaycha Labs

CBDROPS 1500

N/A Matrix : Edible



PASSED

Page 5 of 5

## Filth/Foreign **Material**

**PASSED** 

Reviewed On: 03/01/23 12:12:02

Batch Date: 03/01/23 12:03:56

Analyte Units **Action Level** Filth and Foreign Material ND PASS 0.5 % Analyzed by: Weight: **Extraction date:** Extracted by: 1879, 1440

Analysis Method: SOP.T.40.090 Analytical Batch: DA056794FIL

Instrument Used: Filth/Foreign Material Microscope

Running on: 03/01/23 12:07:56

Dilution : N/A Reagent: N/A Consumables: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/02/23