



Bread Clips
U-Clips
Clip Band
Closing Machinery

HELPING YOU PUT BREAD ON THE TABLE



We strongly believe that progress
is driven by curiosity and exploration.
That's why we...

Keep on playing.

www.innobagseal.com.au

food

Bakery - Confectionery
Pastry - Pasta - Cereals

TWIST TIES, U-CLIPS, CLIPBAND & CLIPPS

Our closures can be found in almost any food sector. We mainly produce for industrial bakeries, but also for sectors packaging pasta, produce, sweets, chocolate and dairy products. We offer you a choice: all plastic closures or with single/double wire, tamper evident or not, just functional or also decorative, white or colorful, standardized or customized, for application by hand or by semi automatic and full automatic bag closing machines, to be printed upon or not.

Our products are all manufactured to the highest standards and certified 100% virgin food-grade material.





MANUAL CLOSURES



CLIPBAND ORIGINAL™

U-clips

Closure

Pre-shaped (U-shape) clip available in paper or plastic (made of polypropylene), reinforced with two straight wires.

Paper in wire thickness 2/5 and 2/6.

Plastic in wire thickness 2/6.

Use

For manual closing of bags with cookies, sweets, etc.

Colours

Paper: white, beige, black, blue, brown, copper brown, gold, green, red, silver, yellow and yellow green.

Plastic: white, black, blue, brown, green, gold, grey, orange, red and yellow.

Size

Paper and plastic: 33 mm, 45 mm and 55 mm.

Width: 8 mm.

Packaging & Weight

U-clips 33 mm

50.000 pcs. in a carton of 390 x 390 x 460 mm.

Weight: 11 kg.

U-clips 45 mm

18.000 pcs. in a carton of 390 x 390 x 460 mm.

Weight: 6 kg.

U-clips 55 mm

18.000 pcs. in a carton of 390 x 390 x 460 mm.

Weight: 7 kg.


Note

Due to their shape U-clips can be closed very quickly with only one hand.

U-clips paper can be used in the oven with 180°C for 30 minutes.

U-clips paper gold can also be used in the oven with 200°C for 60 minutes.

SPECIFICATIONS Food



Contact Us

info@innobagclosures.com.au

Ph: +61 3 9001 0686

<http://innobagseal.com.au>

Inno BagClosures

43-47 Cleeland Road

Oakleigh South

Victoria 3167

Australia



Twist Ties Plastic

Closure

Closure made of HDPE, reinforced with a straight wire

Use

Twist ties plastic on reels can be used on all well known twist packaging or cable bundling machines. Also available in cut lengths for manual application.

To be used for closing bags with bakery, pastry, confectionery and noodle products, cable bundling and in the agricultural- and horticultural sector.

Colours

Reels: red,

Cut lengths: red, white and yellow.

Size

Precision wound: on reels of 500 meter.

Packaging & Weight

Reels

Reels precision wound small:

5 reels per carton of 270 x 205 x 205 mm.

Cut lengths

100 mm - 300 mm: 25.000 pcs. in a carton.

SPECIFICATIONS
Food

TWIST TIES™



Contact Us

info@innobagclosures.com.au

Ph: +61 3 9001 0686

<http://innobagseal.com.au>

Inno BagClosures

43-47 Cleeland Road

Oakleigh South

Victoria 3167

Australia



Clippings B (Loose)

Closure

Closure made of polystyrene.

Use

Closures can be used with most plastic or net bags to pack bread, produce and other food products.

Colours

White, tan, dark blue, light blue, red, light red, green, light green, orange, yellow and black.

Size

Available in 0,8 mm thickness.

Available with various hole sizes

B-44, B-59 (3 teeth in hole)
B-50, B-64 (2 teeth in hole)
B Net-7 (for net bags)

Packaging & Weight

Box of 20,000 loose clips.

Note

Re-usable and suitable for imprinting.
Suitable for production areas with metal detection.
The Clippings B-type is a non-residue producing closure and has 2 or 3 teeth for extra grip on the bag.

Our Clippings are manufactured to the highest standards: certified by ISO 9001

Contact Us

info@innobagclosures.com.au
Ph: +61 3 9001 0686

<http://innobagseal.com.au>

Inno BagClosures

43-47 Cleeland Road
Oakleigh South
Victoria 3167
Australia



SPECIFICATIONS

B
Net-7



B-44
Small



B-59
Middle



B-50
Small



B-64
Middle



SEMI- AUTOMATIC CLOSURES



Clippis K

SPECIFICATIONS

K-44
Small




K-59
Middle



K
Net-7



K
Net-24



Closure

Closure made of polystyrene.

Use

A head tail connected clip to use with semi-automatic bag closing machines, with or without small white label on the closure.

Colours

White, tan, dark blue, light blue, red, light red, green, light green, orange, yellow and black.

Size

Available in 0,8 mm and heavy duty 1,2 mm thickness.

Available with various hole sizes

K-44, K-59 (3 teeth in hole)
K Net-7, K Net-24 (for net bags)

Packages & Weight

On reels

15 reels of 1.000 pcs. in a carton (with label).
15 reels of 1.250 pcs. in a carton (with label).
15 reels of 2.500 pcs. in a carton (with label).
15 reels of 3.000 pcs. in a carton

Heavy duty

15 reels of 1.850 pcs. in a carton (with label).
15 reels of 2.200 pcs. in a carton

Note

Re-usable and suitable for imprinting.

Suitable for production areas with metal detection.

The K-type is a non-residue producing closure and has 3 teeth for extra grip on the bag.

Clippis type K in 0,8 mm thickness are also compatible with the Clippis Dispenser XK.



Contact Us

info@innobagclosures.com.au

Ph: +61 3 9001 0686

<http://innobagseal.com.au>

Inno BagClosures

43-47 Cleeland Road

Oakleigh South

Victoria 3167

Australia

AUTOMATIC CLOSURES



Clipp G



SPECIFICATIONS

Closure

Closure made of polystyrene.

Use

The universal clip to use with "automatic bag closing machines." Closures can be used with most plastic or net bags to pack bread, produce and other food products.

Colours

White, tan, dark blue, light blue, red, light red, green, light green, orange, yellow and black.

Size

Available in 0,8 mm and a heavy duty 1,2 mm thickness.

Available with various hole sizes

G-44, G-59, G-78, G-97 (3 teeth in hole)

G-50, G-64 (2 teeth in hole)

G Net-7, G Net-16, G Net-24, G Net-30, G Net-45 (for net bags)

Packages & Weight

On reels

10 reels of 5.000 pcs. in a carton.

15 reels of 4.000 pcs. in a carton.

Heavy duty

10 reels of 2.500 pcs. in a carton.

Note

Re-usable and suitable for imprinting.

Suitable for production areas with metal detection.

The G-type is a non-residue producing closure and has 2 or 3 teeth for extra grip on the bag.

G-44
Small



G-59
Middle



G-78
Large



G-97
XLarge



G-50
Small



G-64
Middle



G
Net-7



G
Net-16



G
Net-24



G
Net-30



G
Net-45



Schutte®
bag closures



Contact Us

info@innobagclosures.com.au

Ph: +61 3 9001 0686

<http://innobageal.com.au>

Inno BagClosures

43-47 Cleeland Road

Oakleigh South

Victoria 3167

Australia



Clipp G Eco

SPECIFICATIONS

G-44 Small	G-59 Middle	G-78 Large	G-97 XLarge	
G-50 Small	G-64 Middle			
G Net-7	G Net-16	G Net-24	G Net-30	G Net-45



Closure

Made from vibers™

A newly developed circular material produced from Elephant grass, a fast growing crop which absorbs 4x more CO2 than an equivalent area of trees. It grows on set-aside land and does not require irrigation or the use of pesticides.

These clips are the alternative solution for oil-based and non-degradable plastics and has a beautiful, natural appearance.

Use

For use with "automatic bag closing machines".

Closures can be used with most plastic or net bags to pack bread, produce and other products.

Colour

Natural

Size

Available in 0,8 and 1,2mm thickness.

Available with various hole sizes

G-44, G-59, G-78, G-97 (3 teeth in hole)

G-50, G-64 (2 teeth in hole)

G Net-7, G Net-16, G Net-30, G Net-45 (for net bags)

Packages & Weight

10 reels of 5,000 pcs, in a carton

15 reels of 4,000 pcs, in a carton

Note

- Biobased
- Biodegradable

Suitable for production areas with metal detection.



Contact Us

info@innobagclosures.com.au

Ph: +61 3 9001 0686

<http://innobagseal.com.au>

Inno BagClosures

43-47 Cleeland Road

Oakleigh South

Victoria 3167

Australia



CLIPBAND ORIGINAL™

Clipband Original

Closure

Plastic closure made of polypropylene, reinforced with two straight wires on the edges.

Available in wire thickness: 2/6, 2/7 and 2/8.

Use

Specifically designed for use on all well known semi- and full-automatic clip packaging machines.

Can be used for closing bags for bakery, pastry, confectionery, pasta and noodle products.

Colours

White, black, blue, brown, gold, green, grey, orange, red and yellow.

Other colours on request.

Size

On reels of 500, 600 and 1.500 meters.

In cut lengths of 50, 60, 70, 80, 90, 100, 120, 140, 160, 180, 200, 220, 240, 260, 280 or 300 mm.

Width: 8 mm.

Packaging & Weight

Reels 500 meters

5 reels in a carton of 330 x 330 x 310 mm.

Weight carton: 18-24 kg.

24 cartons on a euro pallet.

Reels 600 meters

5 reels in a carton of 340 x 340 x 310 mm.

Weight carton: 20-26 kg.

24 cartons on a euro pallet.

Cut lengths

Up to 100 mm: 50.000 pcs. per carton.

100 mm - 300 mm: 25.000 pcs. per carton.

Note

The closures can be imprinted with production date or code.

Contact Us

info@innobagclosures.com.au

Ph: +61 3 9001 0686

<http://innobagseal.com.au>

Inno BagClosures

43-47 Cleeland Road

Oakleigh South

Victoria 3167

Australia



SPECIFICATIONS Food





CLIPBAND ORIGINAL™



Clipband Paper

SPECIFICATIONS Food

Closure

Paper closure reinforced with two straight wires on the edges. Available in wire thickness 2/5, 2/6 and 2/7.

Use

On reels the closure is suitable for all well known automatic closing machines in industrial bakeries, confectioneries and pasta producers.

For manual use available in cut lengths.

Colours

White, beige, black, blue, brown, copper brown, gold, green, red, silver, yellow and yellow-green.

Other colours on request.

Size

Wire thickness 2/6 and 2/7: on reels of 600 meters.

Wire thickness 2/5 and 2/6: in cut lengths of 50, 60, 70, 80, 90, 100, 120, 140, 160, 180, 200, 220, 240, 260, 280 or 300 mm.

Width: 8 mm.

Packaging & Weight

Reels 600 meters

5 reels in a carton of 330 x 330 x 310 mm.

Weight carton: 18-22 kg.

24 cartons on a euro pallet.

Cut Lengths

Up to 100 mm: 50.000 pcs. per carton.


100 mm - 300 mm: 25.000 pcs. per carton.

Note:

Clipband paper can be used in the oven: 180°C for 30 minutes.

Clipband paper gold can also be used in the oven: 200°C for 60 minutes.

The closures can be imprinted with production date or code.



Contact Us

info@innobagclosures.com.au

Ph: +61 3 9001 0686

<http://innobagseal.com.au>

Inno BagClosures

43-47 Cleland Road

Oakleigh South

Victoria 3167

Australia

MACHINERY



Clippis Dispenser XK

Dispenser for closing bags with Clippis type K.

Use

The Clippis Dispenser XK is the ideal solution for closing all kinds of plastic bags. The compact size and easy operation make this dispenser ideal for use behind the counter.

The Clippis type K used with the dispenser, are equipped with a label where the expiration date can be printed with the included date stamp.

The dispenser is completely made of stainless steel and can be properly secured with the included suction cups or adhesive strips.

For smaller production runs, where fully automatic packaging lines are not profitable, the Clippis Dispenser XK is ideal.

Colours

Stainless steel.

Size

Length: 400 mm.

Width: 170 mm.

Height: 250 mm.

Packaging & Weight

In a carton of 250 x 250 x 400 mm.

Weight: 2,8 kg.

Note

Dispenser will be delivered with a basic date stamp.

SPECIFICATIONS Food



Contact Us

info@innobagclosures.com.au

Ph: +61 3 9001 0686

<http://innobagseal.com.au>

Inno BagClosures

43-47 Cleeland Road

Oakleigh South

Victoria 3167

Australia



Auto Clipslock Machine

Dispenser for closing bags with Clippis type B, G and K.

Use

The Automatic Clipslock Closing Machine provides high functionality without complication.

The dispenser is completely made of stainless steel and closes up to 3000 bags per hour. It is perfect for medium-large size bakery or produce businesses.

It comes with Crust Detection and Stop/Start Mechanism, with both left and right hand operation available.

Colours

Stainless steel.

Specs

Pneumatic Connection: 4 Bar- ca. 10 Ltr. per min (speed dependent)

Electrical Connection: 220/240 Volt, 50/60 Hz.

Note

Dispenser will be delivered with a basic date stamp.

SPECIFICATIONS
Food

**12 MONTH
WARRANTY**
MACHINE &
PARTS



Contact Us

info@innobagclosures.com.au

Ph: +61 3 9001 0686

<http://innobagseal.com.au>

Inno BagClosures

43-47 Cleeland Road

Oakleigh South

Victoria 3167

Australia