# OLIVER JAMES LILOS



Lilo I Hammock

**User Manual** 

# Table of Contents

In the Box	02
Setup and Inflation	03
The Pump	04-05
Safety	06
Maintenance	07
Storage	08
Cleaning	09-11
Repairs	12
Warranty and Returns	13

# In the Box

- One Solution Dyed Acrylic Fabric Cover
- Two TPU inflatable cores
- One Carry Strap


### Setup and Inflation

- (1) Unfold and lay your Lilo on a flat, dry and clean surface.
- (2) Locate the two zipper windows at the ends of your Lilo, see Fig 1
- (3) Open the zippers to find the Valves. Note that sometimes the cover moves and the inflatables may require adjusting
- (4) There are three parts to your valve; the Valve, Valve Body and the Valve Cap. See Fig 2
- (5) Make sure the Valve Body is pushed into the Valve firmly
- (6) There are three methods of inflation.
  - i. Use your lungs and blow into Valve Body

ii. Plug inflation adaptor into Valve Body and inflate with lungs (recommended)

iii. Use the inflation adaptor with an OJL pump. See Fig 3. Top up with lungs may be required.

- (7) Once inflated to desired firmness, push the Valve Cap into the Valve Body and make sure fully inserted
- (8) Adjust the cover to release creases and perfect the alignment. Other creases will fade with time and use.



### Rechargeable Pump if purchased or owned

#### IMPORTANT

- DO NOT operate for more than 10 minutes at a time. Take 30 minutes between use.
- Must be charged for 10 hours minimum and 15 hours maximum (with USB adaptor).
- Use only the USB adaptor (input 220-240V/110-120 AC 50/60Hz, output 8.4V DC 500mA) provided with this air pump to charge the battery or life expectancy of the battery will be reduced.
- The battery is permanently sealed and cannot be removed or replaced.
- Please charge the battery after use, do not wait until the battery is fully discharged.
- DO NOT dispose in fire. Check your local regulations for proper disposal instructions.
- The air pump is not intended for use by young children unless they have been adequately supervised by a responsible adult.

Fig 3:



## Rechargeable Pump cont.

### WARNING

- DO NOT use under wet conditions.
- DO NOT attempt to put any objects into the inflation or deflation chamber at any time.
- To reduce the risk of electric shock, do not expose to rain. Store Indoors.
- RISK OF INJURY, DO NOT direct air stream at face or body when the air pump is working.
- DO NOT drop unit into water. Serious injuries or death by electrocution may result.

### STORAGE & NOTICE

- Return pump DC line cord, AC adaptor and nozzles to package when not in use.
- When the battery is charging, the pump cannot be used to deflate or inflate.
- The air pump must be disconnected from the supply main when removing the battery.
- The battery is to be disposed of safely.

# Safety

# NO PROTECTION AGAINST DROWNING! SWIMMERS ONLY! THIS IS NOT A LIFESAVING DEVICE!

Failure to follow all Warnings, Mandatory Actions, Prohibitions and instructions throughout this manual can result in serious injury or death. Read the entire owner's manual prior to using your Oliver James Lilo.

#### WARNING

No protection against drowning! DO NOT over inflate. Maximum 1.0psi.

### PROHIBITED

- · DO NOT use in breaking waves
- DO NOT use in offshore current
- · DO NOT use in white water
- · DO NOT use in offshore wind
- · Not for children 14 years of age and below

### MANDATORY ACTION

- Read instructions first. Please read the entire instruction
  manual before enjoying your Oliver James Lilos.
- Safe distance to shore is 6 feet or 2 meters. Your lilo should never be used in an offshore wind or offshore current. Please secure your lilo to a fixed object on shore or tether to a vessel.
- Fully inflate the air chambers. See inflation instructions for proper technique.
- Max load capacity on each Hamock is 100 kgs or 220 pounds.

### Maintenance

To get the longest life out of your Oliver James Lilos please follow the correct maintenance procedure. After each use, please remove from the water and rinse with fresh water, ensure the float is completely dry and store in a clean and dry place. Leaving your Lilo in the pool or when not in use can cause general wear and tear of the fabrics. Make sure to let your Lilo dry to prevent build-up of mildew.

#### IMPORTANT INFLATION NOTES

Inflate your Lilo slowly until most of the wrinkles in the fabric is gone. Do not over inflate to remove the wrinkles. If needed adjust the Lilo cover. Do not over-inflate until hard, the float should only feel firm to the touch. We recommend using your lungs to inflate this Lilo. Do not use air compressors or compressed air to inflate. Use of an air compressor can rupture the product beyond repair and voids any warranty.

#### IMPORTANT AIR TEMPERATURE NOTES

Changes in air temperature will cause air to expand or contract. This can cause serious damage to your float. Please use caution when leaving your float in direct sunlight or on hot surfaces as the sun will heat the float and cause the air to expand. You may need to release air from your float if your float is hot. Conversely you may need to add air to your float when in-contact with cold water or if left outside overnight.

### Storage

- (1) Make sure your Lilo is completely dry.
- (2) Unfold and lay your Lilo on a flat, clean and dry surface away from water.
- (3) Locate the zipper window on either ends of your Lilo and open to see the valve.
- (4) Remove the Valve Body allowing air to escape.
- (5) Attach the Deflation Adaptor to the air pump and hold inside the Valve. Turn pump on. Alterntively, deflate with lungs.
- (6) Wait for all the air to leave to Lilo, be patient as the folding will be harder if there is still air in the inflatable.
- (7) Once fully deflated quickly plug-in the Valve Body and Valve Cap into the Valve.
- (8) Smooth out creases and and store as per fig. 4 options.
- (9) Strap the Lilo using the included strap and buckle.
- (10) If the Lilo still has air, repeat steps 4-9.
- (11) Store your Lilo in a cool and dry place.




Fig 4:

# Cleaning

This chart contains our recommended cleaning methods of Solution Dyed Acrylic fabrics for common stains.

For best cleaning results, stains should be cleaned as soon as they occur. Set-in stains may require professional cleaning.

After cleaning with the below solutions, always rinse fabric thoroughly and allow to air dry.

Stain	At-Home Solution	Sunbrella Solution
BBQ Sauce, Beer, Ber- ries (Fresh, Jam, or Juice), Cof- fee, Cola, Tea, Wine	Combine 1 teaspoon (4 ml) of dishwashing liquid per 1 cup (250 ml) of water.	Sunbrella Clean ™ Multi-Purpose Fabric Cleaner
Bird Droppings, Urine, Vomit	Combine 1 teaspoon (4 ml) of dishwashing liquid and 1 teaspoon (4 ml) of white vinegar per 1 cup (250 ml) of water	Sunbrella Clean ™ Multi-Purpose Fabric Cleaner and white vinegar
Blood	Combine 1 teaspoon (4 ml) of dishwashing liquid and 1 teaspoon (4 ml) of hydrogen peroxide per 1 cup (250 ml) of water.	Sunbrella Clean ™ Multi-Purpose Fabric Cleaner and hydrogen peroxide
Butter, Grease, Mayonaise, Motor Oil, Oil, Paint (Wet/Dried) Salad Dressing, Sunscreen, Tomato (Fresh Sauce, or Juice)	For fresh stains, apply cornstarch as an absorbent, remove excess with a straight edge, and clean up residual with 1 teaspoon (4 ml) of dishwashing liquid per 1 cup (250 ml) of water. Follow with a strong degreaser.	Sunbrella Clean ™ Multi-Purpose Fab- ric Cleaner followed by Sunbrella Extract ™Oil Based Stain Remover

Stain	At-Home Solution	Sunbrella Solution
Charcoal	Vacuum to remove excess and treat with isopropyl alcohol. Then clean with 1 teaspoon (4 ml) of dish- washing liquid per 1 cup (250 ml) of water.	Sunbrella Clean ™ Multi-Purpose Fabric Cleaner and isopro- pyl alchohol
Chewing Gum, Crayon	Treat with isopropyl alcohol. Then clean with 1 teaspoon (4 ml) of dish- washing liquid per 1 cup (250 ml) of water.	Sunbrella Clean ™ Multi-Purpose Fabric Cleaner and isopro- pyl alchohol
Chocolate	Combine 1 teaspoon (4 ml) of dishwashing liquid per 1 cup (250 ml) of water.	Sunbrella Clean ™ Multi-Purpose Fabric Cleaner. For any re- maining oil residue, us Sunbrella Extract ™Oil Based Stain Remover
Crayon	Treat with isopropyl alco- hol. Then clean with 1/4 cup dishwashing liquid per 1 gallon water.	Carbona™ Stain Devils for Ink and Crayon
Dye Trans- fer	Combine 1 teaspoon (4 ml) of dishwashing liquid and 1 teaspoon (4 ml) of isopro- pyl alcohol or bleach per 1 cup (250 ml) of water.	Sunbrella Clean ™ Multi-Purpose Fabric Cleaner and isopro- pyl alchohol
Ink, Nail Polish	Treat with volatile solvent (100% acetone). Then clean with 1 teaspoon (4 ml) of dishwashing liquid per 1 cup (250 ml) of water.	Sunbrella Clean ™ Multi-Purpose Fabric Cleaner and white vinegar and acetone
Ketchup, Mustard	Combine 1 teaspoon (4 ml) of dishwashing liquid per 1 cup (250 ml) of water. For any remaining discolor- ation, use a solution of bleach water or a bleach pen.	Sunbrella Clean ™ Multi-Purpose Fabric Cleaner and bleach
Lipstick/ Cosmetics	Combine 1 teaspoon (4 ml) of dishwashing liquid per 1 cup (250 ml) of water. Then follow with a strong degreaser	Sunbrella Clean ™ Multi-Purpose Fabric Cleaner followed by Sunbrella Extract ™Oil Based Stain Remover

10

Stain	At-Home Solution	Sunbrella Solution
Mildew & Mold	Combine 1 teaspoon (4 ml) of dishwashing liquid and 1 teaspoon (4 ml) of bleach per 1 cup (250 ml) of water. A stronger percentage of bleach may be necessary for severe mildew.	Sunbrella Clean ™ Multi-Purpose Fabric Cleaner and bleach
Pencil	Vacuum, then clean with 1 teaspoon (4 ml) of dish- washing liquid per 1 cup (250 ml) of water	Sunbrella Clean ™ Multi-Purpose Fabric Cleaner
Rust	Treat with a rust remover such as CLR® and rinse thoroughly.	Treat with a rust remover such as CLR® and rinse thoroughly.
Shoe Pol- ish (liquid & wax)	Apply cornstarch as an absorbent, remove excess with a straight edge. Then clean with 1 teaspoon (4 ml) of dishwashing liquid per 1 cup (250 ml) of wa- ter. For wax polish, cover stain with towel and apply heated iron to remove surface debris before pro- ceeding with above steps.	Sunbrella Clean ™ Multi-Purpose Fabric Cleaner followed by Sunbrella Extract ™Oil Based Stain Remover
Tree Sap	Treat with solvent such as Murphy® Oil Soap, turpentine, volatile solvent (100% acetone) to soften and remove as much of the tree sap as possible. Repeat as necessary. Then clean with soap and water and rinse thoroughly to remove solvent.	Volatile solvent (100% acetone) and follow with Sunbrella Clean Sunbrella Clean ™ Multi-Pur- pose Fabric Cleaner
Wax (Can- dle	Cover stain with towel and apply heated iron to re- move surface debris. Then clean with 1 teaspoon (4 ml) of dishwashing liquid per 1 cup (250 ml) of water.	Sunbrella Clean ™ Multi-Purpose Fabric Cleaner followed by Sunbrella Extract ™Oil Based Stain Remover

## Repairs

### FABRIC WEAR AND TEAR

General wear and tear of fabrics can be caused by the edges of your Lilo repeated rubbing against rough poolside surface.

If you have noticeable wear and tear on your Lilos, we recommend contacting our customer service who can provide bumpers or fabric swatches that be used to patch up the areas affected.

### INFLATABLE PUNCTURE

- Locate the puncture visually or use a solution of soapy water and or by submerging your Lilo under water and looking for bubbles.
- (2) Depending on size and location of the puncture a patchwork can be glued through a cold bonding process. *For punctures on seams or welds please contact our customer service.*
- (3) Contact OJL customer service to receive TPU film patches.
- (4) Purchase Bostik Vinycol 1520 with hardener RFE (5% weight mixing ratio).
- (5) Fully deflate your lilo and remove all air.
- (6) Cut the TPU film patch to size, roughly 2cm around the sides of the puncture.
- (7) Prepare both surfaces prior to gluing, cleaning using MEK solvent or Ethyl Acetate.
- (8) Wait 10 minutes until the solvent evaporates.
- (9) Apply a thick layer of glue to both the puncture location and the TPU film patch.
- (10) Lastly, use a hard tool to push out any encapsulated air between the TPU film patch and the puncture location.

11

### Warranty

Oliver James Lilos offers a full manufacturer's warranty against defects and will replace/refund any necessary parts within 12 months of order receipt. See website for terms and conditions.

### Returns

All unused items received within 15 days of receipt in original intact packaging will be fully refunded less return shipping costs.

#### COMPANY INFORMATION

MANUFACTURER: JUICE HOLDINGS LTD., 12c Tai Tam Village, Stanley, Hong Kong.

THE MANUFACTURERS, JUICE HOLDINGS LTD, DOES NOT HAVE CONTROL OVER THE USE OF THIS PRODUCT AND ASSUME NO LIABILITY THEREIN, UNDER NO CIRCUMSTANCE IS JUICE HOLDINGS LTD OR THE SELLER LIABLE FOR ANY LOSS, DAMAGE, INJURY OR EXPENSE OF ANY KIND ARISING OUT OF THE USE OF THIS PRODUCT. IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE PROPER SUITABILITY AND SAFETY OF THE PRODUCT DURING NORMAL USE. THIS PRODUCT IS SUBJECT TO AGE, WEAR, AND DETERIORATION FROM USE AND WEATHER CONDITIONS.

# OLIVER JAMES LILOS

oliverjameslilos.com