

Insulated Dog Cabin Installation Guide


Please note: - these instructions are applicable to our INSULATED dog cabins only.

To begin, unpack the contents of your delivery and spread out all pieces so you have a clear view of all parts.


Step 1

Find the two sides which have been marked with the letter A. Using the screws and screw cups, attach these two panels.











Step 2, 3 and 4 are all the same - working your way around the cabin.






Step 3

Step 2, 3 and 4 are all the same - working your way around the cabin.






Step 2, 3 and 4 are all the same - working your way around the cabin.






Step 5

Once all 4 sides are together we can now add the internal base as pictured. The floor piece will be marked to show the location of the door for the dog. The floor is also to be installed with the marked side up.










Now we can add the bottom insulation and the covering skin. To do this start by putting the cabin down on its back as pictured. We would advise putting 2 pieces of timber down on the ground first to rest it on so that the rear does not get marked or damaged.

Place the 25mm insulation piece into the recess as shown below. Once this is in place you can then add the bottom skin - you will notice two of the corners have been cut on the bottom skin, this edge is to go towards the front of the cabin. Screw the bottom skin in place with the longer dome head screws pictured below.











Once you have all 4 sides securely screwed together, with the floor and bottom insulation in place you can now add the aluminium chew strips to the sides. As pictured below.

Each Trim is marked with a letter to show which corner it is to be attached to and is also marked with an arrow pointing up to indicate which edge is the top. Use the small screws as pictured to secure the trims to the cabin.











Step 8


The draft screen on our cabins are optional and is down to the end user whether they want to install it or not.







The last step is to install the roof. This is just placed on top of the cabin as pictured and can be removed and installed many times for cleaning purposes.







If you have any issues when installing your kennel, or would like some advice then please contact a member of our team who will be more than happy to assist you.