


MCARMOR®



Miguel Caballero



GOLD

 FOR REAL LIFE HEROES

WWW.MCARMOR.COM

NIJ
Compliant products



NRA
MEMBER

 **FOR REAL LIFE HEROES****WE LOOK FORWARD TO YOUR SUCCESS**

Our company has helped Law Enforcement officers and civilians accomplish their missions and be safe, we supply more than 52 countries since 1992. Saving lives is what we do.

When you make a purchase with MC Armor - Miguel Caballero, the team standing behind you understands your profession, your industry, and what you need to support your success. Our people come from the industrial/manufacturing world, with backgrounds in engineering, design, ballistics and marketing. You are not only buying a bullet resistant vest, but you have access to the technical support, training and expertise just as if you are part of the MC ARMOR family.



“ This incredible, incredible piece of equipment...

This vest is made by MC Armor – Miguel Caballero, and it has phenomenal stopping power. We shot a 38, the 357 magnum, the 40, and the 9mm.

And its unbelievable how it not only stops every round that we shot through, but the actually trauma that it caused to the ballistic clay behind it was extremely minimal.

I have one, I'm wearing it.. ”

– SG. Javier de La Paz.
Doral Police Department.

COMPANY BENEFITS

NIJ STANDARD

NIJ 0101.06 BALLISTIC STANDARD
THREAT LEVELS

LEVEL	THREAT	SPEED	WEIGHT
IIA	Cal 9mm FMJ RN	1.225 ft/s - 373 m/s	124gr - 8g
	.40 S&W FMJ	1.155 ft/s - 352 m/s	180gr - 11.7g
II	Cal 9mm FMJ RN	1.305 ft/s - 398 m/s	124gr - 8g
	.357 Magnum JSP	1.430 ft/s - 436 m/s	158gr - 10.2g
III A	.357 SIG FMJ FN	1.470 ft/s - 448 m/s	125gr - 8.1g
	.44 Magnum SJHP	1.430 ft/s - 436 m/s	240gr - 15.6g
III	7.62mm NATO FMJ	2.780 ft/s - 847 m/s	147gr - 9.6g
IV	.30 (30-06) M2 AP	2.880 ft/s - 878 m/s	166gr - 10.8g

The ballistic panels have been certified by the highest quality standard for body armor protection in the world: the United States Department of Justice (N.I.J. 0101.06), through tests performed by the HP White Laboratory.

This garment has been designed with the purpose of protecting the user's life when exposed to ballistic threats. This body armor provides high protection for the most demanding missions.

TEST PROCEDURES

NIJ Standard 0101.06, established their test procedures and the correct use of the Soft Armor protection, following these minimum requirement

- Impact distance 5m. (IIA, II, IIIA).
- Ballistic clay No.1 surface dimensions: 14 x 61 x 61cm.
- Impact surface temperature (ballistic clay No.1) 15C° - 30 C°.
- Number of impacts performed on each panel: 6 impacts.
- Minimum space required between each shot: 5cm.
- Maximum trauma allowed: 44mm.

Panels subjected to 10 continuous days of washing cycles.
Chronographic measurement of projectile velocity.



ALWAYS TESTING WITH THE BEST

NIJ/NLECTC APPROVED TESTING LABORATORIES



BFS (BACK FACE SURFACE TRAUMA MEASUREMENT)



NIJ 0101.06 STANDARD TESTING:
6 SHOTS
CLAY ROME #1



COMPANY BENEFITS

MC-ARMOR STANDARD

TECHNOLOGY

We are always involved in creating amazing and unique products, using high tech materials.

DESIGN

We offer our customers endless product possibilities through a versatile and functional design.



INNOVATION

The total of our value promises in quality, design and technology allow us to develop products with a high degree of innovation that ensures the satisfaction of each of our users.

CERTIFIED QUALITY

Our production is under strict national and international quality controls to ensure optimal user protection.

WARRANTY

We offer a minimum of 5 years of warranty of the ballistic panels, and 1 year of continuous use of the lining starting from the manufactured date located on the vest label.



COMPANY BENEFITS

SURVIVOR'S CLUB

- 1,000,000+ BALLISTIC VESTS
- 100,000+ MOTORCYCLE VESTS
- 25,000+ VIP CLIENTS

Our club is dedicated to collecting and communicating the stories of all those users who have survived ballistic threats and accidents with our products. If your armored product is shot in the line of duty and your product is damaged, MC-ARMOR® Miguel Caballero® will replace it free of charge in exchange for your testimony.

*Subject to terms and conditions. For more information, please email contact@mc-armor.com



Mapaná Crossfit Studio
Ballistic Resistant Male Tanktop - by M. Cabañero



PATENT US 2014/0201878

MALE BALLISTIC RESISTANT TANK-TOP MILLENNIUM

REF: 3069

BALLISTIC SPECS

Two removable NIJ certified level II - IIIA ballistic panels on front and back covering vital organs

Get the MC ARMOR TTBELT for complementary sides protection

FEATURES / SPECS

- + Providing thermal comfort and high level of ventilation.
- + Ergonomically designed for unrestricted movement
- + Zipper closure system with side openings

THERMOREGULATOR SPECS

- Wide range for cold and hot weather conditions.**
- + Less sweat
- + Control the accumulation of heat and moisture
- + Control of antimicrobial odors
- + Better metabolic preservation

Size **S - 3XL**
 Color **White Black**
 Carrier weight **0.77 Lb**
 Panels weight **3.0 Lb**

REF: NTMD-0028-A7 IIIA
 REF: NTMD II

LEVEL IIIA CERTIFICATION

Panel	Caliber	Velocity (ft/s)	Weight (gr)	Penetration (in)	Residual Velocity (ft/s)	Pass/Fail
Front Panel	.357 S&W	1000	155	0.00	0.00	Pass
		1200	155	0.00	0.00	Pass
Back Panel	.357 S&W	1000	155	0.00	0.00	Pass
		1200	155	0.00	0.00	Pass

PCM CAPSULES



FOR CONCEALED USE, REPLACING A REGULAR VEST



PATENT US 2014/0201878

MALE BALLISTIC RESISTANT TANK-TOP MWS

REF: 3072

Size S - 3XL

Color White Black

Carrier weight 1.21 Lb

Panels weight 5.82 Lb

REF: NTMD-0028-A7 IIIA

REF: NTMD II

BALLISTIC SPECS

Four removable NIJ certified level II - IIIA ballistic panels on front and back covering vital organs

Fixed internal ballistic resistant cummerbund, providing sides protection against ballistic threats.

FEATURES / SPECS

- + Providing thermal comfort and high level of ventilation.
- + Ergonomically designed for unrestricted movement
- + Zipper closure system with side openings

THERMOREGULATOR SPECS

- Wide range for cold and hot weather conditions.**
- + Less sweat
- + Control the accumulation of heat and moisture
- + Control of antimicrobial odors
- + Better metabolic preservation

LEVEL IIIA CERTIFICATION

Panel	Caliber	Velocity (ft/s)	Weight (gr)	Penetration (in)	Fragmentation	Remarks
1	12 GA	1200	50	1.5	None	Pass
2	12 GA	1200	50	1.5	None	Pass
3	12 GA	1200	50	1.5	None	Pass
4	12 GA	1200	50	1.5	None	Pass





PATENT US 2014/0201878

SPECIAL TREAT
BALLISTIC RESISTANT

TANK-TOP
LEVEL III

UP TO ITAR REGULATION

REF: 23001

Size **S - 3XL**

Color **White Black**

Carrier weight **0.88 Lb**

Plates weight **8.81 Lb**

REF: CLASSIC PLATE III

BALLISTIC SPECS

Two removable NIJ certified level III ballistic plates on front and back covering vital organs, 10"x12".



FEATURES / SPECS

- + Providing thermal comfort and high level of ventilation.
- + Ergonomically designed for unrestricted movement
- + Zipper closure system with side openings

THERMOREGULATOR SPECS

- Wide range for cold and hot weather conditions.**
- + Less sweat
- + Control the accumulation of heat and moisture
- + Control of antimicrobial odors
- + Better metabolic preservation

LEVEL III CERTIFICATION





Mapaná Crossfit Studio
Ballistic Resistant Female Tanktop · by Miguel Caballero



PATENT US 2014/0201878

FEMALE BALLISTIC RESISTANT TANK-TOP W-MILLENNIUM

REF: 3027

Size S - 3XL

Color White Black

Carrier weight 0.77 Lb
Panels weight 3.63 Lb

REF: BRAVO

BALLISTIC SPECS

Two removable NIJ certified level II - IIIA ballistic panels on front and back covering vital organs

Get the MC ARMOR TTBELT for complementary sides protection

FEATURES / SPECS

- + Providing thermal comfort and high level of ventilation.
- + Ergonomically designed for unrestricted movement
- + Zipper closure system with side openings

THERMOREGULATOR SPECS

- Wide range for cold and hot weather conditions.**
- + Less sweat
 - + Control the accumulation of heat and moisture
 - + Control of antimicrobial odors
 - + Better metabolic preservation

LEVEL IIIA CERTIFICATION

Panel	Caliber	Velocity (ft/s)	Weight (gr)	Penetration (in)	Fragmentation	Pass/Fail
1	12 GA	1200	100	0.0	None	Pass
1	12 GA	1200	150	0.0	None	Pass
1	12 GA	1200	200	0.0	None	Pass
1	12 GA	1200	250	0.0	None	Pass
1	12 GA	1200	300	0.0	None	Pass
1	12 GA	1200	350	0.0	None	Pass
1	12 GA	1200	400	0.0	None	Pass
1	12 GA	1200	450	0.0	None	Pass
1	12 GA	1200	500	0.0	None	Pass
1	12 GA	1200	550	0.0	None	Pass
1	12 GA	1200	600	0.0	None	Pass
1	12 GA	1200	650	0.0	None	Pass
1	12 GA	1200	700	0.0	None	Pass
1	12 GA	1200	750	0.0	None	Pass
1	12 GA	1200	800	0.0	None	Pass
1	12 GA	1200	850	0.0	None	Pass
1	12 GA	1200	900	0.0	None	Pass
1	12 GA	1200	950	0.0	None	Pass
1	12 GA	1200	1000	0.0	None	Pass
1	12 GA	1200	1050	0.0	None	Pass
1	12 GA	1200	1100	0.0	None	Pass
1	12 GA	1200	1150	0.0	None	Pass
1	12 GA	1200	1200	0.0	None	Pass
1	12 GA	1200	1250	0.0	None	Pass
1	12 GA	1200	1300	0.0	None	Pass
1	12 GA	1200	1350	0.0	None	Pass
1	12 GA	1200	1400	0.0	None	Pass
1	12 GA	1200	1450	0.0	None	Pass
1	12 GA	1200	1500	0.0	None	Pass
1	12 GA	1200	1550	0.0	None	Pass
1	12 GA	1200	1600	0.0	None	Pass
1	12 GA	1200	1650	0.0	None	Pass
1	12 GA	1200	1700	0.0	None	Pass
1	12 GA	1200	1750	0.0	None	Pass
1	12 GA	1200	1800	0.0	None	Pass
1	12 GA	1200	1850	0.0	None	Pass
1	12 GA	1200	1900	0.0	None	Pass
1	12 GA	1200	1950	0.0	None	Pass
1	12 GA	1200	2000	0.0	None	Pass
1	12 GA	1200	2050	0.0	None	Pass
1	12 GA	1200	2100	0.0	None	Pass
1	12 GA	1200	2150	0.0	None	Pass
1	12 GA	1200	2200	0.0	None	Pass
1	12 GA	1200	2250	0.0	None	Pass
1	12 GA	1200	2300	0.0	None	Pass
1	12 GA	1200	2350	0.0	None	Pass
1	12 GA	1200	2400	0.0	None	Pass
1	12 GA	1200	2450	0.0	None	Pass
1	12 GA	1200	2500	0.0	None	Pass
1	12 GA	1200	2550	0.0	None	Pass
1	12 GA	1200	2600	0.0	None	Pass
1	12 GA	1200	2650	0.0	None	Pass
1	12 GA	1200	2700	0.0	None	Pass
1	12 GA	1200	2750	0.0	None	Pass
1	12 GA	1200	2800	0.0	None	Pass
1	12 GA	1200	2850	0.0	None	Pass
1	12 GA	1200	2900	0.0	None	Pass
1	12 GA	1200	2950	0.0	None	Pass
1	12 GA	1200	3000	0.0	None	Pass
1	12 GA	1200	3050	0.0	None	Pass
1	12 GA	1200	3100	0.0	None	Pass
1	12 GA	1200	3150	0.0	None	Pass
1	12 GA	1200	3200	0.0	None	Pass
1	12 GA	1200	3250	0.0	None	Pass
1	12 GA	1200	3300	0.0	None	Pass
1	12 GA	1200	3350	0.0	None	Pass
1	12 GA	1200	3400	0.0	None	Pass
1	12 GA	1200	3450	0.0	None	Pass
1	12 GA	1200	3500	0.0	None	Pass
1	12 GA	1200	3550	0.0	None	Pass
1	12 GA	1200	3600	0.0	None	Pass
1	12 GA	1200	3650	0.0	None	Pass
1	12 GA	1200	3700	0.0	None	Pass
1	12 GA	1200	3750	0.0	None	Pass
1	12 GA	1200	3800	0.0	None	Pass
1	12 GA	1200	3850	0.0	None	Pass
1	12 GA	1200	3900	0.0	None	Pass
1	12 GA	1200	3950	0.0	None	Pass
1	12 GA	1200	4000	0.0	None	Pass
1	12 GA	1200	4050	0.0	None	Pass
1	12 GA	1200	4100	0.0	None	Pass
1	12 GA	1200	4150	0.0	None	Pass
1	12 GA	1200	4200	0.0	None	Pass
1	12 GA	1200	4250	0.0	None	Pass
1	12 GA	1200	4300	0.0	None	Pass
1	12 GA	1200	4350	0.0	None	Pass
1	12 GA	1200	4400	0.0	None	Pass
1	12 GA	1200	4450	0.0	None	Pass
1	12 GA	1200	4500	0.0	None	Pass
1	12 GA	1200	4550	0.0	None	Pass
1	12 GA	1200	4600	0.0	None	Pass
1	12 GA	1200	4650	0.0	None	Pass
1	12 GA	1200	4700	0.0	None	Pass
1	12 GA	1200	4750	0.0	None	Pass
1	12 GA	1200	4800	0.0	None	Pass
1	12 GA	1200	4850	0.0	None	Pass
1	12 GA	1200	4900	0.0	None	Pass
1	12 GA	1200	4950	0.0	None	Pass
1	12 GA	1200	5000	0.0	None	Pass

PCM CAPSULES



Soft Armor



Lightweight



Breathable mesh



Adjustable



Comfortable



Thermoregulator

FOR CONCEALED USE, REPLACING A REGULAR VEST



PATENT US 2014/0201878

FEMALE BALLISTIC RESISTANT TANK-TOP WWS

REF: 3026

Size **S - 3XL**

Color **White** **Black**

Carrier weight **0.99 Lb**

Panels weight **6.28 Lb**

REF: BRAVO

BALLISTIC SPECS

Four removable NIJ certified level II - IIIA ballistic panels on front and back covering vital organs

Fixed internal ballistic resistant cummerbund, providing sides protection against ballistic threats.

FEATURES / SPECS

- + Providing thermal comfort and high level of ventilation.
- + Ergonomically designed for unrestricted movement
- + Zipper closure system with side openings

THERMOREGULATOR SPECS

- Wide range for cold and hot weather conditions.**
- + Less sweat
- + Control the accumulation of heat and moisture
- + Control of antimicrobial odors
- + Better metabolic preservation

LEVEL IIIA CERTIFICATION

Test No.	Velocity (ft/s)	Weight (lb)	Penetration (in)
1	250	0.15	0
2	300	0.25	0
3	350	0.35	0
4	400	0.45	0

PCM CAPSULES



- NIJ**
Compliant products
- Soft Armor**
- Lightweight**
- Breathable mesh**
- Adjustable**
- Comfortable**
- Thermoregulator**



SPECIAL TREAT
STAB RESISTANT
TANK-TOP

SPECS

Fixed internal ballistic resistant cummerbund, providing sides protection against ballistic threats.

FEATURES / SPECS

- + Providing thermal comfort and high level of ventilation.
- + Ergonomically designed for unrestricted movement
- + Zipper closure system with side openings

THERMOREGULATOR SPECS

- Wide range for cold and hot weather conditions.**
- + Less sweat
 - + Control the accumulation of heat and moisture
 - + Control of antimicrobial odors
 - + Better metabolic preservation

REF: 6003

Size **S - 3XL**
 Gender **Male**
 Color **White Black**
 Carrier weight **0.66 Lb**
 Panels weight **1.54 Lb**

L1
L2 } **SPIKE 1**

STAB RESISTANT CERTIFICATION

PCM CAPSULES



13


Magana Crossfit Studio
Ballistic Resistant Cumberbund - TT Belt - by Miguel Caballero
Ballistic Resistant Tanktop - by Miguel Caballero

#FDR REAL LIFE HEROES

MC ARMOR  Miguel Caballero

THE ULTIMATE LINE OF DEFENSE TO TRULY OUTPERFORM.

FOR USE UNDER ANY BALLISTIC RESISTANT VEST TO ACHIEVE GREATER PROTECTIVE COVERAGE AREA



BALLISTIC RESISTANT CUMMERBUND

TT BELT

REF: 3018

PATENT PENDING

Size S - 3XL

Color White Black

Weight 1.76 Lb



BALLISTIC SPECS

Ballistic resistant cummerbund with protection on sides
NIJ certified level II - IIIA.

FEATURES / SPECS

- + Ergonomically designed for unrestricted movement
- + Provides stability and support, with Hook and Loop closure system
- + Fast drying lightweight breathable mesh for under-clothes use
- + Use under tactical, plate carrier, concealable and outer vest.



Soft Armor



Lightweight



Breathable mesh



Adjustable



Comfortable



BALLISTIC INSERTS

REF. S: 3003
REF. M: 3005
REF. L: 3006

		Weight
S- Size:	14.25" x 10.5"	1.36 Lb
M- Size:	15.94" x 11.02"	1.63 Lb
L- Size:	18.11" x 11.02"	1.86 Lb
Color	Black	

Extra ballistic protection ideal for elementary, high school, collage and university students. Whether you're a wary civilian, an expert, or just an adventurer, this is must have protection.



LEVEL IIIA CERTIFICATION

H.P. White Laboratory, Inc.
603.512.7034

Ballistic Protection Test Report

Client: HIGUD COLLEGE

Product: BALLISTIC INSERT

Tested: 08/15/2018

Tester: H.P. White Laboratory, Inc.

Location: 1000 North Main Street, Westborough, MA 01581

Tested By: [Name]

Tested For: NIJ 0108.01 Level IIIA

Test Results: Passed

Remarks: The insert was tested in accordance with NIJ 0108.01 Level IIIA and passed all requirements.

H.P. White Laboratory, Inc.
BALLISTIC PROTECTION TEST REPORT

TEST RESULTS:

Caliber	Velocity (ft/s)	Weight (gr)	Penetration (in)	Result
.38 S&W	1000	155	0.0	Pass
	1200	155	0.0	Pass
	1400	155	0.0	Pass
.40 S&W	1000	180	0.0	Pass
	1200	180	0.0	Pass
	1400	180	0.0	Pass
.45 ACP	1000	230	0.0	Pass
	1200	230	0.0	Pass
	1400	230	0.0	Pass

BALLISTIC SPECS

Ballistic protection tested according to NIJ 0108.01 level IIIA

FEATURES / SPECS

- + Fits most backpacks on the market.
- + Lightweight ballistic protection, ready to use as a shield.



BALLISTIC RESISTANT BLOCKADE PORTFOLIO IIIA

REF: 3011

Standard size W: 25.5" x H: 51.2"

Call +1 (786) 731-3496
for other sizes

Weight 17.21 Lb

Color **Black**

LEVEL IIIA CERTIFICATION

P.P. White Laboratory, Inc.
10115 W. 19th Ave., Suite 100, Denver, CO 80228
Phone: 303.426.1234

Ballistic Resistance - Test Report

Client: P.P. White Laboratory, Inc.
Product: Blockade Portfolio IIIA
Material: 6.0mm Kevlar
Thickness: 6.0mm

TESTING:
Standard: NIJ 0101.01 (Rev. 11-17-10)
Method: NIJ 0101.01 (Rev. 11-17-10)
Standard: NIJ 0101.01 (Rev. 11-17-10)

RESULTS:
Number of Rounds Penetrated: 0
Number of Rounds Stopped: 10
Number of Rounds Deformed: 0
Number of Rounds Failed: 0
Number of Rounds Penetrated: 0
Number of Rounds Stopped: 10
Number of Rounds Deformed: 0
Number of Rounds Failed: 0

Round No.	Penetration	Deformation	Failure
1	No	No	No
2	No	No	No
3	No	No	No
4	No	No	No
5	No	No	No
6	No	No	No
7	No	No	No
8	No	No	No
9	No	No	No
10	No	No	No



BALLISTIC SPECS

- + 7 hard armor
- + Hard armor plate pocket

FEATURES / SPECS


- + Ergonomic straps for better grip.
- + Hook & Loop front opening zipper closure system.
- + Security challenge



17 COOL T-SHIRT



#Sport
#Tactical
#Outdoor
#Adventure



ROUND NECK
REF: 001

PERFORMANCE
APPAREL

COOL T-SHIRT

Regulates your body temperature under any condition between:

51,8 °F
11 °C



62,6 °F
17 °C

FEATURES / SPECS

This shirt will keep you more comfortable by absorbing excess heat when you create too much and releasing it when you need it most.

- + With cooling nano-technology
- + Lightweight
- + Sweat-wicking fabric
- + Stretchy fabric lets you move freely
- + Comfortable feel during physical activity

THERMOREGULATOR SPECS

Wide range for cold and hot weather conditions.

- + Less sweat
- + Control the accumulation of heat and moisture
- + Control of antimicrobial odors
- + Better metabolic preservation



ROUND NECK
REF: 001



V NECK
REF: 004

Size **XS – 3XL**

Neck **V – Round**


Sleeve **Short – Long**

Gender **Male – Female**

Color **White** **Black**



V NECK
REF: 002



ROUND NECK
REF: 003


Regulates your body temperature under any condition between:

51,8 °F
11 °C



62,6 °F
17 °C

- Size XS – 3XL
- Neck V – Round
- Sleeve Short – Long
- Gender Male – Female
- Color White Black



A T-SHIRT MADE TO ACHIEVE YOUR GREATEST PERFORMANCE

20



NEVER TOO HOT

NEVER TOO COLD



#FOR REAL LIFE HEROES

Mapaná Crossfit Studio
Cool T-shirt - by Miguel Caballero

Mapaná Crossfit Studio
Cool T-shirt - by Miguel Caballero

MC ARMOR  Miguel Caballero





STELLAR JACKET

BALLISTIC RESISTANT

REF: A1U005NTM003001

Size **S – XL**
Contact us for plus sizes.

Color **Black**

BALLISTIC SPECS

Three removable NIJ certified level II - IIIA ballistic panels on front and back covering vital organs.

FEATURES / SPECS

- + Front opening zipper closure system.
- + Heavy-duty outer layer.
- + Hidden Napoleon chest pocket.
- + Waterproof material.
- + Up to 15 hidden pockets.

LEVEL IIIA CERTIFICATION

TEST NO.	TEST TYPE	TEST DATE	TEST RESULT	TESTER
1	NIJ Level IIIA	10/15/2019	PASSED	J. White
2	NIJ Level IIIA	10/15/2019	PASSED	J. White
3	NIJ Level IIIA	10/15/2019	PASSED	J. White
4	NIJ Level IIIA	10/15/2019	PASSED	J. White
5	NIJ Level IIIA	10/15/2019	PASSED	J. White
6	NIJ Level IIIA	10/15/2019	PASSED	J. White
7	NIJ Level IIIA	10/15/2019	PASSED	J. White
8	NIJ Level IIIA	10/15/2019	PASSED	J. White
9	NIJ Level IIIA	10/15/2019	PASSED	J. White
10	NIJ Level IIIA	10/15/2019	PASSED	J. White
11	NIJ Level IIIA	10/15/2019	PASSED	J. White
12	NIJ Level IIIA	10/15/2019	PASSED	J. White
13	NIJ Level IIIA	10/15/2019	PASSED	J. White
14	NIJ Level IIIA	10/15/2019	PASSED	J. White
15	NIJ Level IIIA	10/15/2019	PASSED	J. White







MILES VEST

BALLISTIC RESISTANT

REF: A1U005NTM003002

Size **S – XL**
Contact us for plus sizes.

Color Black Blue Red

BALLISTIC SPECS

Three removable NIJ certified level II - IIIA ballistic panels on front and back covering vital organs.

FEATURES / SPECS

- + Front opening zipper closure system.
- + Heavy-duty outer layer.
- + Hidden Napoleon chest pocket.
- + Waterproof material.

LEVEL IIIA CERTIFICATION

Panel	Caliber	Velocity (ft/s)	Penetration (in)	Result
1	.357 S&W	1000	0.00	Penetration
		1200	0.00	Penetration
		1400	0.00	Penetration
2	.44 S&W	1000	0.00	Penetration
		1200	0.00	Penetration
		1400	0.00	Penetration
3	.45 ACP	1000	0.00	Penetration
		1200	0.00	Penetration
		1400	0.00	Penetration





HERE YOU'LL START YOUR REVOLUTIONARY WAY TO SAVE LIVES

BECOME A DISTRIBUTOR

We are committed to preserving the lives of human beings through specialized personal protection solutions. We invite you to take a closer look at this opportunity with unlimited growth potential. Choose the option that fits you better and obtain better pricing, increasing your cost effectiveness through higher purchased units.

Visit mc-armor.com for more information

MC ARMOR

WWW.MCARMOR.COM



Miguel Caballero


WWW.MIGUELCABALLERO.COM

GETS ON BACK TO DO IT!




 FOR REAL LIFE HEROES

BALLISTIC RESISTANT
TANK-TOP




100% COTTON
100% USA



BACKHAND
MESH



FULL BODY
PROTECTION




FULL SIZE




FULL LENGTH
OR SHORT

MCARMOR.COM

PROTECTION ON VITAL
ORGANS AND NOT
BALLISTIC THREATS



WIDELY BROADCASTER
BY SOME OF THE LARGEST AND
MOST TRUSTED WORKFORCE MEDIA



GOLD



MC ARMOR

Miguel Caballero


US OFFICE / SHOWROOM

11231 NW 20TH ST SUITE 124, MIAMI, FL 33172, USA

+1 786-731-3496

WWW.MCARMOR.COM

CONTACT@MCARMOR.COM

 FOR REAL LIFE HEROES

NIJ
Compliant products



NRA
MEMBER

It is prohibited to reproduce, distribute, publish, transmit, disseminate or in any way exploit any part of this catalog without the prior written permission of M&C USA LLC, or corresponding holders. © 2017 M&C USA LLC. All Rights Reserved. MC Armor is a registered trademark of M&C USA LLC.



G L D 19 . 0 9 . 0 0 2