


# Full Spectrum Bliss

**Product Name** "250mg Active Cannabinoid" Intimate Oil  
**Product Description** 60ml Intimate Oil; 0.5% active hemp extract infused in MCT (fractionated coconut oil), and Cacao Seed Butter  
**Lot Number** 19AB302  
**Expiration Date** October 2020  
**Date of Production (Batch Date)** December 2019  
**Batch Size:** 8000 units **Quantity Produced:** 6516 units

## Raw Ingredients

Ingredient	Manufacturer	Lot Number
MCT Oil	Greenfield (Kraft Chemical)	BTB1903032
Cacao Seed Butter	Cocoa Supply	MB0-018-008
Cetearyl Alcohol	Essential Wholesale & Labs	05218366PW0501296CA/ 05218366PW0501217CA
Arginine	NutruVita	20190111
Peppermint Extract	Nature's Oil	71066
Black Pepper Extract	Nature's Oil	80202
Cannabinoids	Ecofibre Industries Operations	CKS Lex18-07
Phenoxyethanol	Essential Wholesale & Labs	07318102PW201

  
Jamie Paz - Quality Manager

12/20/19  
Date



Ananda's 100% Kentucky grown hemp is planted, harvested, and dried using existing Kentucky tobacco infrastructure and knowledge. Kentucky farmers are now making the switch to farming Hemp with the passing of the 2018 Farm Bill and Ananda is right beside them providing superior genetics and support.

**Manufactured By:**  
Ananda Professional  
PO Box 648  
Cynthiana, KY 41031  
888-388-1119  
hello@anadaprofessional.com  
www.AnandaProfessional.com

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

**Manufactured By:**  
Ananda Hemp  
PO Box 648  
Cynthiana, KY 41031  
833-791-2511  
hello@anadahemp.com  
www.AnandaHemp.com

December 10, 2019

**ANANDA HEMP**  
1961 S. Edgewater Road  
Cynthiana, KY 41031

Order No. 510273  
Sample No. 1040122

## SAMPLE INFORMATION

**Description** Ananda Bliss  
**Lot Number** 19AB302  
**Category (Type)** Topical  
**Strain** Hemp  
**Received** December 09, 2019

## ANALYTICAL RESULTS

**Analysis** Cannabinoid Profile  
**Instrument** Liquid Chromatography Diode Array Detector (LC-DAD)  
**Method** MF12D012  
**Analysis Date** December 09, 2019 to December 10, 2019

Analyte	mg/g	%	mg/ml	Status
88 THC	ND	ND	ND	-
89 THC	0.2	0.02	0.19	-
89 THCA	ND	ND	ND	-
CBD	5.93	0.593	5.56	-
CBDA	ND	ND	ND	-
CBC	0.26	0.025	0.24	-
CBDV	ND	ND	ND	-
CBG	<LOQ (0.07)	<LOQ (0.006)	0.06	-
CBGA	<LOQ (0.10)	<LOQ (0.011)	0.1	-
CBN	ND	ND	ND	-
Total THC	0.2	0.02	0.19	-
Total CBD	5.93	0.593	5.56	-
Total Cannabinoids	6.55	0.655	6.14	-
Total Active Cannabinoids	6.54	0.654	6.13	-

**Label Claims** N/P  
**g/ml Conversion Factor** 0.93745

Reported by  
**Anresco, Inc.**




Mark Rosasco  
Analyst

December 10, 2019

Limit of Quantitation: 0.2 mg/g  
Limit of Detection: 0.04 mg/g  
ND = None Detected  
<LOQ = Below Limit of Quantitation  
<LOD = Below Limit of Detection

**Quality Approved**  
Dated: 12/11/19 Initials: JP

December 10, 2019

**ANANDA HEMP**

1961 S. Edgewater Road  
Cynthiana, KY 41031

Order No. 510273  
Sample No. 1040122

**SAMPLE INFORMATION**

**Description** Ananda Bliss  
**Lot Number** 19AB302  
**Category (Type)** Topical  
**Strain** Hemp  
**Received** December 09, 2019

**ANALYTICAL RESULTS**

**Analysis** Residual Solvent Screen ✔ Pass  
**Instrument** Gas Chromatography Mass Spectrometry (GC/MS)  
**Method** USP OVI<467>  
**Analysis Date** December 09, 2019 to December 10, 2019

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
1,2-Dichloroethane	0.40/1.00	ND	1.0	Pass
Acetone	17/75	1050	5000	Pass
Acetonitrile	1/6	ND	410	Pass
Benzene	0.40/1.00	ND	1.0	Pass
n-Butane	200/600	ND	5000	Pass
Chloroform	0.40/1.00	ND	1.0	Pass
Ethanol	22/100	ND	5000	Pass
Ethyl Acetate	9/40	ND	5000	Pass
Ethyl Ether	11/50	ND	5000	Pass
Ethylene Oxide	0.40/1.00	ND	1.0	Pass
n-Heptane	11/50	ND	5000	Pass
n-Hexane	1/5	ND	290	Pass
Isopropyl Alcohol	11/50	ND	5000	Pass
Methanol	6/25	ND	3000	Pass
Methylene Chloride	0.40/1.00	ND	1.0	Pass
n-Pentane	17/75	ND	5000	Pass
Propane	125/250	ND	5000	Pass
Toluene	3/15	ND	890	Pass
Total Xylenes	1/3	ND	2170	Pass
Trichloroethylene	0.40/1.00	ND	1.0	Pass

Reported by  
**Anresco, Inc.**



Kendall Williams  
Analyst

December 10, 2019

ND = None Detected  
<LOQ = Below Limit of Quantitation  
<LOD = Below Limit of Detection

**Quality Approved**  
Dated: 12/11/19 Initials: JP

December 09, 2019

**ANANDA HEMP**  
1961 S. Edgewater Road  
Cynthiana, KY 41031

Order No. 510273  
Sample No. 1040122

## SAMPLE INFORMATION

**Description** Ananda Bliss  
**Lot Number** 19AB302  
**Category (Type)** Topical  
**Strain** Hemp  
**Received** December 09, 2019

## ANALYTICAL RESULTS

**Analysis** Heavy Metal Screen ✔ Pass  
**Instrument** ICP-MS  
**Method** MF 24E020  
**Analysis Date** December 09, 2019

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Lead	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3.0	Pass

Reported by  
**Anresco, Inc.**

ND = None Detected  
<LOQ = Below Limit of Quantitation  
<LOD = Below Limit of Detection

Eric Tam  
Senior Chemist

December 09, 2019

**Quality Approved**  
Dated: 12/11/19 Initials: JP

December 10, 2019

**ANANDA HEMP**  
1961 S. Edgewater Road  
Cynthiana, KY 41031

Order No. 510273  
Sample No. 1040122

## SAMPLE INFORMATION

**Description** Ananda Bliss  
**Lot Number** 19AB302  
**Category (Type)** Topical  
**Strain** Hemp  
**Received** December 09, 2019

## ANALYTICAL RESULTS

**Analysis** Pesticide Residue Screen ✔ Pass  
**Instrument** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)  
**Method** MF 21P030  
**Analysis Date** December 09, 2019 to December 10, 2019

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.04/0.10	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.04/0.10	ND	5.0	Pass
Aldicarb	0.04/0.10	ND	0.04	Pass
Azoxystrobin	0.04/0.10	ND	40.0	Pass
Bifenazate	0.04/0.10	ND	5.0	Pass
Bifenthrin	0.20/0.50	ND	0.5	Pass
Boscalid	0.04/0.10	ND	10.0	Pass
Captan	0.25/0.70	ND	5.0	Pass
Carbaryl	0.20/0.50	ND	0.5	Pass
Carbofuran	0.04/0.10	ND	0.04	Pass
Chlorantranilprole	0.04/0.10	ND	40.0	Pass
Chlordane	0.04/0.10	ND	0.04	Pass
Chlorfenapyr	0.04/0.10	ND	0.04	Pass
Chlorpyrifos	0.04/0.10	ND	0.04	Pass
Clofentezine	0.04/0.10	ND	0.5	Pass
Coumaphos	0.04/0.10	ND	0.04	Pass
Cyfluthrin	0.70/2.00	ND	1.0	Pass
Cypermethrin	0.35/1.00	ND	1.0	Pass
Daminozide	0.04/0.10	ND	0.04	Pass
DDVP (Dichlorovous)	0.04/0.10	ND	0.04	Pass
Diazinon	0.04/0.10	ND	0.2	Pass
Dimethoate	0.04/0.10	ND	0.04	Pass
Dimethomorph	0.04/0.10	ND	20.0	Pass
Ethoprop(hos)	0.04/0.10	ND	0.04	Pass
Etofenprox	0.04/0.10	ND	0.04	Pass
Etoxazole	0.04/0.10	ND	1.5	Pass

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".

**Quality Approved**  
Dated: 12/11/19 Initials: JP

page 1 of 5

Anresco Laboratories [www.anresco.com](http://www.anresco.com)  
1375 Van Dyke Ave., San Francisco, CA 94124

Tel: 415 822 1100  
Fax: 415 822 6615

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Fenhexamid	0.04/0.10	ND	10.0	Pass
Fenoxycarb	0.04/0.10	ND	0.04	Pass
Fenpyroximate	0.04/0.10	ND	2.0	Pass
Fipronil	0.04/0.10	ND	0.04	Pass
Flonicamid	0.04/0.10	ND	2.0	Pass
Fludioxanil	0.04/0.10	ND	30.0	Pass
Hexythiazox	0.04/0.10	ND	2.0	Pass
Imazalil	0.04/0.10	ND	0.04	Pass
Imidacloprid	0.04/0.10	ND	3.0	Pass
Kresoxim Methyl	0.04/0.10	ND	1.0	Pass
Malathion	0.20/0.50	ND	5.0	Pass
Metalaxyl	0.04/0.10	ND	15.0	Pass
Methiocarb	0.04/0.10	ND	0.04	Pass
Methomyl	0.04/0.10	ND	0.1	Pass
Methyl parathion	0.04/0.10	ND	0.04	Pass
Mevinphos	0.04/0.10	ND	0.04	Pass
Myclobutanil	0.04/0.10	ND	9.0	Pass
Naled	0.04/0.10	ND	0.5	Pass
Oxamyl	0.20/0.50	ND	0.2	Pass
Paclobutrazol	0.04/0.10	ND	0.04	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.20/0.50	ND	20.0	Pass
Phosmet	0.04/0.10	ND	0.2	Pass
Piperonyl Butoxide	0.04/0.10	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.04/0.10	ND	20.0	Pass
Propoxur	0.04/0.10	ND	0.04	Pass
Pyrethrins	0.20/0.50	ND	1.0	Pass
Pyridaben	0.04/0.10	ND	3.0	Pass
Spinetoram	0.04/0.10	ND	3.0	Pass
Spinosad	0.04/0.10	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.04/0.10	ND	13.0	Pass
Spiroxamine	0.04/0.10	ND	0.04	Pass
Tebuconazole	0.04/0.10	ND	2.0	Pass
Thiacloprid	0.04/0.10	ND	0.04	Pass
Thiamethoxam	0.35/1.00	ND	4.5	Pass
Trifloxystrobin	0.04/0.10	ND	30.0	Pass
Acetochlor	0.04-0.20 / 0.1-0.5	ND	-	-
Alachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Aldicarb Sulfone	0.04-0.20 / 0.1-0.5	ND	-	-
Aldicarb sulfoxide*	0.04-0.20 / 0.1-0.5	ND	-	-
Aldrin*	0.04-0.20 / 0.1-0.5	ND	-	-
Atrazine	0.04-0.20 / 0.1-0.5	ND	-	-
Benfluralin	0.04-0.20 / 0.1-0.5	ND	-	-
BHC alpha	0.04-0.20 / 0.1-0.5	ND	-	-
BHC beta	0.04-0.20 / 0.1-0.5	ND	-	-
Bitertanol	0.04-0.20 / 0.1-0.5	ND	-	-
Buprofezin	0.04-0.20 / 0.1-0.5	ND	-	-
Carbendazim (MBC)	0.04-0.20 / 0.1-0.5	ND	-	-

If there are any questions with this report, please contact "compliance@anresco.com"

**Quality Approved**  
Dated: 12/11/19 Initials: JP

page 2 of 5

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Carfentrazone ethyl	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorobenzilate	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorotoluron	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorpropham	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorpyrifos methyl	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorthiophos	0.04-0.20 / 0.1-0.5	ND	-	-
Clethodim	0.04-0.20 / 0.1-0.5	ND	-	-
Clomazone	0.04-0.20 / 0.1-0.5	ND	-	-
Clothianidin	0.04-0.20 / 0.1-0.5	ND	-	-
Cyazofamid*	0.04-0.20 / 0.1-0.5	ND	-	-
Cymoxanil*	0.04-0.20 / 0.1-0.5	ND	-	-
Cyprodinil*	0.04-0.20 / 0.1-0.5	ND	-	-
Cyromazine	0.04-0.20 / 0.1-0.5	ND	-	-
DCPA (Dacthal)	0.04-0.20 / 0.1-0.5	ND	-	-
Diallate	0.04-0.20 / 0.1-0.5	ND	-	-
Dieldrin	0.04-0.20 / 0.1-0.5	ND	-	-
Diflubenzuron	0.04-0.20 / 0.1-0.5	ND	-	-
Dimethachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Diniconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Dinotefuran	0.04-0.20 / 0.1-0.5	ND	-	-
Diphenamid	0.04-0.20 / 0.1-0.5	ND	-	-
Diphenylamine (DPA)	0.04-0.20 / 0.1-0.5	ND	-	-
Diuron	0.04-0.20 / 0.1-0.5	ND	-	-
Esfenvalerate	0.04-0.20 / 0.1-0.5	ND	-	-
Ethalfuralin	0.04-0.20 / 0.1-0.5	ND	-	-
Ethylan	0.04-0.20 / 0.1-0.5	ND	-	-
Etridazole*	0.04-0.20 / 0.1-0.5	ND	-	-
Fenarimol	0.04-0.20 / 0.1-0.5	ND	-	-
Fenbuconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Fenpropimorph	0.04-0.20 / 0.1-0.5	ND	-	-
Fenthion	0.04-0.20 / 0.1-0.5	ND	-	-
Fenvalerate	0.04-0.20 / 0.1-0.5	ND	-	-
Fluazifop-P-butyl	0.04-0.20 / 0.1-0.5	ND	-	-
Flubendiamide	0.04-0.20 / 0.1-0.5	ND	-	-
Fluchloralin	0.04-0.20 / 0.1-0.5	ND	-	-
Flucythrinate	0.04-0.20 / 0.1-0.5	ND	-	-
Fluoxastrobin	0.04-0.20 / 0.1-0.5	ND	-	-
Flusilazole	0.04-0.20 / 0.1-0.5	ND	-	-
Flutolanil	0.04-0.20 / 0.1-0.5	ND	-	-
Flutriafol	0.04-0.20 / 0.1-0.5	ND	-	-
Fonofos*	0.04-0.20 / 0.1-0.5	ND	-	-
Formetanate Hydrochloride	0.04-0.20 / 0.1-0.5	ND	-	-
Heptachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Hexachlorobenzene	0.04-0.20 / 0.1-0.5	ND	-	-
Hexaconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Hexazinone	0.04-0.20 / 0.1-0.5	ND	-	-
3-Hydroxycarbofuran	0.04-0.20 / 0.1-0.5	ND	-	-
Indoxacarb*	0.04-0.20 / 0.1-0.5	ND	-	-
Isazophos	0.04-0.20 / 0.1-0.5	ND	-	-
Isopropalin	0.04-0.20 / 0.1-0.5	ND	-	-

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".

page 3 of 5

Anresco Laboratories [www.anresco.com](http://www.anresco.com)  
1375 Van Dyke Ave., San Francisco, CA 94124

**Quality Approved**  
Dated: 12/11/19 Initials: JP

Tel: 415 822 1100  
Fax: 415 822 6615

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Isoproturon	0.04-0.20 / 0.1-0.5	ND	-	-
Lindane	0.04-0.20 / 0.1-0.5	ND	-	-
Linuron*	0.04-0.20 / 0.1-0.5	ND	-	-
Mandipropamid	0.04-0.20 / 0.1-0.5	ND	-	-
Methamidophos	0.04-0.20 / 0.1-0.5	ND	-	-
Methoxychlor*	0.04-0.20 / 0.1-0.5	ND	-	-
4-4'-Methoxychlor olefin	0.04-0.20 / 0.1-0.5	ND	-	-
Methoxyfenozide	0.04-0.20 / 0.1-0.5	ND	-	-
Metolachlor	0.04-0.20 / 0.1-0.5	ND	-	-
MGK 264*	0.04-0.20 / 0.1-0.5	ND	-	-
Mirex*	0.04-0.20 / 0.1-0.5	ND	-	-
Novaluron	0.04-0.20 / 0.1-0.5	ND	-	-
5-OH Thiabendazole*	0.04-0.20 / 0.1-0.5	ND	-	-
Omethoate*	0.04-0.20 / 0.1-0.5	ND	-	-
Oxadiazon	0.04-0.20 / 0.1-0.5	ND	-	-
Oxyflourfen	0.04-0.20 / 0.1-0.5	ND	-	-
Parathion	0.04-0.20 / 0.1-0.5	ND	-	-
Pebulate*	0.04-0.20 / 0.1-0.5	ND	-	-
Penconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Pendimethalin	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachloroaniline	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachloroanisole	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachlorobenzene	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachlorobenzonitrile	0.04-0.20 / 0.1-0.5	ND	-	-
2-Phenylphenol	0.04-0.20 / 0.1-0.5	ND	-	-
Pirimicarb	0.04-0.20 / 0.1-0.5	ND	-	-
Pirimiphos-ethyl	0.04-0.20 / 0.1-0.5	ND	-	-
Pirimiphos methyl	0.04-0.20 / 0.1-0.5	ND	-	-
Pretilachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Prochloraz*	0.04-0.20 / 0.1-0.5	ND	-	-
Procymidone	0.04-0.20 / 0.1-0.5	ND	-	-
Propamocarb	0.04-0.20 / 0.1-0.5	ND	-	-
Propargite	0.04-0.20 / 0.1-0.5	ND	-	-
Propisochlor	0.04-0.20 / 0.1-0.5	ND	-	-
Propyzamide	0.04-0.20 / 0.1-0.5	ND	-	-
Prothiofos	0.04-0.20 / 0.1-0.5	ND	-	-
Pymetrozine	0.04-0.20 / 0.1-0.5	ND	-	-
Pyraclostrobin	0.04-0.20 / 0.1-0.5	ND	-	-
Pyrimethanil	0.04-0.20 / 0.1-0.5	ND	-	-
Pyriproxyfen	0.04-0.20 / 0.1-0.5	ND	-	-
Quinalphos	0.04-0.20 / 0.1-0.5	ND	-	-
Quintozene	0.04-0.20 / 0.1-0.5	ND	-	-
Sulfentrazone	0.04-0.20 / 0.1-0.5	ND	-	-
Sulfotep	0.04-0.20 / 0.1-0.5	ND	-	-
Tau-Fluvalinate	0.04-0.20 / 0.1-0.5	ND	-	-
Tebufenozide	0.04-0.20 / 0.1-0.5	ND	-	-
Tecnazene	0.04-0.20 / 0.1-0.5	ND	-	-
Tefluthrin	0.04-0.20 / 0.1-0.5	ND	-	-
Terbutylazine	0.04-0.20 / 0.1-0.5	ND	-	-
Tetrachloroaniline	0.04-0.20 / 0.1-0.5	ND	-	-

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".



**Quality Approved**  
Dated: 11/11/19 Initials: OP

page 4 of 5



Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Tetradifon	0.04-0.20 / 0.1-0.5	ND	-	-
Thiobencarb	0.04-0.20 / 0.1-0.5	ND	-	-
Tolclofos-methyl	0.04-0.20 / 0.1-0.5	ND	-	-
Transfluthrin	0.04-0.20 / 0.1-0.5	ND	-	-
Triadimefon	0.04-0.20 / 0.1-0.5	ND	-	-
Triallate	0.04-0.20 / 0.1-0.5	ND	-	-
Trichlorfon	0.04-0.20 / 0.1-0.5	ND	-	-
Tricyclazole	0.04-0.20 / 0.1-0.5	ND	-	-
Triflumizole	0.04-0.20 / 0.1-0.5	ND	-	-
Trifluralin	0.04-0.20 / 0.1-0.5	ND	-	-
Vamidothion	0.04-0.20 / 0.1-0.5	ND	-	-
Vinclozolin	0.04-0.20 / 0.1-0.5	ND	-	-

Reported by  
**Anresco, Inc.**

Mark Rosasco  
Analyst

December 10, 2019

ND = None Detected  
<LOQ = Below Limit of Quantitation  
<LOD = Below Limit of Detection

**Quality Approved**  
Dated: 12/11/19 Initials: JP

December 10, 2019

**ANANDA HEMP**  
1961 S. Edgewater Road  
Cynthiana, KY 41031

Order No. 510273  
Sample No. 1040122

## SAMPLE INFORMATION

Description Ananda Bliss  
Lot Number 19AB302  
Category (Type) Topical  
Strain Hemp  
Received December 09, 2019

## ANALYTICAL RESULTS

Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)  
Analysis Date December 09, 2019 to December 10, 2019

Analyte	LOD / LOQ	Finding	Limit	Units
Aflatoxin B1	10/20	ND	-	µg/kg
Aflatoxin B2	10/20	ND	-	µg/kg
Aflatoxin G1	10/20	ND	-	µg/kg
Aflatoxin G2	10/20	ND	-	µg/kg
Total Aflatoxins	10/20	ND	20	µg/kg
Ochratoxin A	10/20	ND	20	µg/kg

Reported by  
**Anresco, Inc.**


Mark Rosasco  
Analyst

December 10, 2019

**Quality Approved**

Dated: 12/10/19 Initials: JR

December 18, 2019

**ANANDA HEMP**  
1961 S. Edgewater Road  
Cynthiana, KY 41031

Order No. 510273  
Sample No. 1040122

## SAMPLE INFORMATION

Description Ananda Bliss  
Lot Number 19AB302  
Category (Type) Topical  
Strain Hemp  
Received December 09, 2019

## ANALYTICAL RESULTS

Analysis Date December 09, 2019 to December 18, 2019

### Analysis

Aspergillus Species  
Coliforms  
E. Coli  
Enterobacteriaceae  
Mold  
Salmonella  
Standard Plate Count  
Yeast

### Method

Asp. Agar  
FDA BAM - ECC Agar  
FDA BAM  
AOAC 2003.01  
AOAC 2014.05  
AOAC 2016.01  
FDA BAM  
AOAC 2014.05

### Findings

<10 cfu/g  
<10 cfu/g  
<10 cfu/g  
<10 cfu/g  
<10 cfu/g  
Negative/1g  
<10 cfu/g  
<10 cfu/g

Reported by  
**Anresco, Inc.**



Laila Lam  
Microbiologist



**Quality Approved**

Dated: 12/20/19 Initials: JP