



# Full Spectrum Bliss

**Product Name** "250mg Active Cannabinoid" Intimate Oil  
**Product Description** 60ml Intimate Oil; 0.5% active hemp extract infused in MCT (fractionated coconut oil), and Cacao Seed Butter  
**Lot Number** 19AB332  
**Expiration Date** November 2020  
**Date of Production (Batch Date)** December 2019  
**Batch Size:** 8000 units **Quantity Produced:** 6451 units

## Raw Ingredients

Ingredient	Manufacturer	Lot Number
MCT Oil	Greenfield (Kraft Chemical)	BTB1906053
Cacao Seed Butter	Cocoa Supply	MBC-019-006
Cetearyl Alcohol	Essential Wholesale & Labs	05218366PW0501338CA
Arginine	NutruVita	20190111
Peppermint Extract	Bulk Apothecary	71066
Black Pepper Extract	Bulk Apothecary	74928
Cannabinoids	Ecofibre Industries Operations	CKS Lex18-08
Phenoxyethanol	Essential Wholesale & Labs	073I8102PW201

  
Jamie Paz - Quality Manager

  
Date



Ananda's 100% Kentucky grown hemp is planted, harvested, and dried using existing Kentucky tobacco infrastructure and knowledge. Kentucky farmers are now making the switch to farming Hemp with the passing of the 2018 Farm Bill and Ananda is right beside them providing superior genetics and support.

**Manufactured By:**

Ananda Professional

PO Box 648

Cynthiana, KY 41031

888-388-1119

hello@anandaprofessional.com

www.AnandaProfessional.com

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

**Manufactured By:**

Ananda Hemp

PO Box 648

Cynthiana, KY 41031

833-791-2511

hello@anandahemp.com

www.AnandaHemp.com

December 19, 2019

**ANANDA HEMP**  
1961 S. Edgewater Road  
Cynthiana, KY 41031

Order No. 510463  
Sample No. 1040720

## SAMPLE INFORMATION

**Description** Bliss  
**Lot Number** 19AB332  
**Category (Type)** Topical  
**Received** December 16, 2019

## ANALYTICAL RESULTS

**Analysis** Cannabinoid Profile  
**Instrument** Liquid Chromatography Diode Array Detector (LC-DAD)  
**Method** MF12D012  
**Analysis Date** December 16, 2019 to December 19, 2019

Analyte	mg/g	%	mg/ml	Status
88 THC	ND	ND	ND	-
89 THC	<LOQ (0.19)	<LOQ (0.019)	0.18	-
89 THCA	ND	ND	ND	-
CBD	5.78	0.578	5.46	-
CBDA	ND	ND	ND	-
CBC	0.25	0.025	0.24	-
CBDV	ND	ND	ND	-
CBG	<LOQ (0.06)	<LOQ (0.006)	0.06	-
CBGA	ND	ND	ND	-
CBN	ND	ND	ND	-
Total THC	<LOQ (0.19)	<LOQ (0.019)	0.18	-
Total CBD	5.78	0.578	5.46	-
Total Cannabinoids	6.29	0.629	5.94	-
Total Active Cannabinoids	6.29	0.629	5.94	-
<b>g/ml Conversion Factor</b>	0.94398			

Reported by  
**Anresco, Inc.**



Eric Tam  
Senior Chemist

December 19, 2019

Limit of Quantitation: 0.2 mg/g  
Limit of Detection: 0.04 mg/g  
ND = None Detected  
<LOQ = Below Limit of Quantitation  
<LOD = Below Limit of Detection

**Quality Approved**  
Dated: 12/20/19 Initials: JP

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".

page 1 of 1

December 19, 2019


**ANANDA HEMP**  
1961 S. Edgewater Road  
Cynthiana, KY 41031

Order No. 510463  
Sample No. 1040720

## SAMPLE INFORMATION

**Description** Bliss  
**Lot Number** 19AB332  
**Category (Type)** Topical  
**Received** December 16, 2019

## ANALYTICAL RESULTS

**Analysis** Residual Solvent Screen  Pass  
**Instrument** Gas Chromatography Mass Spectrometry (GC/MS)  
**Method** USP OVI<467>  
**Analysis Date** December 16, 2019 to December 19, 2019

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
1,2-Dichloroethane	0.40/1.00	ND	1.0	Pass
Acetone	17/75	<LOQ	5000	Pass
Acetonitrile	1/6	ND	410	Pass
Benzene	0.40/1.00	ND	1.0	Pass
n-Butane	200/600	ND	5000	Pass
Chloroform	0.40/1.00	ND	1.0	Pass
Ethanol	22/100	ND	5000	Pass
Ethyl Acetate	9/40	ND	5000	Pass
Ethyl Ether	11/50	ND	5000	Pass
Ethylene Oxide	0.40/1.00	ND	1.0	Pass
n-Heptane	11/50	ND	5000	Pass
n-Hexane	1/5	ND	290	Pass
Isopropyl Alcohol	11/50	ND	5000	Pass
Methanol	6/25	ND	3000	Pass
Methylene Chloride	0.40/1.00	ND	1.0	Pass
n-Pentane	17/75	ND	5000	Pass
Propane	125/250	ND	5000	Pass
Toluene	3/15	ND	890	Pass
Total Xylenes	1/3	ND	2170	Pass
Trichloroethylene	0.40/1.00	ND	1.0	Pass

Reported by  
**Anresco, Inc.**




Darryl Cudia  
Analyst

December 19, 2019

ND = None Detected  
<LOQ = Below Limit of Quantitation  
<LOD = Below Limit of Detection

**Quality Approved**  
Dated: 12/20/19 Initials: JP

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".

page 1 of 1

December 19, 2019

**ANANDA HEMP**  
1961 S. Edgewater Road  
Cynthiana, KY 41031

Order No. 510463  
Sample No. 1040720

## SAMPLE INFORMATION

**Description** Bliss  
**Lot Number** 19AB332  
**Category (Type)** Topical  
**Received** December 16, 2019

## ANALYTICAL RESULTS

**Analysis** Pesticide Residue Screen ✔ Pass  
**Instrument** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)  
**Method** MF 21P030  
**Analysis Date** December 16, 2019 to December 19, 2019

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.04/0.10	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.04/0.10	ND	5.0	Pass
Aldicarb	0.04/0.10	ND	0.04	Pass
Azoxystrobin	0.04/0.10	ND	40.0	Pass
Bifenazate	0.04/0.10	ND	5.0	Pass
Bifenthrin	0.20/0.50	ND	0.5	Pass
Boscalid	0.04/0.10	ND	10.0	Pass
Captan	0.25/0.70	ND	5.0	Pass
Carbaryl	0.20/0.50	ND	0.5	Pass
Carbofuran	0.04/0.10	ND	0.04	Pass
Chlorantraniliprole	0.04/0.10	ND	40.0	Pass
Chlordane	0.04/0.10	ND	0.04	Pass
Chlorfenapyr	0.04/0.10	ND	0.04	Pass
Chlorpyrifos	0.04/0.10	ND	0.04	Pass
Clofentezine	0.04/0.10	ND	0.5	Pass
Coumaphos	0.04/0.10	ND	0.04	Pass
Cyfluthrin	0.70/2.00	ND	1.0	Pass
Cypermethrin	0.35/1.00	ND	1.0	Pass
Daminozide	0.04/0.10	ND	0.04	Pass
DDVP (Dichlorovous)	0.04/0.10	ND	0.04	Pass
Diazinon	0.04/0.10	ND	0.2	Pass
Dimethoate	0.04/0.10	ND	0.04	Pass
Dimethomorph	0.04/0.10	ND	20.0	Pass
Ethoprop(hos)	0.04/0.10	ND	0.04	Pass
Etofenprox	0.04/0.10	ND	0.04	Pass
Etoxazole	0.04/0.10	ND	1.5	Pass
Fenhexamid	0.04/0.10	ND	10.0	Pass

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".

**Quality Approved** page 1 of 3  
Dated: 12/20/19 Initials: JP  
Tel: 415 822 1100  
Fax: 415 822 6615

Anresco Laboratories [www.anresco.com](http://www.anresco.com)  
1375 Van Dyke Ave., San Francisco, CA 94124

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Fenoxycarb	0.04/0.10	ND	0.04	Pass
Fenpyroximate	0.04/0.10	ND	2.0	Pass
Fipronil	0.04/0.10	ND	0.04	Pass
Flonicamid	0.04/0.10	ND	2.0	Pass
Fludioxanil	0.04/0.10	ND	30.0	Pass
Hexythiazox	0.04/0.10	ND	2.0	Pass
Imazalil	0.04/0.10	ND	0.04	Pass
Imidacloprid	0.04/0.10	ND	3.0	Pass
Kresoxim Methyl	0.04/0.10	ND	1.0	Pass
Malathion	0.20/0.50	ND	5.0	Pass
Metalaxyl	0.04/0.10	ND	15.0	Pass
Methiocarb	0.04/0.10	ND	0.04	Pass
Methomyl	0.04/0.10	ND	0.1	Pass
Methyl parathion	0.04/0.10	ND	0.04	Pass
Mevinphos	0.04/0.10	ND	0.04	Pass
Myclobutanil	0.04/0.10	ND	9.0	Pass
Naled	0.04/0.10	ND	0.5	Pass
Oxamyl	0.20/0.50	ND	0.2	Pass
Paclobutrazol	0.04/0.10	ND	0.04	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.20/0.50	ND	20.0	Pass
Phosmet	0.04/0.10	ND	0.2	Pass
Piperonyl Butoxide	0.04/0.10	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.04/0.10	ND	20.0	Pass
Propoxur	0.04/0.10	ND	0.04	Pass
Pyrethrins	0.20/0.50	ND	1.0	Pass
Pyridaben	0.04/0.10	ND	3.0	Pass
Spinetoram	0.04/0.10	ND	3.0	Pass
Spinosad	0.04/0.10	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.04/0.10	ND	13.0	Pass
Spiroxamine	0.04/0.10	ND	0.04	Pass
Tebuconazole	0.04/0.10	ND	2.0	Pass
Thiacloprid	0.04/0.10	ND	0.04	Pass
Thiamethoxam	0.35/1.00	ND	4.5	Pass
Trifloxystrobin	0.04/0.10	ND	30.0	Pass

**Quality Approved**  
 Dated: 12/20/19 Initials: DP

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".

page 2 of 3

December 18, 2019

**ANANDA HEMP**  
1961 S. Edgewater Road  
Cynthiana, KY 41031

Order No. 510463  
Sample No. 1040720

## SAMPLE INFORMATION

Description: Bliss  
Lot Number: 19AB332  
Category (Type): Topical  
Received: December 16, 2019

## ANALYTICAL RESULTS

Analysis: Heavy Metal Screen ✔ Pass  
Instrument: ICP-MS  
Method: MF 24E020  
Analysis Date: December 16, 2019 to December 18, 2019

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Lead	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3.0	Pass

Reported by  
**Anresco, Inc.**

ND = None Detected  
<LOQ = Below Limit of Quantitation  
<LOD = Below Limit of Detection



Eric Tam  
Senior Chemist

December 18, 2019

**Quality Approved**  
Dated: 12/18/19 Initials: ET

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".

page 1 of 1

December 20, 2019

**ANANDA HEMP**  
1961 S. Edgewater Road  
Cynthiana, KY 41031

Order No. 510463  
Sample No. 1040720

## SAMPLE INFORMATION

**Description** Bliss  
**Lot Number** 19AB332  
**Category (Type)** Topical  
**Received** December 16, 2019

## ANALYTICAL RESULTS

**Analysis Date** December 16, 2019 to December 20, 2019

### Analysis

Aspergillus Species  
Coliforms  
E. Coli  
Enterobacteriaceae  
Mold  
Salmonella  
Standard Plate Count  
Yeast

### Method

Asp. Agar  
FDA BAM - ECC Agar  
FDA BAM  
AOAC 2003.01  
FDA BAM  
AOAC 2016.01  
FDA BAM  
FDA BAM

### Findings

Negative/1g  
<10 cfu/g  
<10 cfu/g  
<10 cfu/g  
<10 cfu/g  
Negative/1g  
<10 cfu/g  
<10 cfu/g

Reported by  
**Anresco, Inc.**

  
Laila Lam  
Microbiologist



**Quality Approved**  
Dated: 12/23/19 Initials: JP

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".

page 1 of 1

## ANALYTICAL RESULTS

**Analysis** Mycotoxin Screen ✔ Pass  
**Instrument** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)  
**Method** MF 21P030  
**Analysis Date** December 16, 2019 to December 19, 2019

Analyte	LOD / LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	10/20	ND	-	-
Aflatoxin B2	10/20	ND	-	-
Aflatoxin G1	10/20	ND	-	-
Aflatoxin G2	10/20	ND	-	-
Total Aflatoxins	10/20	ND	20	Pass
Ochratoxin A	10/20	ND	20	Pass

Reported by  
**Anresco, Inc.**

ND = None Detected  
<LOQ = Below Limit of Quantitation  
<LOD = Below Limit of Detection

**Eric Tam**  
**Senior Chemist**

December 19, 2019

**Quality Approved**

Dated: 12/20/19 Initials: JP

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".

page 3 of 3