


Full Spectrum Bliss

Product Name "250 mg Active Cannabinoid" Intimate Oil
Product Description 60ml Intimate Oil; 0.5% active hemp extract infused in MCT (fractionated coconut oil), and Cacao Seed Butter
Lot Number 19AB350
Expiration Date December 2020
Date of Production (Batch Date) December 2019
Batch Size: 5500 units **Quantity Produced:** 4788 units

Raw Ingredients

| Ingredient | Manufacturer | Lot Number |
|----------------------|---|--|
| MCT Oil | Greenfield (Kraft Chemical) | BTB1906053 |
| Cacao Seed Butter | Cocoa Supply | MBC-019-006 |
| Cetearyl Alcohol | Essential Wholesale & Labs/ Lotion Crafter | 05218366PW0501338CA/ J35423BO2019-11935 |
| Arginine | NutruVita | 20190111 |
| Peppermint Extract | Jedwards | 18921819 |
| Black Pepper Extract | Bulk Apothecary | 80202 |
| Cannabinoids | Ecofibre Industries Operations | CKS Lex18-08 |
| Phenoxyethanol | Essential Wholesale & Labs | 31710073PW0201323CA |



Jamie Pazz Quality Manager

1/9/2020
Date



Ananda's 100% Kentucky grown hemp is planted, harvested, and dried using existing Kentucky tobacco infrastructure and knowledge. Kentucky farmers are now making the switch to farming Hemp with the passing of the 2018 Farm Bill and Ananda is right beside them providing superior genetics and support.

Manufactured By:
Ananda Professional
PO Box 648
Cynthiana, KY 41031
888-388-1119
hello@anandaprofessional.com
www.AnandaProfessional.com

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Manufactured By:
Ananda Hemp
PO Box 648
Cynthiana, KY 41031
833-791-2511
hello@anadahemp.com
www.AnandaHemp.com



Certificate of Analysis

Powered by Confident Cannabis

Ecofibre Kentucky

Cynthiana, KY 41031
 jamie.paz@anandahemp.com
 (859) 576-0876
 Lic. #CBD

Sample: 1912DBL0365.12701

METRC Sample:
 Batch #: 19AB350
 Lot #: 19AB350

Strain: NA
 Ordered: 12/20/2019; Sampled: 12/23/2019; Completed: 12/27/2019

Ananda Bliss Full Spectrum Intimate Oil

Topical, Body Oil, Alcohol



Cannabinoids

- CBC
- CBCa
- CBD
- CBDa
- CBDV
- CBDVa
- CBG
- CBGa
- CBL
- CBN
- Δ8-THC
- Δ9-THC
- THCa
- THCV
- THCVa

Cannabinoids

0.243
mg/g

Δ9-THC + Δ8-THC

5.503
mg/g

CBD

5.996
mg/g

Total Cannabinoids

NT

Moisture

Cannabinoid Profile

Analyzed by 300.18 UHPLC/PDA

| Cannabinoid | Mass | Mass | LOQ |
|------------------|--------------|---------------|-------|
| | mg/g | % | mg/g |
| CBC | 0.250 | 0.0250 | 0.043 |
| CBCa | <LOQ | <LOQ | 0.043 |
| CBD | 5.503 | 0.5503 | 0.043 |
| CBDa | <LOQ | <LOQ | 0.043 |
| CBDV | <LOQ | <LOQ | 0.043 |
| CBDVa | <LOQ | <LOQ | 0.043 |
| CBG | <LOQ | <LOQ | 0.043 |
| CBGa | <LOQ | <LOQ | 0.043 |
| CBL | <LOQ | <LOQ | 0.043 |
| CBN | <LOQ | <LOQ | 0.043 |
| Δ8-THC | <LOQ | <LOQ | 0.043 |
| Δ9-THC | 0.243 | 0.0243 | 0.043 |
| THCa | <LOQ | <LOQ | 0.043 |
| THCV | <LOQ | <LOQ | 0.043 |
| THCVa | <LOQ | <LOQ | 0.043 |
| Total THC | 0.243 | 0.0243 | |
| Total CBD | 5.503 | 0.5503 | |
| Total | 5.996 | 0.5996 | |



Stacy Gardalen

Stacy Gardalen
Quality Control

Glen Marquez

Glen Marquez
Quality Control



4439 Polaris Ave
 Las Vegas, NV
 (702) 728-5180

www.dblabslv.com

Quality Approved

Dated: 1/9/2020 Initials: JP

This report is considered highly confidential and the sole property of the customer. DB Labs will not discuss any part of this study with personnel other than those authorized by the client. The results described in this report only apply to the samples analyzed. The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ = Limit of Quantitation. Pesticide LOQ = Instrument Limit of Quantitation. NA = Not Analyzed. ND = Not Detected. NR = Not Reported. NT = Not Tested. PGR = Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by DB Labs, LLC (MME# 61887736101164525768) using valid testing methodologies and a quality system as required by Nevada state law. Edibles are picked up prior to final packaging unless otherwise stated. Values reported relate only to the product tested. The uncertainty of measurement associated with the measurement result reported in this certificate is available from the organization upon request. DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of DB Labs.

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
C8-0000052-LIC

MANUFACTURER:

Ananda Hemp
1961 S. Edgewater Road
Cynthiana, KY 41031



SAMPLE INFORMATION

Sample No.: 1041332
Product Name: Bliss
Matrix: Topical
Batch #: 19AB350

Date Received: 12/23/2019
Date Reported: 12/30/2019

TEST SUMMARY

Cannabinoid Profile:
Pesticide Residue Screen: ✔ Pass
Mycotoxin Screen: ✔ Pass

Residual Solvent Screen: ✔ Pass
Heavy Metal Screen: ✔ Pass
Overall: ✔ Pass

CANNABINOID PROFILE

12/30/2019

Method: MF12D012
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Quantitation: 1.0 mg/g
Limit of Detection: 0.4 mg/g

| Analyte | mg/g | % | mg/ml | Status |
|-------------------------------|-------|------|-------|--------|
| Δ8-THC | ND | ND | ND | - |
| Δ9-THC | ND | ND | ND | - |
| Δ9-THCA | ND | ND | ND | - |
| CBD | 6.1 | 0.61 | 5.58 | - |
| CBDA | ND | ND | ND | - |
| CBC | ND | ND | ND | - |
| CBDV | ND | ND | ND | - |
| CBG | ND | ND | ND | - |
| CBGA | ND | ND | ND | - |
| CBN | ND | ND | ND | - |
| Total THC | ND | ND | ND | - |
| Total CBD | 6.1 | 0.61 | 5.58 | - |
| Total Cannabinoids | 6.1 | 0.61 | 5.58 | - |
| Total Active Cannabinoids | 6.1 | 0.61 | 5.58 | - |
| Label Claims | n/p | | | |
| g/ml Conversion Factor | .9147 | | | |

MICROBIOLOGICAL SCREEN

12/30/2019

| Analysis | Method | Finding |
|------------|--------------------|-------------|
| Salmonella | AOAC 2016.01 | Negative/1g |
| SPC | FDA BAM | <10 |
| Yeast | FDA BAM | <10 |
| Mold | FDA BAM | <10 |
| Coliforms | FDA BAM - ECC Agar | <10 |
| E. coli | FDA BAM | <10 |

PESTICIDE RESIDUE SCREEN ✔ Pass

12/30/2019

Method: MF 21P030
Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte | LOD / LOQ (µg/g) | Finding (µg/g) | Limit (µg/g) | Status |
|---------------------|------------------|----------------|--------------|--------|
| Abamectin | 0.04/0.10 | ND | 0.3 | Pass |
| Acephate | 0.04/0.10 | ND | 5.0 | Pass |
| Acequinocyl | 0.04/0.10 | ND | 4.0 | Pass |
| Acetamiprid | 0.04/0.10 | ND | 5.0 | Pass |
| Aldicarb | 0.04/0.10 | ND | 0.04 | Pass |
| Azoxystrobin | 0.04/0.10 | ND | 40.0 | Pass |
| Bifenazate | 0.04/0.10 | ND | 5.0 | Pass |
| Bifenthrin | 0.20/0.50 | ND | 0.5 | Pass |
| Boscalid | 0.04/0.10 | ND | 10.0 | Pass |
| Captan | 0.25/0.70 | ND | 5.0 | Pass |
| Carbaryl | 0.20/0.50 | ND | 0.5 | Pass |
| Carbofuran | 0.04/0.10 | ND | 0.04 | Pass |
| Chlorantraniliprole | 0.04/0.10 | ND | 40.0 | Pass |
| Chlordane | 0.04/0.10 | ND | 0.04 | Pass |

| Analyte | LOD / LOQ (µg/g) | Finding (µg/g) | Limit (µg/g) | Status |
|-------------------------|------------------|----------------|--------------|--------|
| Chlorfenapyr | 0.04/0.10 | ND | 0.04 | Pass |
| Chlorpyrifos | 0.04/0.10 | ND | 0.04 | Pass |
| Clofentezine | 0.04/0.10 | ND | 0.5 | Pass |
| Coumaphos | 0.04/0.10 | ND | 0.04 | Pass |
| Cyfluthrin | 0.70/2.00 | ND | 1.0 | Pass |
| Cypermethrin | 0.35/1.00 | ND | 1.0 | Pass |
| Daminozide | 0.04/0.10 | ND | 0.04 | Pass |
| DDVP (Dichlorovous) | 0.04/0.10 | ND | 0.04 | Pass |
| Diazinon | 0.04/0.10 | ND | 0.2 | Pass |
| Dimethoate | 0.04/0.10 | ND | 0.04 | Pass |
| Dimethomorph | 0.04/0.10 | ND | 20.0 | Pass |
| Ethoprop(hos) | 0.04/0.10 | ND | 0.04 | Pass |
| Etofenprox | 0.04/0.10 | ND | 0.04 | Pass |
| Etoxazole | 0.04/0.10 | ND | 1.5 | Pass |
| Fenhexamid | 0.04/0.10 | ND | 10.0 | Pass |
| Fenoxycarb | 0.04/0.10 | ND | 0.04 | Pass |
| Fenpyroximate | 0.04/0.10 | ND | 2.0 | Pass |
| Fipronil | 0.04/0.10 | ND | 0.04 | Pass |
| Flonicamid | 0.04/0.10 | ND | 2.0 | Pass |
| Fludioxanil | 0.04/0.10 | ND | 30.0 | Pass |
| Hexythiazox | 0.04/0.10 | ND | 2.0 | Pass |
| Imazalil | 0.04/0.10 | ND | 0.04 | Pass |
| Imidacloprid | 0.04/0.10 | ND | 3.0 | Pass |
| Kresoxim Methyl | 0.04/0.10 | ND | 1.0 | Pass |
| Malathion | 0.20/0.50 | ND | 5.0 | Pass |
| Metalaxyl | 0.04/0.10 | ND | 15.0 | Pass |
| Methiocarb | 0.04/0.10 | ND | 0.04 | Pass |
| Methomyl | 0.04/0.10 | ND | 0.1 | Pass |
| Methyl parathion | 0.04/0.10 | ND | 0.04 | Pass |
| Mevinphos | 0.04/0.10 | ND | 0.04 | Pass |
| Myclobutanil | 0.04/0.10 | ND | 9.0 | Pass |
| Naled | 0.04/0.10 | ND | 0.5 | Pass |
| Oxamyl | 0.20/0.50 | ND | 0.2 | Pass |
| Paclbutrazol | 0.04/0.10 | ND | 0.04 | Pass |
| Pentachloronitrobenzene | 0.04/0.10 | ND | 0.2 | Pass |
| Permethrins | 0.20/0.50 | ND | 20.0 | Pass |
| Phosmet | 0.04/0.10 | ND | 0.2 | Pass |
| Piperonyl Butoxide | 0.04/0.10 | ND | 8.0 | Pass |
| Prallethrin | 0.04/0.10 | ND | 0.4 | Pass |
| Propiconazole | 0.04/0.10 | ND | 20.0 | Pass |
| Propoxur | 0.04/0.10 | ND | 0.04 | Pass |
| Pyrethrins | 0.20/0.50 | ND | 1.0 | Pass |
| Pyridaben | 0.04/0.10 | ND | 3.0 | Pass |
| Spinetoram | 0.04/0.10 | ND | 3.0 | Pass |
| Spinosad | 0.04/0.10 | ND | 3.0 | Pass |
| Spiromesifen | 0.04/0.10 | ND | 12.0 | Pass |
| Spirotetramat | 0.04/0.10 | ND | 13.0 | Pass |
| Spiroxamine | 0.04/0.10 | ND | 0.04 | Pass |
| Tebuconazole | 0.04/0.10 | ND | 2.0 | Pass |
| Thiacloprid | 0.04/0.10 | ND | 0.04 | Pass |
| Thiamethoxam | 0.35/1.00 | ND | 4.5 | Pass |
| Trifloxystrobin | 0.04/0.10 | ND | 30.0 | Pass |

Quality Approved
 Dated: 1/9/2020 Initials: JP

RESIDUAL SOLVENT SCREEN ✔ Pass

12/30/2019

Method: USP OVI<467>

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

| Analyte | LOD / LOQ (µg/g) | Finding (µg/g) | Limit (µg/g) | Status |
|--------------------|------------------|----------------|--------------|--------|
| 1,2-Dichloroethane | 0.40/1.00 | ND | 1.0 | Pass |
| Acetone | 17/75 | ND | 5000 | Pass |
| Acetonitrile | 1/6 | ND | 410 | Pass |
| Benzene | 0.40/1.00 | ND | 1.0 | Pass |
| n-Butane | 200/600 | ND | 5000 | Pass |
| Chloroform | 0.40/1.00 | ND | 1.0 | Pass |
| Ethanol | 22/100 | ND | 5000 | Pass |
| Ethyl Acetate | 9/40 | ND | 5000 | Pass |
| Ethyl Ether | 11/50 | ND | 5000 | Pass |
| Ethylene Oxide | 0.40/1.00 | ND | 1.0 | Pass |
| n-Heptane | 11/50 | ND | 5000 | Pass |
| n-Hexane | 1/5 | ND | 290 | Pass |
| Isopropyl Alcohol | 11/50 | ND | 5000 | Pass |
| Methanol | 6/25 | ND | 3000 | Pass |
| Methylene Chloride | 0.40/1.00 | ND | 1.0 | Pass |
| n-Pentane | 17/75 | ND | 5000 | Pass |
| Propane | 125/250 | ND | 5000 | Pass |
| Toluene | 3/15 | ND | 890 | Pass |
| Total Xylenes | 1/3 | ND | 2170 | Pass |
| Trichloroethylene | 0.40/1.00 | ND | 1.0 | Pass |

HEAVY METAL SCREEN ✔ Pass

12/30/2019

Method: MF 24E020

Instrument: ICP-MS

| Analyte | LOD / LOQ (µg/g) | Finding (µg/g) | Limit (µg/g) | Status |
|---------|------------------|----------------|--------------|--------|
| Arsenic | 0.02/0.05 | ND | 1.5 | Pass |
| Cadmium | 0.02/0.05 | ND | 0.5 | Pass |
| Mercury | 0.02/0.05 | ND | 3.0 | Pass |
| Lead | 0.02/0.05 | <LOQ | 0.5 | Pass |

MYCOTOXIN SCREEN ✔ Pass

12/30/2019

Method: MF 21P030

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte | LOD / LOQ (µg/kg) | Finding (µg/kg) | Limit (µg/kg) | Status |
|------------------|-------------------|-----------------|---------------|--------|
| Aflatoxin B1 | 10/20 | ND | - | - |
| Aflatoxin B2 | 10/20 | ND | - | - |
| Aflatoxin G1 | 10/20 | ND | - | - |
| Aflatoxin G2 | 10/20 | ND | - | - |
| Total Aflatoxins | 10/20 | ND | 20 | Pass |
| Ochratoxin A | 10/20 | ND | 20 | Pass |

(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

Reported by


 Vu Lam
 Lab Co Director


Scan to verify

Quality Approved

Dated: 1/9/2020 Initials: JP