

Test Report No.: T52210330370TY Date: DEC 07, 2022 Page 1 of 15

UKRAINE,

The following samples were submitted and identified by/on behalf of the client as:

SET OF THREE ITEMS ARCH RAMP AND TRIANGLE SMALL NATURAL

Country of Origin : UKRAINE

Labeled Age Grading : AGES FROM 8 MONTHS TO 8 YEARS
Requested Age Grading : FROM 8 MONTHS TO 8 YEARS OLD

Age Group Assessed by SGS As Per Age : FROM 18 MONTHS TO 8 YEARS

Guideline

Age Group Applied in Testing : FROM 8 MONTHS TO 8 YEARS

Sample Receiving Date : NOV 08, 2022 Further Information Date : DEC 02, 2022

Testing Period : NOV 08, 2022 TO DEC 07, 2022



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.zepx and, for electronic format documents subject to Terms and Conditions for Electronic Documents and http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content on appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

443, or email: CN_Doccheck@segs.com on 1949/Pani4 & Room 1919 Plant 3 & Room 1919 Pl



Test Report No.: T52210330370TY Date: DEC 07, 2022 Page 2 of 15

| Test | Requested | Conclusion |
|------|---|------------|
| 1. | For compliance with the test requirement of ASTM F963-17Standard Consumer Safety Specification on Toy Safety. (Except tools) | |
| | ASTM F963-17 Standard Consumer Safety Specification for Toy Safety | PASS |
| 2. | For compliance with test requirement of the Physical & Mechanical, Flammability test requirement of Title 16, Code of Federal Regulations, Chapter II – Consumer Products Safety Commission of U.S.A (Except tools) | -00 |
| | Physical and mechanical tests consisting US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 and US CPSC 16 CFR 1501: -US CPSC 16 CFR 1500.48 – Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of ages -US CPSC 16 CFR 1500.49 – Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age -US CPSC 16 CFR 1501 – Method for identifying toys and other articles intended for use by children under 3 years of age which present choking, aspiration, or ingestion hazards because of small parts | PASS |
| | US CPSC 16 CFR 1500.44 – Method for determining extremely flammable and flammable solids | PASS |
| 3. | Tracking label per 15 U.S.C. § 2063(a)(5) and Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products. | PASS |
| 4. | Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.A Part 1303 - Ban of Lead - Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint – Lead Content | PASS |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not experient to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 830

Room 101-801, Plant 4 & Room 101, Plant 2 & Room 101-Plant 3 & Room 301-301, Plant 3, Jianghao (Bantian) Industrial Plant Ara, No.430, Jihua Road, Bantian Smmunity, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.group.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉年路 430 号江瀬(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 - 邮编: 518129 t (86-755) 25328888 sgs.china@sgs.com



Test Report No.: T52210330370TY Date: DEC 07, 2022 Page 3 of 15

| Test | Requested | Conclusion |
|------|--|------------|
| 5. | CPSIA section 101 - Total Lead content | |
| | CPSIA section 101(f) (1) – Lead in paint/similar surface coating material | PASS |
| | CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children's Metal Jewelry) | PASS |
| 6. | US 16 CFR Part 1307 – Phthalates | PASS |

******** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ********

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Huang Yao, Lucy Section Head

Qu Ping, Kiky Dept. Manager







Test Report No.: T52210330370TY Date: DEC 07, 2022 Page 4 of 15

Results:

ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY

AS SPECIFIED IN ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

Clauses relevant to the item:

| <u>Clause</u> | Description | Result |
|---------------|--|--------------|
| 4 | Safety Requirements | |
| 4.1 | Material Quality ** | PASS |
| 4.2 | Flammability Test | PASS (See |
| | | Result Page) |
| 4.3 | Toxicology | |
| 4.3.2 | Manufacturing and Packaging of Food | N/A |
| 4.3.3 | Indirect Food Additives | N/A |
| 4.3.4 | Cosmetics | N/A |
| 4.3.5 | Heavy Elements | |
| 4.3.5.1 | Heavy Elements in Paint/Similar Surface Coating Materials | PASS (See |
| | | Result Page) |
| 4.3.5.2 | Heavy Metal in Substrate Materials | PASS (See |
| 400 | | Result Page) |
| 4.3.6 | Cosmetic, Liquids, Pastes, Putties, Gels, Powders and Item of Avian Feather Origin | N/A |
| 4.3.7 | Stuffing Materials | N/A |
| 4.3.8 | DEHP (DOP) | N/A |
| 4.4 | Electrical/Thermal Energy | N/A |
| 4.5 | Sound-Producing Toys | N/A |
| 4.6.1 | Small Objects | PASS |
| 4.6.2 | Mouth-Actuated Toys | N/A |
| 4.6.3 | Labelling Requirements | N/A |
| 4.0.3 | Accessible Edges | PASS |
| 4.8 | Projections | N/A |
| 4.9 | Accessible Points | PASS |
| 4.10 | Wires or Rods | N/A |
| 4.10 | Nails and Fasteners | PASS |
| 4.11 | Plastic Film | PASS |
| 4.12 | Folding Mechanisms | N/A |
| 4.13.1 | • | N/A N/A |
| 4.13.2 | Hinge-Line Clearance | IN/A |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Ferms-e-Document.aspx. Attention is dorwant to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

1943。 or email: CMLDOCCHECK@355.com Kom 1914 file at 18 kom 11 file at 18 kom 11 file at 18 kom 1914 file 18 kom 1914 file



Test Report No.: T52210330370TY Date: DEC 07, 2022 Page 5 of 15

| <u>Clause</u> | Description | Result |
|---------------|---|--------|
| 4.14 | Cords, Straps and Elastic | N/A |
| 4.15 | Stability and Over-Load Requirements | PASS |
| 4.16 | Confined Spaces | N/A |
| 4.17 | Wheels, Tires, and Axles | N/A |
| 4.18 | Holes, Clearance & Accessibility of Mechanisms | N/A |
| 4.19 | Simulated Protective Devices | N/A |
| 4.20 | Pacifiers | N/A |
| 4.21 | Projectile Toys | N/A |
| 4.22 | Teethers and Teething Toys | N/A |
| 4.23 | Rattles | N/A |
| 4.24 | Squeeze Toys | N/A |
| 4.25 | Battery-Operated Toys (Rechargeable battery/Non-rechargeable battery) | N/A |
| 4.26 | Toys Intended to be Attached to a Crib or Playpen | N/A |
| 4.27 | Stuffed and Beanbag-Type Toys | N/A |
| 4.28 | Stroller and Carriage Toys | N/A |
| 4.29 | Art Materials | N/A |
| 4.30 | Toy Gun Marking | N/A |
| 4.31 | Balloons | N/A |
| 4.32 | Certain Toys and Nearly Spherical Ends | N/A |
| 4.33 | Marbles | N/A |
| 4.34 | Balls | N/A |
| 4.35 | Pompoms | N/A |
| 4.36 | Hemispheric-Shaped Objects | N/A |
| 4.37 | Yo Yo Elastic Tether Toys | N/A |
| 4.38 | Magnets — — — — — — — — — — — — — — — — — — — | N/A |
| 4.39 | Jaw Entrapment in Handles and Steering Wheels | N/A |
| 4.40 | Expanding Materials | N/A |
| 4.41 | Toy Chest | N/A |
| 5 | Safety Labeling Requirements | |
| 5.2 | Age Grading Labeling | PASS |
| 5.3 | Safety Labeling Requirements | PASS |
| 5.4 | Aquatic Toys | N/A |
| 5.5 | Crib & Playpen Toys | N/A |
| 5.6 | Mobile | N/A |
| 5.7 | Stroller and Carriage Toys | N/A |
| 5.8 | Toys Intended to be Assembled by an Adult | PASS |
| 5.9 | Simulated Protective Devices | N/A |
| 5.10 | Toys with Functional Sharp Edges and Sharp Points | N/A |
| | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.org/ and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or remail: CN Doccheck@ess.com

Room 101-801, Plant 4 Room 101, Plant 2 Room 101, Plant 2 Room 101, Plant 3, Jianghao (Bantian) Industrial Plant Area, No.430, Jihua Rood, Bantian Street Longgang District Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn
中国广东、深圳市龙岗区坂田街道坂田社区吉华路 430 号江瀬(坂田)工业厂区厂房 4号 101-901、2 号 101、3 号 101、3 号 301-501 邮编: 518129 t(86-755) 25328888 sgs.china@sgs.com



Test Report No.: T52210330370TY Date: DEC 07, 2022 Page 6 of 15

| Clause 5.11 5.12 5.13 5.14 5.15 5.16 5.17 | Description Small Objects, Small Balls, Marbles, and Balloons Toy Caps Art Materials Electric Toys Battery-Operated Toys Promotional Materials Magnets | Result N/A N/A N/A N/A N/A PASS N/A |
|--|--|--|
| 6 | Instructional Literature | 14// (|
| 6.2 6.3 6.4 6.5 6.6 6.7 6.8 | Crib & Playpen Toys Mobiles Toys Intended to be Assembled by an Adult Battery-Operated Toys Battery Powered Ride-on Toy Toys in Contact with Food Toy Chests | N/A N/A PASS N/A N/A N/A |
| 7 7.1 7.2 7.3 8.5 8.7 8.8 8.9 8.10 8.12 8.16 | Producer's Markings Producer's Markings Battery-Powered Ride-on Toys Toy Chests Normal Use Testing Impact Test Torque Test Tension Test Compression Test Flexure Test Tension Test for Pompoms | PASS N/A N/A PASS PASS PASS PASS N/A N/A |

N/A = Not Applicable



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.org/ and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

443、or email: CN.Doccheck@sgs.com oom 1ft-90f, Pant 4 B Room 1ft, Pant 2 B Room 1ft, Pant 3 B Room 3ft-90f, Plant 3, Raom 3ft-90f, Plant 4, Raom 1ft, Plant 2 B Room 3ft-90f, Plant 3, Raom 3ft-90f, Plant 4, Raom 1ft, Plant 2 B Room 3ft-90f, Plant 3, Raom 3ft-90f, Plant 3, R

^{**} Visual Examination



Test Report No.: T52210330370TY Date: DEC 07, 2022 Page 7 of 15

Result Page:

Flammability Test (Clause 4.2)
Flammability Test on Solid

Sample Sample

SET OF THREE ITEMS ARCH RAMP AND

TRIANGLE SMALL NATURAL

Requirement:

A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

Burning Rate (inch/sec)

DNI

DNI = Did Not Ignite

ASTM F963-17, Clause 4.3.5.1 – Heavy Elements in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 / ASTM F963-17 Clause 8.3

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Total Lead Content

| Test Item(s) | | | Lead (Pb) |
|--|--------------|----------------|--------------------|
| MDL (ppm) | | | 10 |
| Total Limit (ppm) | | | 90 |
| Specimen Description | Alias No. | Tracing No. | Result(s) (ppm) |
| Transparent lacquer coating on wood (Body) | 2 | 1 | ND |

Soluble Heavy Metal Content

| Test Item(s) | | | | Pb | Sb | As | Ba | Cd | Cr | Hg | Se |
|-----------------------|-------|---------|---------------|------------------------------------|-----|------|----|----|----|-----|----|
| MDL (ppm) | | | 5 | 5 | 2.5 | 10 | 5 | 5 | 5 | 10 | |
| Migration Limit (ppm) | | | 90 | 60 | 25 | 1000 | 75 | 60 | 60 | 500 | |
| Specimen | Alias | Tracing | Mass of trace | Adjusted Migration Result(s) (ppm) | | | | | | | |
| No. | No. | No. | amount (mg) | Adjusted migration result(s) (ppm) | | | | | | | |
| 1 | 1 | 3 | / | ND | ND | ND | ND | ND | ND | ND | ND |

Specimen Description:

1. Transparent lacquer coating on wood (Body)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.zepx and, for electronic format documents subject to Terms and Conditions for Electronic Documents and http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content on appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

om 101-901. Plant 4 & Room 101. Plant 2 & Room 101. Plant 3 & Room 101-51t. Plant 3 & Room 101-51t.



Test Report No.: T52210330370TY Date: DEC 07, 2022 Page 8 of 15

Note: - ppm = parts per million

-1% = 10000 mg/kg = 10000 ppm = 10000 µg/g

- MDL = Method Detection Limit

- ND = Not Detected (lower than MDL)

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- [^] Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- * Exceeds Permissible Limit

ASTM F963-17, Clause 4.3.5.2 - Heavy Elements in Substrate Materials

Method: With reference to CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3 / ASTM F963-17 Clause 8.3 / CPSC-CH-E1004-11

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)/ Inductively Coupled Plasma Mass Spectrometer (ICP-MS)

Total Lead Content

| Test Item(s) | Lead (Pb) | | | | |
|---|--------------|----------------|--------------------|--|--|
| MDL (ppm) | 10 | | | | |
| Total Limit (ppm) | | | | | |
| Specimen Description | Alias No. | Tracing No. | Result(s) (ppm) | | |
| 1. Cream plywood (Body) + Dark cream plywood (Body) | 3 | 1 | ND | | |
| 2. Silvery metal bolt | 4 | 1 | ND | | |
| 3. Silvery metal big screw | 4 | 2 | ND | | |
| 4. Dull silvery metal screw | 4 | 3 | ND | | |
| 5. Bright silvery metal bolt | 4 | 4 | ND | | |
| 6. Silvery metal nut | 4 | 5 | 15 | | |
| 7. Coppery metal screw | 4 | 6 | ND | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed subject to Terms and Conditions for Electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions

444, of email: CN-LOccheck@sgs_com com 101-001, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No.430, Jhua Road, Bantian Chmuniny, Bantian Street, Longgang District, Shenzhen, Guangdong, China 510129 www.sgsgroup.com.cr 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江藤(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 鄭编: 518129 t (86-755) 25328888 sgs.china@sgs.com



Test Report No.: T52210330370TY Date: DEC 07, 2022 Page 9 of 15

Soluble Heavy Metal Content

| Test Item(s) | | | | Pb | Sb | As | Ba | Cd | Cr | Hg | Se |
|---|--------------|----------------|---------------------------|-------------------------------------|-----|------|-----|----|----|-----|-----|
| MDL (ppm) | | | 5 | 5 | 2.5 | 10 | 5 | 5 | 5 | 10 | |
| Migration Limit (ppm) Other Than Modeling Clays | | | 90 | 60 | 25 | 1000 | 75 | 60 | 60 | 500 | |
| Migration Limit (ppm) Modeling Clays | | | ling Clays | 90 | 60 | 25 | 250 | 50 | 25 | 25 | 500 |
| Specimen No. | Alias No. | Tracing No. | Mass of trace amount (mg) | Addition Midration Recitition (nnm) | | | | | | | |
| 1 | 1 | 1 | 1 | ND | ND | ND | ND | ND | ND | ND | ND |
| 2 | 1 | 2 | | ND | ND | ND | ND | ND | ND | ND | ND |

Specimen Description:

- 1. Cream plywood (Body)
- 2. Dark cream plywood (Body)

Note: - ppm = parts per million

- μg/component = microgramme per component
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- -1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- ^{\(\Delta\)} Test result is over recommended action limit (80% of the regulatory limit). As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- * Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.zepx and, for electronic format documents subject to Terms and Conditions for Electronic Documents and http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content on appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 101, Plant 4 & Room 101, Plant 4 & Room 101, Plant 3 & Room 101, Plant 3 & Room 101, Plant 3 & Room 101, Plant 4 & R



Test Report No.: T52210330370TY Date: DEC 07, 2022 Page 10 of 15

US CPSC

PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

AS SPECIFIED IN PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

| | No. of sample tested | Sharp point (16 CFR 1500.48) | Sharp edge (16 CFR 1500.49) | Small part (16 CFR 1501) |
|---------------------------------------|----------------------|------------------------------------|-----------------------------------|--------------------------------|
| As received | 2 | Pass | Pass | Pass |
| Impact test (16 CFR 1500.51b) | 1 | Pass | Pass | Pass |
| Bite test (16 CFR 1500.52c) | 1 | N/A | N/A | N/A |
| Flexure test (16 CFR 1500.53d) | 0 | N/A | N/A | N/A |
| Torque test (16 CFR 1500.53e) | 1 | Pass | Pass | Pass |
| Tension test (16 CFR 1500.52f) | 1 | Pass | Pass | Pass |
| Compression test (16 CFR 1500.53g) | 1 | Pass | Pass | Pass |
| N/A = Not Applicable | | | | |

US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

AS SPECIFIED IN US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

Sample

Burning Rate (inch/sec)

DNI

SET OF THREE ITEMS ARCH RAMP AND TRIANGLE SMALL NATURAL

Requirement:

A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

DNI = Did Not Ignite



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.zepx and, for electronic format documents subject to Terms and Conditions for Electronic Documents and http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content on appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

oom 101-001, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 101-501, Plant 3 & Room 101-501,



Test Report No.: T52210330370TY Date: DEC 07, 2022 Page 11 of 15

CPSC 16 CFR 1303 - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

| Test Item(s) | | | Lead (Pb) |
|--|--------------|----------------|--------------------|
| Permissible Limit (ppm) | | | 90 |
| Specimen Description | Alias No. | Tracing No. | Result(s) (ppm) |
| Transparent lacquer coating on wood (Body) | 8 | 1 | ND |

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- [^] Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- * Exceeds Permissible Limit

As specified in 15 U.S.C. § 2063(a)(5) and Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.

- Tracking label on the packaging: Present
- Tracking label on the product: Present

Note: The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.zepx and, for electronic format documents subject to Terms and Conditions for Electronic Documents and http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content on appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

1443, or email: CM.Doccheck@ss.com
Room (M-9M, Pant 4 & Room (M, Pant 2 & Room (M, Pant 3 & Room (M-9M, Pant 3, Jianghao (Bantan) Industrial Plant Area, No.430, Jihua Road, Bantian Campunin, Bantian Street, Longsang District, Sherahen, Guangdong, China 519129 www.sgsgroup.com.c
中国・广东・深圳市北岗区坂田街道坂田社区吉华路 430 号江瀬(坂田) 工业厂区厂房 4号 101-901、2号 101、3号 101、3号 301-501 邮编: 518129 t (86-755) 25328888 sgs.china@sgs.com



Test Report No.: T52210330370TY Date: DEC 07, 2022 Page 12 of 15

CPSIA - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

| Test Item(s) | | | Lead (Pb) |
|--|--------------|----------------|--------------------|
| Permissible Limit (ppm) | | | 90 |
| Specimen Description | Alias No. | Tracing No. | Result(s) (ppm) |
| Transparent lacquer coating on wood (Body) | 6 | 1 | ND |

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)

- MDL = Method Detection Limit = 10 ppm

-1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- ^A Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- * Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printeroverleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.aspx and, for electronic format documents
subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits on Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Total Response (1867-75) 830

1444.5, or email: CM.DOCCNECK@SSS.COM
Room (M1-0M, Plant 4 & Room (M1, Plant 2 & Room (M1, Plant 3 & Room (M1-0M, Plant 3 & Room (M1-0M), Plant 4 & Roo



Test Report No.: T52210330370TY Date: DEC 07, 2022 Page 13 of 15

CPSIA - Lead in Accessible Substrate Materials

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry)

| Test Item(s) | Lead (Pb) | | |
|--|--------------|----------------|--------------------|
| Permissible Limit (ppm) | 100 | | |
| Specimen Description | Alias No. | Tracing No. | Result(s) (ppm) |
| Cream plywood (Body) + Dark cream plywood (Body) | 5 | 11 | ND |
| 2. Silvery metal bolt | 7 | 1 | ND |
| 3. Silvery metal big screw | 7 | 2 | ND |
| Dull silvery metal screw | 7 | 3 | ND |
| 5. Bright silvery metal bolt | 7 | 4 | ND |
| 6. Silvery metal nut | 7 | 5 | 15 |
| 7. Coppery metal screw | 7 | 6 | ND |

Note:

- ppm = parts per million
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- ^A Test result is over recommended action limit (80% of the regulatory limit). As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- * Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.org/ and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content on appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing / inspection report & certificate, pelege content us at telephone:(8F-755) 830

444, of email: CN-LOccheck@sgs_com com 101-001, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No.430, Jhua Road, Bantian Chmuniny, Bantian Street, Longgang District, Shenzhen, Guangdong, China 510129 www.sgsgroup.com.cr 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江藤(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 鄭编: 518129 t (86-755) 25328888 sgs.china@sgs.com



Test Report No.: T52210330370TY Date: DEC 07, 2022 Page 14 of 15

US 16 CFR Part 1307 - Phthalates Content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

| Test Item(s) | CAS No. | Result (s) (%) | | (%) Permissible Limit (%) |
|--|--------------------------|----------------|----------|---------------------------|
| Alias No. | | 9 | MDL (0/) | |
| Tracing No. | | 1 | MDL (%) | |
| Specimen No. | | 1 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | 0.003 | 0.1 |
| Benzylbutyl Phthalate (BBP) | 85-68-7 | ND | 0.003 | 0.1 |
| Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP) | 117-81-7 | ND | 0.003 | 0.1 |
| Diisononyl Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | 0.010 | 0.1 |
| Di-n-Hexyl phthalate (DHP/DnHP/DHEXP) | 84-75-3 | ND | 0.003 | 0.1 |
| Diisobutyl ph <mark>thalate (</mark> DIBP) | 84-69-5 | ND | 0.003 | 0.1 |
| Di-n-pentlyl phthalate (DPP/DPEP/DPENP) | 131-18-0 | ND | 0.003 | 0.1 |
| Dicyclohexyl phthalate (DCHP) | 84-61-7 | ND | 0.003 | 0.1 |

Specimen Description:

1. Transparent lacquer coating on wood (Body)

Note: - % = percentage by weight

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit
- -1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- A Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- * Exceeds Permissible Limit

N.B.: - Only applicable clauses were shown.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.zepx and, for electronic format documents subject to Terms and Conditions for Electronic Documents and http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content on appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

oom 101-001, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 101-501, Plant 3 & Room 101-501,



Test Report No.: T52210330370TY Date: DEC 07, 2022 Page 15 of 15

Remark:

1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.

2. The statement of conformity has considered the decision rule based on the Guarded acceptance (8.3.2 of ISO/IEC GUIDE 98-4:2012). When the measured value falls within the guard band, only the test data and measurement uncertainty will be reported. The guard band is equal to the expanded measurement uncertainty with a 95% coverage probability(k=2), w = U₉₅. The Probability of False Accept and the Probability of False Reject of the decision rule are 2.5%.

For Upper Tolerance Limit (Tu):

Pass - when the measurement result is below Tu-U95

Fail - when the measurement result is above Tu+U95

Inconclusive - when the measurement result is falling in guard band [T_U-U₉₅, T_U+U₉₅]

For Lower Tolerance Limit (T_L):

Pass - when the measurement result is above T_L+U₉₅

Fail - when the measurement result is below T_L-U₉₅

Inconclusive - when the measurement result is falling in guard band [T_L-U₉₅, T_L+U₉₅]

Sample Picture (As received)





SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.org/ and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content on appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing / inspection report & certificate, pelege content us at telephone:(8F-755) 830