

BELVEDERE WAISTCOAT ALTERNATE POCKETS

Both Patch Pocket Styles:

5/8" (1.5 cm) seam allowance included.

1. With right sides together, pin the lining and pocket together at top opening. Stitch but leave a 2" (5 cm) opening in the center (back stitch either side of this opening) so you can flip the lined pocket right side out later on.

2. Fold the pocket with right sides together along the notched fold line so that the folded portion forms a self facing. Note that the lining is smaller than the patch pocket and that the self facing is used to make up for this difference in size. Lay the pocket flat so that the raw edges of the lining meet the raw edges of the pocket. Stitch around outside edge. Grade seam allowances and clip corners.

3. Flip pocket right side out through hole and press. Slip stitch the hole closed.





4. Place the patch pocket on the waistcoat front. Do not angle the pocket to match the welt pocket marking - patch pockets generally look best when placed parallel to center front. Pin.

Choose between three options to stitch the pocket down:


A. Edgestitch 1/8" (3 mm) along the sides and bottom of the pocket.

B. Edgestitch 1/8" (3 mm) along the sides and bottom of the pocket. Create a second row of stitching by topstitching 1/4" (6 mm) away from the first row. Bartack to as per the illustration if desired.


C. Slipstitch around the pocket by hand rather than edgestitching. This clean, invisible finish will suit finer fabrics such as wool suiting.



Square
Pocket



Rounded
Pocket



Belvedere Waistcoat
Rounded Pocket
Cut 2 Self


**THREE
INCH
TEST
SQUARE**



Belvedere Waistcoat
Rounded Pocket Lining
Cut 2 Lining



Belvedere Waistcoat
Square Pocket Lining
Cut 2 Lining



grainline

Belvedere Waistcoat
Square Pocket
Cut 2 Self