

Operating Instructions

2000W Infrared Heater with Wifi



Model: GPMH240

General Care and Safety Guide

YOUR SAFETY IS IMPORTANT TO US. PLEASE ENSURE YOU TAKE NOTE OF THE

CAUTION: In order to avoid a hazard due to inadvertent resetting of the thermal cut-out, this appliance must not be supplied through an external switching device, such as a timer, or connected to a circuit that is regularly switched on and off by the utility.

- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities or lack of experience and knowledge, unless they are supervised or have been given instruction concerning the use of the appliance by a person responsible for their safety.
- Children should be supervised to ensure that they do not play with the appliance.
- If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.

WARNING: You must not cover this appliance. Covering this appliance presents fire risk and will activate the safety fuse; permanently disabling the unit.

WARNING: Do not use this appliance in small rooms when they are occupied by persons not capable of leaving the room on their own, unless constant supervision is provided.

WARNING: To reduce the risk of fire, keep textiles, curtains, or any flammable material a minimum distance of 1 metre from the air outlet.

- Use only the voltage specified on the rating label of the appliance.
- Keep all objects at least 1 metre from the front, sides and rear of the appliance.
- The heater must not be located immediately below a socket outlet.
- This appliance is intended for household use only and not for commercial or industrial use.
- Indoor use only.
- Use this appliance only as described in this manual. Any other use is not recommended by the manufacturer and may cause fire, electric shock or injury.
- Do not use the appliance if it has been dropped or damaged.
- The common cause of overheating is deposits of dust or fluff in the appliance. Ensure these deposits are removed regularly by unplugging the appliance and vacuum cleaning the air vents and grills.

General Care and Safety Guide

- Never use the appliance to dry clothes.
- Always unplug appliance when not in use.
- When the appliance has been unpacked, check it for transport damage and ensure all parts have been delivered. If parts are missing or the appliance has been damaged, contact the Customer Services Team.
- Do not use if there are visible signs of damage to the appliance.
- Do not connect the appliance to mains supply until completely assembled and adjusted.
- Ensure hands are dry before handling the plug or main unit.
- Ensure appliance is on a flat, stable, heat-resistant surface.
- Do not operate with cord set coiled up as a heat build up is likely, which could be sufficient to become a hazard.
- Carry out regular checks of the supply cord to ensure no damage is evident
- Do not operate this appliance with a damaged cord, plug or after the appliance malfunctions or has been dropped or damaged in any manner. Take to a qualified electrical person for examination, electrical service or repair.
- Do not twist, kink or wrap the cord around the appliance, as this may cause the insulation to weaken and split. Always ensure that all cord has been removed from any cord storage area and is unrolled before use.
- It is recommended that this appliance is plugged directly into the wall socket. Power boards are not rated to supply power to high wattage appliances.
- A correctly specified, undamaged extension cord may be used with this appliance provided it is used in a safe manner.
- Do not remove plug from power socket until the appliance has been switched off.
- Do not remove plug from power socket by pulling cord; always grip plug.
- Do not place cord under carpet or cover with rugs or furniture. Arrange the cord so it cannot be tripped over.
- Don't place appliance on bedding or on thick & long carpet where the openings may get blocked.
- · Switch off and use handle provided when moving
- Do not place appliance close to radiant heat source.
- Do not insert or allow foreign objects to enter any ventilation or exhaust opening, as this may cause an electric shock, fire or damage to the appliance.
- Do not sit on the appliance.
- Do not use abrasive cleaning products on this appliance. Clean with a damp cloth (not wet) rinsed in hot soapy water only. Always remove plug from the mains supply before cleaning.
- Do not operate in areas where petrol, paint or other flammable liquids are used or stored.
- Do not use this appliance in the immediate surrounds of a bath, a shower, or a swimming pool or other liquids.

General Care and Safety Guide

- The appliance must not be immersed in any liquids.
- There are no user serviceable parts installed in the unit.
- Do not place the unit in wardrobes or other enclosed spaces as this may cause fire hazards.
- This unit is not supposed to be used in or around locations where foodstuffs, works of art or delicate articles of science, etc. are stored.
- If your appliance does not work, or is not working properly, contact the place of purchase or the Customer Services Team.

Goldair



Model No: GPMH240

Supply: 220-240VAC 50Hz

Wattage: 1800-2000W

CLASS I

Approval: TUV-027599-EA QC Passed: PO#-WWYY

MADE IN CHINA


CUSTOMER SUPPORT


NEW ZEALAND PH: 0800 232 633 AUSTRALIA PH: 1300 465 324

Assembly

WARNING: Heater must not be used without the feet, castors, wheels fitted.

This appliance has been supplied with '1 way screws' for permanent installation of the feet. This is a safety requirement for the New Zealand and Australian market.





ASSEMBLY INSTRUCTIONS

- Carefully turn the Main Body upside-down on a scratch-free and stable surface. Be careful to prevent damage to the cosmetic finish or your floor surfacing.
- 2. Align the 2 holes in the foot with the 2 holes in the base of the appliance.
- 3. Place screws in the centre of the holes and screw in with a screwdriver.
- 4. Repeat for other foot.
- 5. Turn the appliance the right way up.

Installation Instructions


The appliance must not be located immediately below a socket outlet.

NOTE: Your Panel Heater should be installed with at least 150mm clearance from the floor and any other surrounding parts including other appliances and side walls.

At least 300mm clearance from ceilings, shelves and soft furnishings.

Note: Do not run the power cord behind the heater.


WALL MOUNTED HEATERS ARE ONLY TO BE MOUNTED ON HEAT RESISTANT WALLS THAT COMPLY WITH CURRENT AS/NZS SPECIFICATIONS & BUILDING REGULATIONS




WALL MOUNTED

- 1. Make sure the appliance is unplugged and power switches are off.
- Position the panel appliance within one metre of a wall socket. Do not mount in front of or below the wall socket. Ensure there is at least 300mm clearance on all sides of the appliance.
- 3. Detach the mounting bracket from the back of the panel appliance by unscrewing the two locking screws (located on the top of the mounting bracket).
- 4. Position the mounting bracket on the wall and mark the hole positions with a pen or pencil and check they are horizontal with a spirit level. Ensure the two bottom mount holes are at least 150mm from the floor and drill holes as required.
- 5. Secure the mounting bracket to the wall with the mounting screws. (For masonry walls use the plastic sheaths).
- 6. Slot the back of the appliance onto the mounting bracket locating the bottom plugs first and secure with two locking screws.
- 7. Plug appliance into a standard 240 volt AC electrical outlet.







Always choose a safe location for the heater, keeping in mind the safety precautions outlined. Ensure all packaging has been removed from the unit before use. Please follow the below instructions.

WARNING: In order to avoid overheating or fire, do not cover the heater.

WARNING: Keep all objects at least 1 metre from the front, sides and rear of the appliance.

WARNING: Do not use this heater with a programmer, separate timer, remote-control system or any other device that switches the heater on automatically, since a fire risk exists if the heater is covered or positioned incorrectly.


WARNING: Never leave this heater unattended when in use.

Ensure heater is on a flat, stable, heat-resistant surface.

Once the heater is in a safe operating position and all switches are in the off position, insert the power plug into the mains outlet and switch on.

CAUTION: Ensure the power cord is not tight because if pulled it may partially pull the plug from the socket. A partially inserted plug will overheat the plug and socket and could result in fire.

Note: When the appliance is turned on for the first time, it may release a slight odour or smoke. This odour or smoke is a normal occurrence caused by the initial heating of the heating elements and should not occur again.



HEATER CONTROL SWITCH

Plug the appliance into AC 220-240V socket and a beep will sound. The Standby indicator light will illuminate.

Press (4) to turn on the heater, which will be factory default when first turned on. Factory default:

- Heating mode: comfort mode
- Target temperature setting: 22 °C
- Timer is off

To turn off the heater, press (4)

THERMOSTAT

Press to enter mode selection. By pressing heating mode runs in a continuous cycle as below:





◎ # P7



Comfort mode: Press (+) or (-) to set the temperature from 5-35°C.



ECO mode: Press (+) and (-) to set the temperature from 5-35°C.

When the heater is under Eco mode, the TRAIC will be activated. The logic is as below:

Target temperature = T

Room temperature = X

If X = T, the heater will stop working.

If X is 1 degree lower than the set temperature the heater switch to 30% heating output, the heating indicator will turn to yellow

If X is 2 degrees lower than the set temperature the heater switch to 60% heating output, the heating indicator will turn to orange

If X is 2 degrees lower than the set temperature $\overline{\text{the}}$ heater switch to 100% heating output, the heating indicator will turn to red

Anti-frost mode: The screen will display $\{\}\}$. The target temperature is 7°C.

The target temperature cannot be adjusted.

P7 program can only be activated by APP.

OFF TIMER

Press and hold for more than 3s, the timer indicator light will illuminate.

Press (+) and (-) to set timer from 00-24 hours.

Press % again or wait 3s to confirm setting.

Press (**b**) to turn off the timer off function.

OPEN WINDOW FUNCTION

Turn on/off this function on APP.

This function will activate when room temperature drops by 2 degree in 2 minutes.

The display will show $\mathbf{F} \ \mathbf{I}$ and the heater will stop working.

To turn off this function, press (8) to exit this mode, the heater will be return to the previous working mode.

WiFi - Downloading and Setting up APP

This APP is supported only on 2.4GHz Wi-Fi channels. Please ensure your phone is 2.4GHz capable

Note this device will only work within your home WIFI system. This does not operate on 3G or 4G internet connections. You will need a connection to your home Wi-Fi.

Download Goldair mobile APP

- Open the APP Store or Google Play on your mobile phone.
- Open 'Search' and enter 'Goldair'
- Click 'GET' and begin to download and install.

Once downloaded to your phone open the APP

- Tap REGISTER near the bottom of the screen.
- Read and agree to the Privacy Policy.
- · Add vour email address.
- Tap 'Obtain verification code'

You will then receive an email with a verification code.

- Enter the verification code from your email.
- Create a password.
- Then tap confirm.

If you haven't received a verification code via email, tap the resend button and when the verification code is received follow above steps.

Your APP is now registered and ready for pairing to your device.







Pairing APP to Device

Details for pairing this heater to the Goldair App can be found at the below website link.

Either scan the QR code below or enter the website into your browser.

New Zealand Products



https://www.goldair.co.nz/ goldair-app

Australia Products



https://www.goldair.com.au/ goldair-app

Pairing Mode

To connect to the Goldair app you must ensure that your device is in pairing mode which is where the Wifi Icon is flashing.

If you want to enable WIFI mode

- Press the On/Off button to turn the heater on.
- Then Press and Hold the WiFi symbol on the control panel for 3 seconds or until the Wifi icon begins to flash.

If you need to reset the WIFI

 Press and Hold the WiFi symbol on the control panel for 3 seconds or until the Wifi icon begins to flash.



Pairing APP to Device

Quick Connection

- Turn your phone's Bluetooth ON
- Ensure your device is in Pairing Mode (see instructions above)
- Tap the + on the top right corner to navigate to the main device screen. Tap 'Auto Scan' – your device will appear. Tap the device and follow the instructions.
- If Quick Connection does not work, follow the manual via the QR Code above

SAFETY DEVICES

This appliance has three protection devices:

- <u>Tilt Switch</u> this will automatically turn the appliance off if the appliance is not in the correct operating position.
- Resettable Thermal Link this will automatically disconnect the power to the
 appliance at a pre-set overheat temperature. After cooling down it will reset and
 power on again. If this occurs, investigate what is causing the appliance to
 overheat
- <u>Thermal Fuse</u> this disconnects the appliance permanently in case of overheating. (It is non resettable).

CAUTION: The appliance generates heat during use. Precautions must be taken to prevent the risk of burns, scalds, fires or other damage to persons.

CARE AND CLEANING

The heater requires regular cleaning to ensure trouble free operation:

- Unplug the heater from the mains supply before cleaning.
- Ensure that the heater has been allowed to cool down completely before cleaning.
- The common cause of overheating is deposits of dust or fluff in the appliance.
 Ensure these deposits are removed regularly by unplugging the appliance and vacuum cleaning the air vents and grills.
- Use a damp cloth (not wet) to wipe the exterior of the heater to remove dust and dirt.
- Never use solutions such as petrol, thinners or polishing agents.
- Ensure the heater is dry before plugging back into the mains supply.
- Do not attempt to dismantle the appliance.
- There are no user serviceable parts. For service or repair, contact an authorised electrical service technician.

PROOF OF PURCHASE

To receive warranty retain receipt as proof of purchase.



Goldair – New Zealand Monday – Friday 8am-5pm Phone +64 (0)9 917 4000 Phone 0800 232 633 info@cdb.co.nz Goldair – Australia Monday – Friday 8am-5pm Phone +61 (0)3 9365 5100 Phone 1300 465 324 info@cdbgoldair.com.au



Three Year Warranty

Thank you for purchasing this Goldair product. Your product is warranted against faults and manufacture when used in normal domestic use for a period of **three years**. In non-domestic use Goldair limits the voluntary warranty to **three months**.

Goldair undertake to repair or replace this product at no charge if found to be defective due to a manufacturing fault during the warranty period.

This warranty excludes damage caused by misuse, neglect, shipping accident, incorrect installation, or work carried out by anyone other than a qualified electrical service technician.

PLEASE KEEP YOUR RECEIPT AS THIS WILL HELP VERIEV YOUR WARRANTY

The benefits given to you by this warranty are in addition to other rights and remedies available to you under law in relation to the goods or services to which this warranty relates.

In Australia, our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

In New Zealand this warranty is additional to the conditions and guarantees of the Consumers Guarantee Act (1993).

Goldair - New Zealand

CDB Goldair PO Box 100-707 N.S.M.C Auckland

Phone +64 (0)9 917 4000 Phone 0800 232 633 www.goldair.co.nz **Goldair – Australia** CDB Goldair Australia Pty PO Box 574 South Morang Victoria. 3752

Phone +61 (0)3 9365 5100 Phone 1300 GOLDAIR (1300 465 324) www.goldair.com.au

Goldair Three Year Warranty (IMPORTANT: Please complete and retain this warranty card)

Name

Address

Place Of Purchase

Date Of Purchase

Name Of Product

Model Number

Attach a copy of the purchase receipt to this warranty card

Goldair PLATINUM





New Zealand PO Box 100707, North Shore Mail Centre, Auckland, 0745 www.goldair.co.nz

Australia PO Box 574, South Morang, Victoria, 3752 www.goldair.com.au