



TOSCOT

MADE BY PEOPLE



Indice Index











Hospitalité

Hospitality
Ospitalità
Gastfreundschaft
Hospitalidad

-  Novecento /8
-  Chapeau! /18
-  Fishats /28
-  Swing /32
-  Swing rame /37
-  Pendulum /40
-  Match /44
-  Battersea /48
-  Henry /58







Los esmaltes

Gli smalti
Les glaçures
Die Emails
The glazes

-  Rossi /64
-  Aura /70
-  Bistrò /74
-  Torino /76
-  Asiago /82
-  Traffic /86
-  Clover /90
-  Apuane /94
-  Settimello /100
-  Vinci /104

Materiales

Matter
Matériels
Materie
Materialien

-  Notorius /108
-  Newton /112
-  Carso /116
-  Montecristo /120
-  Vivaldi /124
-  Carrara /128






the Outdoor

Fuera de la
l'Esterno
En dehors de la
Außerhalb der

- | | |
|------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
|  Bistro /132 |  Castelverde /160 |
|  Battersea /134 |  Lido /162 |
|  Swinger /136 |  Edge /164 |
|  Novecento /138 |  Hans /166 |
|  Lanterna /138 |  Marion /168 |
|  Spoleto /142 |  Novecento /8 |
|  Chapeau! /144 |  Swing /32 |
|  Smith /148 |  Swing rame /37 |
|  Square/Oval /154 | |
|  U-Boat /156 | |
|  Atlante /158 | |

Accessori


Complements
Zubehör
Accessoires
Accesorios

- | | |
|------------------------------------------------------------------------------------------------------|----------------------|
|  Sherwood /172 | Tabelle colori /178 |
|  Tirrenia /174 | Indice articoli /182 |
|  Gesti /174 | |
|  Candelsea /174 | |
|  Jules /176 | |

Made by people

Fatto da persone
Fabriqué par des gens
Hecho por personas
Von Menschen gemacht





HOSPITALITÉ

Hospitalité
Hospitality
Ospitalità
Gastfreundschaft
Hospitalidad

Sistemi decorativi per i
vostri progetti.

—
Decorative systems to
light up your projects.

Novecento
Chapeau!
Fishats
Swing
Swing Rame
Pendulum
Match
Battersea
Henry





IP GRADE
20
44 (with outdoor
neoprene cable)

MATERIALS
Tuscan maiolica, blown glass,
metal-alluminium components.
Maiolica toscana, vetro soffiato,
componenti in metallo e alluminio.

COLOURS IN PHOTO
nero matt 58
wine matt 76

COLOUR CHART
(3)

ELECTRIC CABLE
red
brown
grey
b&w
black
blue

ELECTRIC CABLE
OUTDOOR/ESTERNO
neoprene

METAL
nichel satinato NCS

GLASS
trasparent




NOVECENTO

Sistema / System

ARTICLE	900	901	902
DIMENSIONS	glass Ø 100 h 320 1500 cable	plate Ø 230 h 320 1500 cable	cage Ø 165 h 320 1500 cable
POWER	1 x E27 max 15W (Ø max 60mm)	1 x E27 max 15W (Ø max 60mm)	1 x E27 max 15W (Ø max 60mm)
ARTICLE	903	904	906
DIMENSIONS	Ø 120	Ø 75 inc. 6000 steel cable	Ø 75 inc. 1500 steel cable
			907
			Ø 75 h 250 inc. 6000 steel cable

ESEMPIO
EXAMPLE



COMPONENTI
COMPONENTS

- 1 x 903
- 1 x 906 (opzionale / optional)
- 1 x 904
- 4 x 900



NOVECENTO

Sistema / System



ARTICLE	900	901	902
DIMENSIONS	glass Ø 100 h 320 1500 cable	plate Ø 230 h 320 1500 cable	cage Ø 165 h 320 1500 cable
POWER	1 x E27 max 15W (Ø max 60mm)	1 x E27 max 15W (Ø max 60mm)	1 x E27 max 15W (Ø max 60mm)









ARTICLE	903	919
DIMENSIONS	Ø 120	length 1000 tot.h.max 1500

IP GRADE
20
44 (with outdoor
neoprene cable)

MATERIALS
Tuscan maiolica, blown glass,
metal-aluminium components.
Maiolica toscana, vetro soffiato,
componenti in metallo e alluminio.

COLOURS IN PHOTO
sugar matt 77

COLOUR CHART
(3)


ELECTRIC CABLE
 red
 brown
 grey
 b&w
 black
 blue

ELECTRIC CABLE
OUTDOOR/ESTERNO
 neoprene


METAL
 nichel satinato NCS

GLASS
 trasparente


ESEMPIO
EXAMPLE




COMPONENTI
COMPONENTS



ESEMPIO
EXAMPLE



COMPONENTI
COMPONENTS





NOVECENTO

Sistema / System

IP GRADE
20
44 (with outdoor
neoprene cable)

MATERIALS
Tuscan maiolica, blown glass,
metal-aluminium components.
Maiolica toscana, vetro soffiato,
componenti in metallo e alluminio.

COLOURS IN PHOTO
smalto carminio 50

COLOUR CHART
(3)

ELECTRIC CABLE
red
brown
grey
b&w
black
blue


ELECTRIC CABLE
OUTDOOR/ESTERNO
neoprene

METAL
nichel satinato NCS


GLASS
trasparent

ARTICLE	900CH	901CH	902CH	903
DIMENSIONS	glass Ø 100 tot.h.max 1500 1000 cable	plate Ø 230 tot.h.max 1500 1000 cable	cage Ø 165 tot.h.max 1500 1000 cable	Ø 120
POWER	1 x E27 max 15W (Ø max 60mm)	1 x E27 max 15W (Ø max 60mm)	1 x E27 max 15W (Ø max 60mm)	

ESEMPIO
EXAMPLE



COMPONENTI
COMPONENTS





NOVECENTO

Sistema / System



IP GRADE
20
44 (with outdoor neoprene cable)

MATERIALS
Tuscan maiolica, blown glass, metal-alluminium components.
Maiolica toscana, vetro soffiato, componenti in metallo e alluminio.

COLOURS IN PHOTO
nero matt 58
wine matt 76
sugar paper 77
smalto tortora 51
licheni 52
smalto bianco 8

COLOUR CHART (3)

ELECTRIC CABLE
red
brown
grey
b&w
black
blue


ELECTRIC CABLE OUTDOOR/ESTERNO
neoprene

METAL
nichel satinato NCS

GLASS
trasparent


ARTICLE	900P	912	913	914	960
DIMENSIONS	base Ø 120 glass Ø 100 h 275	base Ø 120 glass Ø 100 h 320 depth 240	base Ø 120 plate Ø 230 h 320 depth 310	base Ø 120 cage Ø 165 h 320 depth 270	Ø 55x30 h. 25
POWER	1 x E27 max 15W (Ø max 60mm)	1 x E27 max 15W (Ø max 60mm)	1 x E27 max 15W (Ø max 60mm)	1 x E27 max 15W (Ø max 60mm)	

ESEMPIO
EXAMPLE



COMPONENTI
COMPONENTS

- 3 x 900P
- 2 x 960
















ARTICLE	900S	901S	902S
DIMENSIONS	base Ø 120 glass Ø 100 h 320 tot.h.max 1500	base Ø 120 plate Ø 230 h 320 tot.h.max 1500	base Ø 120 cage Ø 165 h 320 tot.h.max 1500
POWER	1 x E27 max 15W (Ø max 60mm)	1 x E27 max 15W (Ø max 60mm)	1 x E27 max 15W (Ø max 60mm)



CHAPEAU!




Interno / Indoor




ARTICLE	1050	1050 GU	1026.1 copri scatola di derivazione /junction box cover	1025	FLEXTUBE
DIMENSIONS	base Ø 130 glass Ø 130 depth 150	Ø 130 h. 120		Ø 20 h 23	
POWER	1 x E27 max 15W (max Ø 60 x h 115)	1 x GU10 max 15W	base Ø 130 h 55		
FORI DI USCITA EXIT HOLES	 1050.1  1050.2  1050.2L  1050.3	 1050 GU.1  1050 GU.2  1050 GU.2L  1050 GU.3	 1026.2  1026.2L  1026.3  1026.4		

IP GRADE
20


MATERIALS
Copper, aluminium, steel, blown glass.
Rame, alluminio e acciaio, vetro soffiato.

GLASS
 trasparente
 acqua
 whisky
 indaco






FLEXTUBE
 natural copper / rame naturale RMN*
 patined copper / rame invecchiato RMP
 steel / acciaio ACC

METAL (base)
 natural copper / rame naturale RMN
 patined copper / rame invecchiato RMP
 anodized aluminium / alluminio anodizzato ALL

ESEMPIO
EXAMPLE



COMPONENTI
COMPONENTS

-  1025 x 4
-  1050.1 x 2
-  1050.2 x 2
-  flex tube x 4 m
-  C.AWG.mt x 5,5 m



CHAPEAU!

Interno / Indoor



IP GRADE
20

MATERIALS
Copper, aluminium, steel, blown glass.
Rame, alluminio e acciaio, vetro soffiato.

GLASS
trasparente
acqua
whisky
indaco

FLEXTUBE
natural copper / rame naturale RMN*
patined copper / rame invecchiato RMP
steel / acciaio ACC

METAL (base)
natural copper / rame naturale RMN
patined copper / rame invecchiato RMP
anodized aluminium / alluminio anodizzato ALL



ARTICLE 1051

1051 GU

DIMENSIONS
base Ø 130
glass Ø 130
h 150
h tot 1100

base Ø 130
h 120
h tot 1100

POWER 1 x E27 max 15w
(max Ø 60 h.115)

1 x GU10 max 15w



CHAPEAU!




Interno / Indoor







IP GRADE
20
44 (wall lights)

MATERIALS
Copper, aluminium, steel, blown glass.
Rame, alluminio e acciaio, vetro soffiato.

GLASS
 trasparente
 acqua
 whisky
 indaco

FLEXTUBE
 natural copper / rame naturale RMN*
 patined copper / rame invecchiato RMP
 steel / acciaio ACC

METAL (base)
 natural copper / rame naturale RMN
 patined copper / rame invecchiato RMP
 anodized aluminium / alluminio anodizzato ALL



ARTICLE 1055BL
DIMENSIONS base Ø 130
glass Ø 130
cable 1500
POWER 1 xE27 max 15w
(max Ø 60 h 115)



1058 c/vetro
DIMENSIONS base 60 x 30
h 150
depth 165
glass Ø 130



1059
DIMENSIONS base 60 x 30
h 120
depth 165
POWER 1 x GU10 max 15w

CHAPEAU!














Interno / Indoor









CHAPEAU!




Interno / Indoor




ARTICLE	1052 GU	1052	1026.1 copri scatola di derivazione /junction box cover	1025	FLEXTUBE
DIMENSIONS	base Ø 130 h 120	base Ø 130 depth 70	base Ø 130 h 55	Ø 20 h 23	
POWER	1 x GU10 max 15w	1 x E27 max 25w			
FORI DI USCITA EXIT HOLES	<ul style="list-style-type: none">  1052 GU.1  1052 GU.2  1052 GU.2L  1052 GU.3 	<ul style="list-style-type: none">  1052.1  1052.2  1052.2L  1052.3 	<ul style="list-style-type: none">  1026.2  1026.2L  1026.3  1026.4 		

IP GRADE
20


MATERIALS
Copper, aluminium, steel, blown glass.
Rame, alluminio e acciaio, vetro soffiato.

COLOURS IN PHOTO
 smalto bianco 8
 wine matt 76
 sugar paper 77
 cactus 81








FLEXTUBE
 natural copper / rame naturale RMN*
 patined copper / rame invecchiato RMP
 steel / acciaio ACC

METAL (base)
 natural copper / rame naturale RMN
 patined copper / rame invecchiato RMP
 anodized aluminium / alluminio anodizzato ALL

ESEMPIO
EXAMPLE



COMPONENTI
COMPONENTS

-  1025 x 11
-  1052.1 x 3
-  1052.2 x 1
-  1052.2L x 1
-  1052.3 x 1
-  flex tube x 9,5 m
-  C.AWG.mt x 11,5 m



FISHATS



IP GRADE
20


MATERIALS
structure in varnished aluminium and brass
shade in waterproof polyester
struttura in alluminio e ottone verniciato
paralume in poliestere impermeabile

SHADE

 Rubino
 Dune
 Costa
 Siena

METAL

 corten CT



ARTICLE

FH11

FH05

DIMENSIONS

base Ø 130
Ø 200
tot. h max 1500

base Ø 130
Ø 200
h 340

POWER

1 x E27 max 12w LED

1 x E27 max 12w LED



FISHHATS

IP GRADE
20


MATERIALS
structure in varnished aluminium and brass
shade in waterproof polyester
struttura in alluminio e ottone verniciato
paralume in poliestere impermeabile

SHADE

 Rubino
 Dune
 Costa
 Siena

METAL

 corten CT






ARTICLE FH13
 DIMENSIONS Ø 200
 h 220
 cable 3000

POWER 1 x E27 max 12w LED

FORI DI USCITA
EXIT HOLES



ARTICLE FH14
 DIMENSIONS base Ø 130
 depth 60


 FH14.3

 FH14.6

 FH14.9



SWING

IP GRADE
55

MATERIALS
Tuscan maiolica, blown glass,
metal-aluminium components.
Maiolica toscana, vetro
soffiato, componenti in metallo e
alluminio.


COLOURS IN PHOTO
cactus 81
stone matt 82
orange matt 80

COLOUR CHART
(3)

ELECTRIC CABLE
OUTDOOR/ESTERNO
neoprene

METAL
Alluminio anodizzato ALL
/ Anodised aluminum

GLASS
bianco
trasparente
whisky
acqua



ARTICLE	1010S	1012
DIMENSIONS	base Ø 130 glass Ø 130 h 250 tot.h.max 1500	base Ø 130 glass Ø 130 h 280/depth 220
POWER	1 x E27 max 15w (max Ø 60 h. 105 mm)	1 X E27 max 15 w (max Ø 60 h. 105 mm)



SWING

IP GRADE
55

MATERIALS
Tuscan maiolica, blown glass,
metal-aluminium components.
Maiolica toscana, vetro
soffiato, componenti in metallo e
alluminio.


COLOURS IN PHOTO
cactus 81

COLOUR CHART
(3)

ELECTRIC CABLE
OUTDOOR/ESTERNO
neoprene

METAL
Alluminio anodizzato ALL
/ Anodised aluminum


GLASS
bianco
trasparente
whisky
acqua



ARTICLE 1010
DIMENSIONS glass Ø 130
h 220
1500 cable
POWER 1 x E27 max 15W
(max Ø 60 h. 105 mm)



ARTICLE 1011
DIMENSIONS Ø 130




ARTICLE 904
DIMENSIONS Ø 75
inc. 6000 steel cable



ARTICLE 906
DIMENSIONS Ø 75
inc. 1500 steel cable

ESEMPIO
EXAMPLE



COMPONENTI
COMPONENTS

- 1 x 1011
- 1 x 906 (opzionale / optional)
- 1 x 904
- 3 x 1010




SWING

Rame / Copper




SWING

Rame / Copper



ARTICLE	1015S	1015	1016
DIMENSIONS	base Ø 130 Ø 130 h 230 1500 cable tot.h.max 1500	Ø 130 h 230 1500 cable tot.h.max 1500	base Ø 130 glass Ø 130 h 270/depth 210
POWER	1 x E27 max 15W (max Ø. 60 h. 115 mm)	1 x E27 max 15W (max Ø. 60 h. 115 mm)	1 x E27 max 15W (max Ø. 60 h. 115 mm)



ARTICLE	1017	1018	1019
DIMENSIONS	Ø 100 h 85	Ø 100 inc. 6000 steel cable	Ø 18 inc. 1500 steel cable

IP GRADE
55

MATERIALS
Copper, steel, blown glass
Rame, acciaio, vetro soffiato

ELECTRIC CABLE
OUTDOOR/ESTERNO
neoprene


METAL

 natural copper / rame naturale RMN*
 Patined copper/ rame invecchiato RMP
 Anodized aluminium/ alluminio anodizzato ALL

* : this colour will age outdoor
all'esterno questo colore scurirà.

GLASS

 bianco
 trasparente
 whisky
 acqua





PENDULUM

COLOUR CHART (3 e 5)


IP GRADE
20

MATERIALS
Glazed slip cast ceramic,
varnished metal
Ceramica bianca smaltato,
metallo verniciato


COLOURS IN PHOTO
100 Smalto Bronzo
101 Beton matt
102 Vulcan matt

ELECTRIC CABLE
black

METAL
black/nero NB



ARTICLE	1250	1250BIN
DIMENSIONS	base Ø 95 Ø 175 h 150 tot.h.max 1500	Ø 175 h 150 tot.h.max 1500 for track fixture/ per montaggio binario
POWER	1 x GU10 max 10w	1 x GU10 max 10w



ARTICLE	BIN 150 S	BIN 150
DIMENSIONS	base Ø 60 h. 80 - 1000 length 1500	Ø 30 h 38 length 1500






PENDULUM


COLOUR CHART
(3 e 5)

IP GRADE
20

MATERIALS
Glazed slip cast ceramic,
varnished metal
Ceramica bianca smaltata ,
metallo verniciato

COLOURS IN PHOTO
 100 Smalto Bronzo
 101 Beton matt

METAL
 black/nero NB



ARTICLE


1251

DIMENSIONS

base Ø 95
Ø 175
h/depth 150

POWER

1 x GU10 max 10w or
1 x E27 max 15w



MATCH

IP GRADE
20

MATERIALS
Slip cast ceramics, brass and copper
Ceramica bianca, ottone e rame

COLOURS IN PHOTO


- brick matt 94
- moka matt 70
- wine matt 76
- grafite matt 96
- cactus matt 81

ELECTRIC CABLE
black

COLOUR CHART
(3)

METAL

- Brushed copper/ rame spazzolato RMS
- Brushed nickel/ nichel spazzolato NCS
- Brushed brass/ ottone spazzolato BS
- Flamed copper/ rame fiamma RMF



ARTICLE	1215	1215H	1215 BIN
DIMENSIONS	base Ø 85 Ø 60 h 165 tot. h max 1500	base Ø 85 Ø 60 h 265 tot. h max 1500	Ø 60 h 165 tot. h max 1500 for track fixture/ montaggio binario (see Pendulum series)
POWER	1 x GU10 max 10w	1 x GU10 max 10w	1 x GU10 max 10w

ARTICLE	1212	1212H	1213
DIMENSIONS	Ø 60 h 165	Ø 60 h 260	base 180 x 60 h 165
POWER	1 x GU10 max 10w	1 x GU10 max 10w	2 x GU10 max 10w



MATCH

IP GRADE
20


MATERIALS
Slip cast ceramics, brass and copper
Ceramica bianca, ottone e rame

- COLOURS IN PHOTO
- Wine matt 76
 - Oliva matt 95
 - Grau matt 71
 - salvia matt 97
 - flesh matt 92

ELECTRIC CABLE
black

COLOUR CHART
(3)

- METAL
- Brushed copper/ rame spazzolato RMS
 - Brushed nickel/ nichel spazzolato NCS
 - Brushed brass/ ottone spazzolato BS
 - Flamed copper/ rame fiamma RMF



ARTICLE	1210	1211	1214	1210H	1211H
DIMENSIONS	base 75 x 50 h 170 depth 105	base 75 x 50 h 265 depth 105	Ø 60 h 205	base 75 x 50 h 260 depth 105	base 75 x 50 h 455 depth 105
POWER	1 x GU10 max 10w	2 x GU10 max 10w	1 x GU10 max 10w	1 x GU10 max 10w	2 x GU10 max 10w



BATTERSEA









BATTERSEA

COLOUR CHART
(3)


IP GRADE
20

MATERIALS
Slip cast ceramics, metal-
aluminium components
Ceramica bianca, componenti in
metallo e alluminio

COLOURS IN PHOTO
 smalto bianco 8
 nero matt 58
 smalto melon 90

ELECTRIC CABLE
 black
 brown
 ivory
 gold

METAL (base)
 nichel satinato NCS



ARTICLE	951S	952S	954/22S
DIMENSIONS	base Ø 115 Ø 75 h 155 tot.h.max 1500	base Ø 115 Ø 160 h 160 tot.h.max 1500	base Ø 115 Ø 110 h 220 tot.h.max 1500
POWER	1 x E27 max 25W 1 x GU10 max 10W	1 x E27 max 25W 1 x GU10 max 10W	1 x E27 max 25W 1 x GU10 max 10W



BATTERSEA

COLOUR CHART
(3)


IP GRADE
20

MATERIALS
Slip cast ceramics, metal-
aluminium components
Ceramica bianca, componenti in
metallo e alluminio

COLOURS IN PHOTO
smalto bianco 8
nero matt 58

ELECTRIC CABLE
black
brown
ivory
gold

METAL (base)
nichel satinato NCS



ARTICLE	953BS	955BS	955G
DIMENSIONS	base Ø 115 Ø 270 h 180 tot.h.max 1500	base Ø 115 Ø 210 h 275 tot.h.max 1500	base Ø 115 Ø 410 h 430 tot.h.max 1500
POWER	1 x E27 max 25W 1 x GU10 max 10W	1 x E27 max 25W	1 x E27 max 25W



BATTERSEA

ARTICLE	951ST	952ST	954ST	975ST
DIMENSIONS	Ø 75 h 165 tot.h.max 1500	Ø 160 h 170 tot.h.max 1500	Ø 110 h 230 tot.h.max 1500	Ø 80 h 55
POWER	1 x E27 max 25W 1 x GU10 max 10W	1 x E27 max 25W 1 x GU10 max 10W	1 x E27 max 25W 1 x GU10 max 10W	

ARTICLE	951	952	954/22
DIMENSIONS	Ø 75 h 155 3000 cable	Ø 160 h 160 3000 cable	Ø 110 h 220 3000 cable
POWER	1 x E27 max 25W 1 x GU10 max 10W	1 x E27 max 25W 1 x GU10 max 10W	1 x E27 max 25W 1 x GU10 max 10W

ARTICLE	957	958	970	960	959
DIMENSIONS	Ø 115 h. 55	Ø 150 h. 60	Ø 200 h. 55	Ø 55x30 h. 25	Ø 80x35 h. 70

COLOUR CHART
(3)



IP GRADE
20

MATERIALS
Slip cast ceramics, metal-aluminium components
Ceramica bianca, componenti in metallo e alluminio

COLOURS IN PHOTO
smalto bianco 8
nero matt 58

ELECTRIC CABLE
black
brown
ivory
gold

METAL (base)
nichel satinato NCS





BATTERSEA



COLOUR CHART (3)

IP GRADE
20

MATERIALS
Slip cast ceramics, metal-
aluminium components
Ceramica bianca, componenti in
metallo e alluminio

COLOURS IN PHOTO

- Nero matt 58
- Winematt 76
- Senape matt 91
- Khaki matt 93
- Cactus matt 81



ARTICLE
971

DIMENSIONS
base Ø 115
h 250
Ø 75


POWER
1 x GU10 max 10w



ARTICLE
956P

DIMENSIONS
base Ø 115
Ø 130
h 180


POWER
1 x GU10 max 10w



ARTICLE
971BIN

DIMENSIONS
Ø 75
h 200
track fitting/montaggio binario
(see Pendulum series)


POWER
1 x GU10 max 10w



ARTICLE
952P

DIMENSIONS
base Ø 115
Ø 160
h 150

POWER
1 x GU10 max 10w



ARTICLE
973

DIMENSIONS
base Ø 115
Ø 225
h 25

POWER
1 x E27 max 25w



ARTICLE
951P

DIMENSIONS
base Ø 115
Ø 75
h 155

POWER
1 x GU10 max 10w



THERE'S A HOLE IN
MY BUCKET,
DEAR LIZA,
DEAR LIZA,
THERE'S A HOLE IN
MY BUCKET,
DEAR LIZA, A HOLE.





THEN FIX IT, DEAR
HENRY,
DEAR HENRY, DEAR






HENRY





IP GRADE
20


MATERIALS
Slip cast ceramics, metal-
aluminium components
Ceramica bianca, componenti in
metallo e alluminio

COLOURS IN PHOTO
 smalto bianco 8
 moka matt 70
 grau matt 71
 nero matt 58


COLOUR CHART
(3)

ELECTRIC CABLE
 black
 brown
 grey

METAL
 Brushed copper/ rame spazzolato RMS
 Brushed nickel/ nichel spazzolato NCS
 Brushed brass/ ottone spazzolato BS
 patined copper/ rame patinato RMP



ARTICLE	990	991	990 ROS
DIMENSIONS	base Ø 120 Ø 200 tot.h.max 1500	Ø 200 tot.h.max 1500	Ø 120
POWER	1 x E27 max 25w	1 x E27 max 25w	





LOS ESMALTES

Los esmaltes
Gli smalti
Les glaçures
Die Emails
The glazes

Tutto cambia quando i
colori sono diversi.

—
Everything changes when
it changes colour.

Rossi
Aura
Bistrò
Torino
Asiago
Traffic
Clover
Apuane
Settimello
Vinci





ROSSI

IP GRADE
20


MATERIALS
Tuscan maiolica, brass components.
Maiolica toscana, componenti in ottone.

COLOURS IN PHOTO
blu navy 55
melon 90


COLOUR CHART
(3)

ELECTRIC CABLE
grey

METAL
Zinc/Zincato ZIN



ARTICLE	1091/30	1091/42	1091/20
DIMENSIONS	base Ø 130 plate Ø 300 tot. h. max 1500	base Ø 130 plate Ø 420 tot. h. max 1500	base Ø 130 plate Ø 200 tot. h. max 1500
POWER	1X E27max 25w	1X E27max 25w	1X E27max 25w



ARTICLE	1092/30	1093/30	1093/42
DIMENSIONS	base Ø 130 plate Ø 300 h. 300 depth 365	base Ø 130 plate Ø 200 h. 380 tot. h. max 1500	base Ø 130 plate Ø 420 h. 350
POWER	1X E27max 25w	1X E27max 25w	1X E27max 25w



ROSSI

COLOURS IN PHOTO

- nero lucido/smalto rosa 87/89
- smalto rosa / smalto carminio 89/50
- verde inglese/smalto tortora 54/51
- melon/smalto bianco 90/8
- smalto carminio / smalto bianco 50/8





ROSSI

IP GRADE
20

MATERIALS
Tuscan maiolica, brass
components.
Maiolica toscana,
componenti in ottone.

COLOURS IN PHOTO
Pietra/ smalto Bronzo 41/100
Galestro nero/ Smalto Bronzo 45/100
Ref. Bianco/ Smalto Bronzo RB/100

COLOUR CHART
(3 e 5)

ELECTRIC CABLE
grey

METAL
Zinc/Zincato ZIN

POWER

Available as in foto
GU10 fixture/ Disponi-
bile come da immagine
montaggio GU10



AURA

IP GRADE
20

MATERIALS
Glazed tuscan maiolica ,
varnished metal structure.
Maiolica smaltato, struttura
in metallo verniciato


COLOURS IN PHOTO
(from left to right)

- nero matt/grafite matt/stone matt 58/96/82
- moka matt/ grau matt/ flesh matt 70/71/92
- sugar matt/aqua matt/bianco matt 77/88/57
- salvia matt/ khaki matt / bianco matt 97/93/57
- (from left to right)
- grau matt/ senape matt/ sugar matt 71/91/77
- brick matt/orange matt/flesh matt 94/80/92

COLOUR CHART
(3)

ELECTRIC CABLE
Black

METAL
Black



ARTICLE	1240/20	1240/32
DIMENSIONS	base Ø 70 h. 165 plate Ø 200 tot.h. max 1500	base Ø 100 h. 220 plate Ø 320 tot.h. max 1500
POWER	1 xE27 max 20w	1 x E27 max 25w



AURA



IP GRADE
20


MATERIALS
Glazed tuscan maiolica ,
varnished metal structure.
Maiolica smaltato, struttura
in metallo verniciato

COLOURS IN PHOTO
 salvia matt/ bianco matt/ khaki matt 97/57/93
 senape matt/ sugar matt/ oliva matt 91/77/95
 wine matt/orange matt/ flesh matt 76/80/ 92

COLOUR CHART
(3)

ELECTRIC CABLE
 Black

METAL
 Black



ARTICLE	1241	1242
DIMENSIONS	base 120 x 40 h. 300 plate Ø 200 depth 260	base Ø 190 h. 270 plate Ø 200 cable 1500
POWER	1 x E27 max 20w	1 x E27 max 20w



BISTRÒ

Interno / Indoor





IP GRADE
20

MATERIALS
Tuscan maiolica, metal varnished structure
Maiolica toscana, struttura metallo verniciato

- COLOURS IN PHOTO
- Brick Matt 94
 - Bianco matt 57
 - Nero matt 58
 - Oliva matt 95
 - Senape Matt 91
 - Khaki Matt 93

COLOUR CHART
(3)

- METAL
- Black



ARTICLE	1183	1181	1180
DIMENSIONS	base Ø 300 h. 1420 depth 450 cable 2000	base 80 x 105 length 260 h 140	base Ø 120 depth 290 h 130
POWER	1 x E27 max 25w	1 x E27 max 25w	1 x E27 max 25w



TORINO

IP GRADE
20


MATERIALS
Tuscan maiolica, metal
components
Maiolica toscana,
componenti in metallo

COLOURS IN PHOTO
nero 58

COLOUR CHART
(1 e 3)

ELECTRIC CABLE
grey

METAL
crome/cromo CR



ARTICLE	829	830
DIMENSIONS	base Ø 120 plate 670 x 220 h 425 tot.h.max 1500	base Ø 120 plate Ø 280 h 370 tot.h.max 1500
POWER	2 x E27 max 25W	1 X E27 max 25W



TORINO

IP GRADE
20


MATERIALS
Tuscan maiolica, metal
components
Maiolica toscana,
componenti in metallo

COLOURS IN PHOTO
 wine matt 76
 grau matt 71
 bianco matt 57
 oliva matt 95

COLOUR CHART
(1 e 3)

ELECTRIC CABLE
grey

METAL
crome/cromo CR



ARTICLE	821	822	826G
DIMENSIONS	base Ø 120 plate Ø 270 h 280 tot.h.max 1500	base Ø 120 plate Ø 470 h 450 tot.h.max 1500	base Ø 120 plate Ø 340 h 500 tot.h.max 1500
POWER	1 x E27 max 25w	1 x E27 max 25w	1 x E27 max 25w




TORINO



IP GRADE
20

MATERIALS
Tuscan maiolica, metal
components
Maiolica toscana,
componenti in metallo

COLOURS IN PHOTO
 smalto giallo napoli 98
 smalto blu navy 55
 smalto tortora 51
 smalto marino 99
 lemon matt 78
 sugar matt 77
 brick matt 94



COLOUR CHART
(1 e 3)

ELECTRIC CABLE
grey

METAL
 crome/cromo CR



ARTICLE	833	837	838	839
DIMENSIONS	base 180 x 155 depth 130	base Ø 135 h 95	base Ø 140 h 115	base Ø 165 h 45
POWER	1 x E27 max 25w	1 x E27 max 25w	1 x GU10 max 15w	1 x GX 53 max 10w



ARTICLE	820	831
DIMENSIONS	base Ø 120 plate Ø 270 h 280 depth 335	base Ø 120 plate Ø 280 h 300 depth 340
POWER	1 x E27 max 25w	1 x E27 max 25w



ASIAGO

IP GRADE
20








MATERIALS
Tuscan maiolica and brass metal
Maiolica toscana e braccio inottone

COLOURS IN PHOTO
 bianco matt 57
 acqua matt 88
 nero matt 58

COLOUR CHART
(1 & 3)

ELECTRIC CABLE
 brown

METAL
 brunito BRU

				
ARTICLE	1130/25	1130/37	1130/44	1131/25
DIMENSIONS	base Ø. 110 plate Ø. 250 tot. h. max 1500	base Ø. 110 plate Ø. 370 tot. h. max 1500	base Ø. 110 plate Ø. 440 tot. h. max 1500	base Ø. 120 plate Ø. 250 depth 310
POWER	1 x E27 max 25w	1 x E27 max 25w	1 x E27 max 25w	1 x E27 max 25w
				
ARTICLE	1132/25	1132/37	1132/44	
DIMENSIONS	base Ø. 120 plate Ø. 250 h. 230	base Ø. 120 plate Ø. 370 h. 250	base Ø. 120 plate Ø. 440 h. 250	
POWER	1 x E27 max 25w	1 x E27 max 25w	1 x E27 max 25w	





ASIAGO

COLOURS IN PHOTO

- Oliva matt/brick matt 95/94
- Senape matt/ bianco matt 91/57
- Sugar matt/khaki matt 77/93
- Graphite matt/ stone matt 96/82








TRAFFIC

IP GRADE
20

MATERIALS
Slip cast ceramics,
metal base.
Ceramica bianca,
base in metallo.

COLOURS IN PHOTO
 acid matt 79
 orange matt 80
 moka matt 70

COLOUR CHART
(3)

ARTICLE



1032LP


DIMENSIONS

h 150
depth 140

POWER

2 x E27 max 25w

ARTICLE




1033P

DIMENSIONS

Ø 220
depth 140

POWER

3 x E27 max 25w




1032P

h 220
depth 140

2 x E27 max 25w


ARTICLE



1034P

Ø 220
depth 140

4 x E27 max 25w



1031P

h 150
depth 140

1 x E27 max 25w



TRAFFIC


IP GRADE
20

MATERIALS
Slip cast ceramics,
metal base.
Ceramica bianca,
base in metallo.

COLOURS IN PHOTO
acid matt 79
Khaki matt 93

COLOUR CHART
(3)

ELECTRIC CABLE
brown



ARTICLE

1033S

1034S

DIMENSIONS

base Ø 90
Ø 220
tot.h max 1500

base Ø 90
Ø 220
tot.h max 1500

POWER




3 x E27 max 25w

4 x E27 max 25w



CLOVER

- COLOURS IN PHOTO**
-  Grafite matt / Bianco matt 96/57
 -  Acqua matt / Bianco matt 88/ 57
 -  Bianco matt / Lemon matt 57/78
 -  Senape matt / Bianco matt 91/57
 -  Brick matt / Flesh matt 94/92

			
ARTICLE	1221	1223	1224
DIMENSIONS	base 190 x 190 h 45	base 560 x 190 h 45	base 380 x 380 h 45
POWER	1 x GX53 max 9w	3 x GX53 max 9w	4 x GX53 max 9w






CLOVER



IP GRADE
20

MATERIALS
Slip cast ceramics, aluminium components
Ceramica bianca, componenti alluminio

COLOURS IN PHOTO
 Brick matt / flesh matt 94/92
 Bianco matt / acqua matt 57/88
 Moka matt / stone matt 70/82

COLOUR CHART
(3)



ARTICLE 1220

DIMENSIONS
Ø 120
h 220
depth 140

POWER 1 x GX53 max 9w






APUANE

ARTICLE	1120	1121	1122	1123
DIMENSIONS	85x85 h. 80 cable 4000	Ø 100 h. 90 cable 4000	Ø 100 h. 80 cable 4000	Ø 115 h. 80 cable 4000
POWER	1xGu10 max 10W	1xGu10 max 10W	1xG9 max 8W	1xG9 max 8W

IP GRADE
20


MATERIALS
Tuscan maiolica
Maiolica toscana

COLOURS IN PHOTO
 gesso 34
 acqua matt 88
 naturale 44

COLOUR CHART
(1, 2 e 3)


 ELECTRIC CABLE
grey

 METAL
nichel satinato NCS




 GLASS
trasparent
 satinato

ARTICLE	1128	1129
DIMENSIONS	Ø. 160	20x15

ESEMPIO
EXAMPLE



COMPONENTI
COMPONENTS

-  5 x 1121
-  5 x 1129
-  1 x 1128



APUANE

IP GRADE
20

MATERIALS
Tuscan maiolica
Maiolica toscana


COLOURS IN PHOTO
 naturale 44
 argento 33
 smalto licheni 52
 gesso 34
 acqua matt 88
 smalto rosa 89

COLOUR CHART
(1, 2 e 3)

ELECTRIC CABLE
grey

METAL
nichel satinato NCS

GLASS
 trasparente
 satinato



ARTICLE	1120S	1121S	1122S	1123S
DIMENSIONS	base 80x80 h. 80 tot. h. max 1500	base Ø. 80 h. 90 tot. h. max 1500	base Ø. 80 h. 80 tot. h. max 1500	base Ø. 80 h. 80 tot. h. max 1500
POWER	1 x GU10 max 10W	1 x GU10 max 10W	1 x G9 max 8W	1 x G9 max 8W



APUANE

IP GRADE
20

MATERIALS
Tuscan maiolica
Maiolica toscana

COLOURS IN PHOTO
naturale 44
argento 33
sugar matt 77

COLOUR CHART
(1, 2 e 3)





ELECTRIC CABLE
grey

METAL
nichel satinato NCS





GLASS
trasparent
satinato



ARTICLE	1124.1	1125.1	1126.1	1127.1
DIMENSIONS	base 80x80 depth 160	base Ø 80 depth 170	base Ø 80 depth 170	base Ø 80 depth 170
POWER	1 x GU10 max 10W	1 x GU10 max 10W	1 x G9 max 8W	1 x G9 max 8W




ARTICLE	1124.2	1125.2	1126.2	1127.2
DIMENSIONS	base 290x50 depth 160	base 290x50 depth 170	base 290x50 depth 170	base 290x50 depth 170
POWER	2 x GU10 max 10W	2 x GU10 max 10W	2 x G9 max 8W	2 x G9 max 8W



ARTICLE	1124.3	1125.3	1126.3	1127.3
DIMENSIONS	base 450x50 depth 160	base 450x50 depth 170	base 450x50 depth 170	base 450x50 depth 170
POWER	3 x GU10 max 10W	3 x GU10 max 10W	3 x G9 max 8W	3 x G9 max 8W



SETTIMELLO



ARTICLE	1165	1166
DIMENSIONS	base Ø 110 plate Ø. 350 length 1080	base Ø 130 plate Ø. 220 length 1200 h. 180
POWER	2 x E27 max 25w	3 x E27 max 25w

IP GRADE
20


MATERIALS
Tuscan maiolica and brass metal
Maiolica toscana e ottone

COLOURS IN PHOTO
tc/sc 1

COLOUR CHART
(1 e 3)

ELECTRIC CABLE
brown
ivory
gold

METAL
brunito BRU



SETTIMELLO



IP GRADE
20

MATERIALS
Tuscan maiolica and brass metal
Maiolica toscana e ottone

COLOURS IN PHOTO
travertino/tc/sc 3/1
smalto bianco/tc/sc 8/1
tc/sc 1

COLOUR CHART
(1 e 3)

ELECTRIC CABLE
brown
ivory
gold

METAL
brunito BRU

ARTICLE	1160	1161	1162/22	1162/35
DIMENSIONS	base Ø. 120 plate Ø. 70 depth 140	base Ø. 120 plate Ø. 70 depth 140	base Ø. 120 plate Ø. 220 depth 160	base Ø. 120 plate Ø. 350 depth 160
POWER	1 x E27 max 25w	1 x E27 max 25w	1 x E27 max 25w	1 x E27 max 25w
ARTICLE	1164/22	1164/35	1163/22	1163/35
DIMENSIONS	base Ø. 110 plate Ø. 220 tot. h. max 1500	base Ø. 110 plate Ø. 350 tot. h. max 1500	base Ø. 120 depth 160 plate Ø. 220	base Ø. 120 depth 160 plate Ø. 350
POWER	1 x E27 max 25w	1 x E27 max 25w	1 x E27 max 25w	1 x E27 max 25w




VINCI





IP GRADE
20

MATERIALS
Tuscan maiolica and brass metal
Maiolica toscana e ottone

COLOURS IN PHOTO

 smalto bianco/tc/sc 8/1
 smalto bianco/blu 8/36
 tc/sc/oro 1/27

COLOUR CHART
(1 e 3)

 METAL
nichel satinato NCS



ARTICLE	1170	1174
DIMENSIONS	base 60x120 length 380 depth 210	base 150x150 length 390 cable 1500
POWER	2 x E14 max 10W	1 x E27 max 15W



MATERIALES

Matter
Matériels
Materie
Materialien

Estrate dal cuore della Toscana.

—
Quarried from the heart of Tuscany.

Notorius
Newton
Carso
Montecristo
Vivaldi
Carrara





NOTORIUS


IP GRADE
20

MATERIALS
Galestro red clay
Terra rossa galestro

COLOURS IN PHOTO
 naturale 44
 menta 67
 gesso 34

COLOUR CHART
(1 e 2)


ELECTRIC CABLE
 black
 red
 grey
 brown



ARTICLE 872
DIMENSIONS base Ø 200
plate Ø 1000x450
h 230
tot.h.max 1500
POWER 2 x E27 max 25w




ARTICLE 870
DIMENSIONS base Ø 200
plate Ø 600
h 260
tot.h.max 1500
POWER 3 x E27 max 25w



ARTICLE 871
DIMENSIONS base Ø 200
plate Ø 750
h 280
tot.h.max 1500
POWER 3 x E27 max 25w



NOTORIUS



ARTICLE	874	875
DIMENSIONS	base Ø 100 plate Ø 220 h 540 tot.h.max 1500	base Ø 130 plate Ø 220 h 1160 tot.h.max 2000
POWER	1 x E27 max 25w	1 x E27 max 25w

IP GRADE
20

MATERIALS
Galestro red clay.
Terra rossa galestro.

COLOURS IN PHOTO

	Naturale 44
	Ruggine 13
	Rame foglia 38
	Piombo 62
	Coral orange 63

COLOUR CHART
(1 e 2)

ELECTRIC CABLE

	black
	red
	grey
	brown



ARTICLE	876	877
DIMENSIONS	base Ø 100 plate Ø 420 h 230 tot.h.max 1500	base Ø 130 plate Ø 600 h 260 tot.h.max 1500
POWER	1 x E27 max 25w	1 x E27 max 25w



NEWTON

ARTICLE	1001P	1002P	1003P
DIMENSIONS	Ø 140 depth 125	Ø 140 depth 130	Ø 140 depth 130
POWER	1 x G9 max 10w	1 x G9 max 10w	1 x G9 max 10w
ARTICLE	1004P	1005P	1006P
DIMENSIONS	Ø 260 depth 210	Ø 260 depth 240	Ø 260 depth 240
POWER	1 x E27 max 20w	1 x E27 max 20w	1 x E27 max 20w
ARTICLE	1007P	1008P	
DIMENSIONS	Ø 420 depth 360	Ø 420 depth 400	
POWER	1 x E27 max 25w	1 x E27 max 25w	

IP GRADE
20

MATERIALS
Tuscan maiolica, metal base.
Maiolica toscana, base metallo.

COLOURS IN PHOTO
 crema 74
 bruno 73
 oro foglia 27

COLOUR CHART
(1 e 2)



IP GRADE
20

MATERIALS
Tuscan maiolica, metal base.
Maiolica toscana, base metallo.

COLOURS IN PHOTO
crema 74
sky 72
rame foglia 38
bruno 73

COLOUR CHART
(1 e 2)



NEWTON

ARTICLE	1001S	1002S
DIMENSIONS	base Ø 90 Ø 140 tot.h.max 1500	base Ø 90 Ø 140 tot.h.max 1500
POWER	1 x G9 max 10w	1 x G9 max 10w
ARTICLE	1004S	1005S
DIMENSIONS	base Ø 90 Ø 260 tot.h.max 1500	base Ø 90 Ø 260 tot.h.max 1500
POWER	1 xE27 max 20w	1 xE27 max 20w
ARTICLE	1007S	1008S
DIMENSIONS	base Ø 90 Ø 420 tot.h.max 1500	base Ø 90 Ø 420 tot.h.max 1500
POWER	1 x E27 max 25w	1 x E27 max 25w



CARSO

IP GRADE
20

MATERIALS
Galestro red clay.
Terra rossa galestro.

COLOURS IN PHOTO
 Mattone 19
 Pietra 41
 Piombo 62
 Oro 27

COLOUR CHART
(1 e 2)

ELECTRIC CABLE
grey

ARTICLE	982S	983S
DIMENSIONS	base Ø 90 Ø 130 h. 130 tot.h.max 1500	base Ø 90 Ø 130 h. 310 tot.h.max 1500
POWER	GU10 max 15w	GU10 max 15w



CARSO

IP GRADE
20

MATERIALS
Galestro red clay.
Terra rossa galestro.

COLOURS IN PHOTO
 naturale 44
 coral orange 63
 crema 74

COLOUR CHART
(1 e 2)

ARTICLE

982

983

980

981

DIMENSIONS

Ø 130
h. 130

Ø 130
h. 310

Ø 140
h 15

Ø 230
h 20



POWER

GU10 max 15w

GU10 max 15w

GU10 max 15w

GU10 max 15w






MONTECRISTO

IP GRADE
20

MATERIALS
Tuscan maiolica
Maiolica toscana

COLOURS IN PHOTO
 bruno 73
 gesso 34
 oro 27

COLOUR CHART
(1 e 2)



ARTICLE	1100	1101	1104
DIMENSIONS	length 110 h 110 depth 115	length 110 h 270 depth 115	length 270 h 110 depth 110
POWER	1 x G9 max 6w	2 x GU10 max 15w	1 x R7s max 20w Led







MONTECRISTO



IP GRADE
20

MATERIALS
Tuscan maiolica
Maiolica toscana

COLOURS IN PHOTO

- ▼  ruggine/oro 13/27
- ◀  gesso/rame 34/38
- ▶  pietra/argento 41/33
- ▲  bruno/oro 73/27

COLOUR CHART
(1 e 2)



ARTICLE

1102

1103

DIMENSIONS

base 110 x 110
h. 145

base 80 x 80
h. 270
tot. h. max 1500

POWER

1 x GU10 max 15w

1 x GU10 max 15w



VIVALDI




IP GRADE
20

MATERIALS
Galestro red clay.
Terra rossa galestro.

COLOURS IN PHOTO
 Ocra 9
 Ardesia 48
 Celeste antico 10

COLOUR CHART
(1)



ARTICLE	1067	1068
DIMENSIONS	h 220 base 140x115 depth 140	h 220 base 140x115 depth 140
POWER	1 x GX53 max 10W	1 x GX53 max 10W




VIVALDI

IP GRADE
20

MATERIALS
Galestro red clay.
Terra rossa galestro.

COLOURS IN PHOTO
 Ardesia 48
 tc/sc 1
 Rosa veneto 11

COLOUR CHART
(1)



ARTICLE


1061

DIMENSIONS

plate 250x250
depth 45

POWER

1 x GX53 max 10W




ARTICLE

1063

DIMENSIONS
plate 600x200
depth 45

POWER
3 x GX53 max 10W



ARTICLE

1064/45

DIMENSIONS
plate 450x450
depth 45

POWER
4 x GX53 max 10W



CARRARA

IP GRADE
20

MATERIALS
Tuscan maiolica
Maiolica toscana

COLOURS IN PHOTO
 Gesso 34
 Pietra 41
 tc/sc 1

COLOUR CHART
(1 e 2)



ARTICLE

1110

1111

DIMENSIONS

h. 90
length 370
depth 125

h 70
length 230
depth 80

POWER

1 x R7s max 20w LED

1 x G9 max 10w led



Luci per vivere all'aria aperta.
—
Lights for living open spaces.

THE OUTDOOR

Fuera de la
l'Esterno
En dehors de la
Außerhalb der

Bistro
Battersea
Swinger
Novecento
Spoleto
Chapeau!
Smith
Square/Oval
U-Boat
Atlante
Castelverde
Lido
Edge
Hans
Marion





BISTRO

Esterno / Outdoor

IP GRADE
44

MATERIALS
Tuscan maiolica, blown glass, metal components
Maiolica toscana, vetro soffiato, componenti in metallo.

COLOURS IN PHOTO
 Brick Matt 94
 Nero Matt 58

COLOUR CHART
(3)

GLASS
 Bianco
 Trasparent



ARTICLE 1182

DIMENSIONS
base Ø 160
depth 340
h 160

POWER
1 x E27 max 15w
(diam max 60mm)






BATTERSEA

Esterno / Outdoor


IP GRADE
44

MATERIALS
Tuscan maiolica, aluminium /brass components, PMMA diffuser
Maiolica toscana, componenti alluminio/brass, diffusore in PMMA

COLOURS IN PHOTO
 Khaki 93
 Smalto Bianco 8
 Nero Matt 58

ELECTRIC CABLE
neoprene




COLOUR CHART
(3)

METAL
 Brunito BRU

TEMPERATURE
2700° K
3000° K

LIGHT ANGLE

120°





			
ARTICLE	979	978	977
DIMENSIONS	base Ø 130 depth 265 h 335	base ø 130 Ø 125 h 300	base Ø 130 Ø 125 h 200 tot. h max 1500
POWER	1 x GU10 max 9w or 1 xLED 6,5w 950lm driver included	1 x GU10 max 9w or 1 xLED 6,5w 950lm driver included	1 x GU10 max 9w or 1 xLED 6,5w 950lm driver included



SWINGER

IP GRADE
44

MATERIALS
Tuscan maiolica, aluminium
components, blown glass
Maiolica toscana, componenti
alluminio. Vetro soffiato

COLOURS IN PHOTO
 smalto licheni 52
 smalto carminio 50
 smalto tortora 51
 smalto melon 90
 maiolica MC

COLOUR CHART
(3 e 4 Bis)

GLASS
 Bianco



ARTICLE 1200

ARTICLE 1201

DIMENSIONS base Ø 205
h 160

DIMENSIONS base Ø 205
depth 175

POWER 1 x E27 max 15w
(max diam 60 h. 105)

POWER 1 x E27 max 15w
(max diam 60 h. 105)



NOVECENTO

Lantern / Lantern



IP GRADE
55 (bollards) 44 (wall)

MATERIALS
Tuscan maiolica , brass and alluminium components
Maiolica toscana, componenti in ottone e alluminio


COLOURS IN PHOTO
 Cactus matt 81
 senape matt 91
 wine matt 76
 khaki matt 93

COLOUR CHART
(3)

METAL
 CT corten

ELECTRIC CABLE
 neoprene

TEMPERATURE
2700° K
3000° K

LIGHT ANGLE

120°



937/50

base 130
Ø 175
h.540

1 x LED 6,3w 940lm
driver included
GX53 not available



935


ARTICLE

DIMENSIONS

POWER

base 130 x 95
h. 125
depth 200
plate Ø 160


1 x GX53 max 7W
or
1 x LED 6,5w 950lm
driver included



937/80

base Ø 130
Ø 175
h.840

1 x LED 6,5w 950lm
driver included
GX53 not available



936

base Ø 130
Ø 175
tot.h.max 1500

1 x GX53 max 7W
or
1 x LED 6,5w 950lm
driver included



NOVECENTO

Lantern / Lantern



IP GRADE
44



MATERIALS
Tuscan maiolica or Galestro, blown glass, brass components
Maiolica toscana o Galestro, vetro soffiato, componenti ottone.

COLOURS IN PHOTO
Galestro GS
Oliva matt 95

COLOUR CHART
3 (plus GS of chart 4)

GLASS
Bianco
Trasparent

ELECTRIC CABLE
neoprene



ARTICLE	930	931	932/165	932/220
DIMENSIONS	base 130 x 95 depth 200 h 250 Ø 160	base Ø 130 Ø 175 h 860	base Ø 130 h 1650 depth 275	base Ø 130 h 2200 depth 275
POWER	1 x E27 max 15w (diam max 60mm)	1 x E27 max 15w (diam max 60mm)	1 x E27 max 15w (diam max 60mm)	1 x E27 max 15w (diam max 60mm)




SPOLETO




IP GRADE
55


MATERIALS
Galestro outdoor clay, Brass metal, aluminium
Galestro da esterno, ottone e alluminio

COLOURS IN PHOTO

 Smalto Bianco 8
 Smalto Licheni 52
 Smalto Tortora 51
 Galestro GS

COLOUR CHART
3 (not MATT/ non MATT)
4 (only GS)

METAL

 Brunito naturale NAT

TEMPERATURE
2700° K
3000° K

LIGHT ANGLE

 120°



ARTICLE
1230

DIMENSIONS
base 120
plate 255
depth 310


POWER
1 x GU10 max 9w
or
1 x LED 6,5w 950 lm
driver incluso



ARTICLE
1231

DIMENSIONS
base 120
plate 255
depth 370

POWER
1 x GU10 max 9w
or
1 x LED 6,5w 950 lm
driver incluso



ARTICLE
1232

DIMENSIONS
base 175 x 100
plate 255
depth 450

POWER
1 x GU10 max 9w
or
1 x LED 6,5w 950 lm
driver incluso



ARTICLE
1233/165

DIMENSIONS
base 130
h 1650
depth 380


POWER
1 x GU10 max 9w
or
1 x LED 6,5w 950 lm
driver incluso



ARTICLE
1233/220

DIMENSIONS
base 130
h 2200
depth 380

POWER
1 x GU10 max 9w
or
1 x LED 6,5w 950 lm
driver incluso



ARTICLE
1234/165

DIMENSIONS
base 130
h 1650
depth 715

POWER
2 x GU10 max 9w
or
2 x LED 6,5w 950 lm
driver incluso



ARTICLE
1234/220

DIMENSIONS
base 130
h 2200
depth 715

POWER
2 x GU10 max 9w
or
2 x LED 6,5w 950 lm
driver incluso



CHAPEAU!

Esterno / Outdoor

IP GRADE
55

MATERIALS
Copper, aluminium, steel
Tuscan maiolica, blown glass.
Rame, alluminio e acciaio,
Maiolica toscana, vetro soffiato.

COLOURS IN PHOTO
cactus 81
stone matt 82

GLASS
trasparente
acqua
whisky
bianco


FLEXTUBE
natural copper / rame naturale RMN*
patined copper / rame invecchiato RMP
steel / acciaio ACC

* : this colour will age outdoor
all'esterno questo colore scurirà.

METAL (base)
natural copper / rame naturale RMN*
patined copper / rame invecchiato RMP
anodized aluminium / alluminio anodizzato ALL

ARTICLE	1020/30	1021/30	1025	flex tube
DIMENSIONS	glass Ø 130 plate Ø 300 depth 200	base Ø 130 glass Ø 130 plate Ø 300 h 850	Ø 20 h 23	
POWER	1x E27 max 15w (max Ø 60 x h.115) FORI DI USCITA EXIT HOLES	1x E27 max 15w (max Ø 60 x h.115) FORI DI USCITA EXIT HOLES		
	<ul style="list-style-type: none"> ○ 1020/30.1 ○ 1020/30.2 ○ 1020/30.2L ○ 1020/30.3 	<ul style="list-style-type: none"> ○ 1021/30.1 ○ 1021/30.2 ○ 1021/30.2L ○ 1021/30.3 		

ESEMPIO
EXAMPLE



COMPONENTI
COMPONENTS

- 1020/30.1 x 2
- 1021/30.2 x 1
- 1025 x 4
- flex tube x 4 m
- C.AWG.mt x 5 m






CHAPEAU!

Esterno / Outdoor




IP GRADE
55














MATERIALS
Copper, aluminium, steel
Tuscan maiolica, blown glass.
Rame, alluminio e acciaio,
Maiolica toscana, vetro soffiato.

GLASS
 trasparente
 acqua
 whisky
 bianco


FLEXTUBE
 natural copper / rame naturale RMN*
 patined copper / rame invecchiato RMP
 steel / acciaio ACC

* : this colour will age outdoor
all'esterno questo colore scurirà.






METAL (base)
 natural copper / rame naturale RMN*
 patined copper / rame invecchiato RMP
 anodized aluminium / alluminio anodizzato ALL

ARTICLE	1020	1020/20	1027	1025
DIMENSIONS	glass Ø 130 depth 150	glass Ø 130 plate Ø 200 depth 190	base Ø 130 depth 120	Ø 20 h 23
POWER	1x E27 max 15w (max Ø 60 x h.115) FORI DI USCITA EXIT HOLES	1x E27 max 15w (max Ø 60 x h.115) FORI DI USCITA EXIT HOLES	1x GU10 max 9W FORI DI USCITA EXIT HOLES	FLEX TUBE
	 1020.1  1020.2  1020.2L  1020.3	 1020/20.1  1020/20.2  1020/20.2L  1020/20.3	 1027.1  1027.2  1027.2L  1027.3	

ESEMPIO
EXAMPLE



COMPONENTI
COMPONENTS

-  1025 x 9
-  1020.1 x 3
-  1020.3 x 1
-  flex tube x 5 m
-  C.AWG.mt x 6,5 m



SMITH

Paletti / Bollard



SMITH

Paletti / Bollard




IP GRADE
65


MATERIALS
Natural colour outdoor clays , diffusor pmma
Terre colorate per esterno , diffusore pmma

COLOURS IN PHOTO
Ref. Bianco RB
Galestro Nero GN

COLOUR CHART
(4)

TEMPERATURE
2700° K
3000° K

LIGHT ANGLE

 40° 95°




ARTICLE	P128	P129.1	P129.2
DIMENSIONS	base 86 x 86 h 270	base 86 x 86 h 540	base 86 x 86 h 540
POWER	LED 1 x 1,7w or 3,5w available with driver or 24v	LED 1 x 1,7w or 3,5w available with driver or 24v	LED 2 x 1,7w or 3,5w available with driver or 24v



SMITH


IP GRADE
65


MATERIALS
Natural colour outdoor clays, diffuser.
Terre colorate per esterno, diffusore in pmma

COLOURS IN PHOTO

 Galestro GS
 Ref. Bianco RB
 schwarz SC


COLOUR CHART
(4)

TEMPERATURE
3000° K
2700° K

LIGHT ANGLE

 40° 95°



ARTICLE	P121	P123	P126
DIMENSIONS	base 70x70 height 75 depth 90	base 100x75 height 120 depth 90	base 100x75 height 240 depth 90
POWER	LED 1x1,7W or 3,5W driver included	LED 2x1,7W or 3,5W driver included	LED 2x1,7W or 3,5W driver included



ARTICLE	P127	P124
DIMENSIONS	base 75x75 length 200 h 80 depth 130	base 75x75 h. 130
POWER	LED 3x1,7W or 3,5W driver included	LED 1x1,7W or 3,5W driver included





SQUARE/OVAL





IP GRADE
65


MATERIALS
Natural colour outdoor clays, diffuser.
Terre colorate per esterno, diffusore in pmma

COLOURS IN PHOTO
 Galestro GS
 ref. Grigio PR

COLOUR CHART
(4)

TEMPERATURE
3000° K
2700° K

LIGHT ANGLE
 
40° 95°



ARTICLE	P150	P140
DIMENSIONS	Ø 180x140 depth 40 wall space Ø 120x70	Ø 165x165 depth 12 wall space Ø 120x70
POWER	LED 1X1,7W or 3,5W for driver remote available also 24v	LED 1X1,7W or 3,5W for driver remote available also 24v



U-BOAT


IP GRADE
65


MATERIALS
Natural colour outdoor clays, diffuser.
Terre colorate per esterno, diffusore in pmma

COLOURS IN PHOTO
Galestro GS

COLOUR CHART
(4)

TEMPERATURE
3000° K
2700° K

LIGHT ANGLE

40° 95°



ARTICLE	P211	P212	P213
DIMENSIONS	base Ø 200 height 240	base Ø 200 height 240	base Ø200 height 240
POWER	1x1,7 or 3,5W led available with driver or 24v	2x1,7 or 3,5W led available with driver or 24v	3x1,7 or 3,5W led available with driver or 24v



ATLANTE





IP GRADE
44

MATERIALS
Natural colour outdoor clays,
polyuritane diffuser.
Terre colorate per esterno,
diffusore in poliuretano

COLOURS IN PHOTO
 galestro GS
 refrattario bianco RB

COLOUR CHART
(4)



ARTICLE

940

941

DIMENSIONS

base 200x200
sfera Ø 300
height 680

base 240X240
sfera Ø 400
height 620

POWER

1 x E27 max 25w




1 x E27 max 25w



CASTELVERDE

IP GRADE
55

MATERIALS
Natural colour outdoor clays, diffuser.
Terre colorate per esterno, diffusore in pmma

COLOURS IN PHOTO
 corten CT
 galestro GS
 ref. Bianco RB


COLOUR CHART
(4)

TEMPERATURE
3000° K
2700° K

LIGHT ANGLE



120°



ARTICLE 1081
DIMENSIONS h. 125
length 310
depth 135

POWER 1 x GX53 max 7w
or
1 x LED 6,5w 950lm
driver incluso

ARTICLE 1082
DIMENSIONS h. 150
length 400
depth 140

POWER 2 x GX53 max 7w
led **not** available



LIDO


IP GRADE
55


MATERIALS
Natural colour outdoor clays, diffuser.
Terre colorate per esterno, diffusore in pmma

COLOURS IN PHOTO
Schwarz SC
ref. Grigio PR


COLOUR CHART
(4)

TEMPERATURE
2700° K
3000° K

LIGHT ANGLE

120°



ARTICLE	1071	1072
DIMENSIONS	h. 115 length 210 depth 110	h. 230 length 210 depth 110
POWER	1 x GX53 max 7W or 1 x GU10 max 9W or 1 x LED 6,5w 950 lm driver incluso	2 x GX53 max 7w or 2 x GU10 max 9W or 2 x LED 6,5w 1900 lm driver incluso



EDGE


IP GRADE
65


MATERIALS
Natural colour outdoor clays, diffuser.
Terre colorate per esterno, diffusore in pmma

COLOURS IN PHOTO
Galestro GS
Ref. Bianco RB

COLOUR CHART
(4)

TEMPERATURE
2700° K
3000° K

LIGHT ANGLE

120°



ARTICLE

P230

DIMENSIONS

base 70x160
h 160
depth 130

POWER

LED 6,5W 950lm
driver included
or
1 x GX53 max 7w



HANS


IP GRADE
55


MATERIALS
Natural colour outdoor clays, aluminium components, diffuser pmma
Terre colorate per esterno, componenti alluminio, diffusore pmma

COLOURS IN PHOTO
Galestro GS
Ref. Bianco RB
Galestro Nero GN

COLOUR CHART
(4)

TEMPERATURE
2700° K
3000° K

LIGHT ANGLE

120°



ARTICLE	1191	1192	1193
DIMENSIONS	base 70 x 70 depth 130 h 190	base 70 x 70 depth 130 h 320	Ø 110 h 135
POWER	1 x LED 6,5w 950lm driver included or 1 x GU10 max 9w	2 x LED 6,5w 1900lm driver included or 2 x GU10 max 9w	1 x LED 6,5w 950lm driver included or 1 x GU10 max 9w




IP GRADE
55

MATERIALS
Natural colour outdoor clays, pmma diffuser.
Terra colorate per esterno, diffusore in pmma

COLOURS IN PHOTO
ref. Grigio PR


COLOUR CHART
(4)

TEMPERATURE
2700° K
3000° K

LIGHT ANGLE

120°



MARION



ARTICLE P220

DIMENSIONS
base Ø 70
h 160
depth 180

POWER
LED 6,5w 950lm
driver included
or
GU10 max 9w



ACCESSORI

Complements
Zubehör
Accessoires
Accesorios

Finalmente... non solo illuminazione.

—
Finally... not only lighting.

Sherwood
Tirrenia
Gesti
Candelsea
Jules





SHERWOOD



ARTICLE SHER.38
DIMENSIONS Ø 340
h.420



ARTICLE SHER.88
DIMENSIONS Ø 340
h.420



ARTICLE SHER.80
DIMENSIONS Ø 340
h.420



ARTICLE SHER.73
DIMENSIONS Ø 340
h.420



ARTICLE SHER.57
DIMENSIONS Ø 340
h.420

MATERIALS
maiolica patined/glazed
maiolica dipinta/smaltata



TIRRENIA

ARTICLE	TIRR1.GN	TIRR2.GS	TIRR3.GS	TIRR4.GN	MATERIALS
DIMENSIONS	Ø 200 h. 180	Ø 200 h. 500	Ø 450 h. 135	Ø 310 h. 340	outdoor terracotta terracotta per esterno

GESTI

ARTICLE	GEST1.57	GEST1.56	GEST1.58	GEST2.57	GEST2.56	GEST2.58	MATERIALS
DIMENSIONS	Ø 180	Ø 180	Ø 180	Ø 280	Ø 280	Ø 280	tuscan maiolica maiolica toscana

CANDELSEA

ARTICLE	CAND1.58	CAND1.57	CAND2.58	CAND2.57	MATERIALS
DIMENSIONS	Ø 85 h. 95	Ø 85 h. 95	Ø 160 h. 110	Ø 160 h. 110	slip cast clay ceramica bianca smaltata



JULES



ARTICLE	JULE.GS	JULE.RB	JULE.GN
DIMENSIONS	length 540 width 250 h. 350 cable 3000	length 540 width 250 h. 350 cable 3000	length 540 width 250 h. 350 cable 3000
POWER	1xGX 53 max 7W	1xGX 53 max 7W	1xGX 53 max 7W

IP GRADE
55

MATERIALS
outdoor terracotta
terracotta per esterno





TABELLE COLORI

Color chart
Index de couleur
Farbkarte
Índice de color

- 1 Le patinature
- 2 Le patinature speciali
- 3 Gli smalti
- 4 Colori per esterno
- 4 Bis
- 5 Smalti Speciali
- 6 Fishat





1 Le patinature




2 Le patinature speciali



3 Gli smalti



4 Colori per esterno



4 Bis




5 Smalti Speciali



6 Fishat





Indice articoli

Artikelindex
Index d'articles
Article index
Índice de artículos

ARTICOLO / PAGINA

820 81	954/22 55	1025 19/27/145/147	1126.1 99	1233/220 143
821 79	954ST 54	1026.1 19/27	1126.2 99	1234/165 143
822 79	954/22S 51	1027 147	1126.3 99	1234/220 143
826G 79	955G 53	1031P 87	1127.1 99	1240/20 71
829 77	955BS 53	1032LP 87	1127.2 99	1240/32 71
830 77	956P 57	1032P 87	1127.3 99	1241 73
831 81	957 55	1033P 87	1128 95	1242 73
833 81	958 55	1033S 89	1129 95	1250 41
837 81	959 55	1034P 87	1130/25 83	1250BIN 41
838 81	960 16/55	1034S 89	1130/37 83	1251 43
839 81	970 55	1050 19	1130/44 83	BIN 150 41
870 109	971 57	1050 GU 19	1131/25 83	BIN 150S 41
871 109	971BIN 57	1051 21	1132/25 83	CAND1.57 175
872 109	973 57	1051 GU 21	1132/37 83	CAND1.58 175
874 110	977 135	1052 27	1132/44 83	CAND2.57 175
875 110	978 135	1052 GU 27	1160 103	CAND2.58 175
876 111	979 135	1055BL 23	1161 103	FH05 29
877 111	980 119	1058 23	1162/22 103	FH11 29
900 11/13	981 119	1059 23	1162/35 103	FH13 31
900CH 15	982 119	1061 127	1163/22 103	FH14 31
900P 16	982S 117	1063 127	1163/35 103	GEST1.56 175
900S 17	983 119	1064/45 127	1164/22 103	GEST1.57 175
901 11/13	983S 117	1067 125	1164/35 103	GEST1.58 175
901CH 15	975ST 54	1068 125	1165 101	GEST2.56 175
901S 17	990 61	1071 163	1166 101	GEST2.57 175
902 11/13	990 ROS 61	1072 163	1170 105	GEST2.58 175
902CH 15	991 61	1081 161	1174 105	JULE.GN 177
902S 17	1001P 113	1082 161	1180 75	JULE.GS 177
903 11/13/15	1001S 115	1091/20 65	1181 75	JULE.RB 177
904 11/35	1002P 113	1091/30 65	1182 133	P121 153
906 11/35	1002S 115	1091/42 65	1183 75	P123 153
907 11	1003P 113	1092/30 65	1191 167	P124 153
919 13	1004P 113	1093/30 65	1192 167	P126 153
912 16	1004S 115	1093/42 65	1193 167	P127 153
913 16	1005P 113	1100 121	1200 137	P128 151
914 16	1005S 115	1101 121	1201 137	P129.1 151
930 141	1006P 113	1102 123	1210 47	P129.2 151
931 141	1007P 113	1103 123	1210H 47	P150 155
932/165 141	1007S 115	1104 121	1211 47	P140 155
932/220 141	1008P 113	1110 129	1211H 47	P211 157
935 139	1008S 115	1111 129	1212 45	P212 157
936 139	1010 35	1120 95	1212H 45	P213 157
937/50 139	1010S 33	1120S 97	1213 45	P220 169
937/80 139	1011 35	1121 95	1214 47	P230 165
940 159	1012 33	1121S 97	1215 45	SHER.38 173
941 159	1015 39	1122 95	1215H 45	SHER.57 173
951 55	1015S 39	1122S 97	1215 BIN 45	SHER.73 173
951P 57	1016 39	1123 95	1220 93	SHER.80 173
951S 51	1017 39	1123S 97	1221 91	SHER.88 173
951ST 54	1018 39	1124.1 99	1223 91	TIRR1.GN 175
952 55	1019 39	1124.2 99	1224 91	TIRR2.GS 175
952S 51	1020 147	1124.3 99	1230 143	TIRR3.GS 175
952P 57	1020/20 147	1125.1 99	1231 143	TIRR4.GN 175
952ST 54	1020/30 145	1125.2 99	1232 143	
953BS 53	1021/30 145	1125.3 99	1233/165 143	

Toscot si riserva a proprio insindacabile giudizio di apportare modifiche, anche senza preavviso, allo scopo di migliorare la produzione.

Toscot non risponde per eventuali danni a persone o cose causati da una non corretta installazione dei propri prodotti.

La riproduzione, anche parziale, della presente pubblicazione è vietata.

Toscot reserves the right to modify its own models, without prior notice, to improve the production.

Toscot is not liable for injuries or damage due to the incorrect installation of its fixture.

No part of this catalogue may be copied.

progetto grafico
B.AND

foto
Simone Parri
Andrea Palei

post produzione foto
Pietro Dinley

grazie a
Colin, Lorella, Simone

stampa
Sincromia

www.toscot.it