Denver

### **Pineapple Express Terpene Blend**

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/24/2019 Revision date: 04/24/2019 Version: 1.0

E	
SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: Pineapple Express Terpene Blend
CAS-No.	: N/A
Product code	: T116
1.2. Recommended use and restr	ictions on use
No additional information available	
1.3. Supplier	
DTI MEDIA TERPENES ENHANCEMENTS 11546 COLONY ROW BROOMFIELD CO80021	
DENVERTERPENES.COM 303-625-7531	
1.4. Emergency telephone number	7
Emergency number	: CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010
SECTION 2: Hazard(s) identific	ation
2.1. Classification of the substan	ce or mixture
GHS-US classification	
Flammable liquids Category 3	Flammable liquid and vapour
Skin corrosion/irritation Category 2	Causes skin irritation
Skin sensitization, Category 1	May cause an allergic skin reaction
Carcinogenicity Category 2	Suspected of causing cancer
Aspiration hazard Category 1	May be fatal if swallowed and enters airways
2.2. GHS Label elements, includir	ng precautionary statements
GHS-US labeling	
Hazard pictograms (GHS-US)	
	$\langle \langle \langle \rangle \rangle \rangle \langle \langle \rangle \rangle \langle \langle \rangle \rangle \langle \langle \rangle \rangle \rangle$
	GHS02 GHS07 GHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: Flammable liquid and vapour
	May be fatal if swallowed and enters airways Causes skin irritation
	May cause an allergic skin reaction
	Suspected of causing cancer
Precautionary statements (GHS-US)	<ul> <li>Obtain special instructions before use.</li> <li>Do not handle until all safety precautions have been read and understood.</li> </ul>
	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
	Keep container tightly closed. Ground/Bond container and receiving equipment
	Use explosion-proof electrical/ventilating/lighting equipment
	Use only non-sparking tools.
	Take precautionary measures against static discharge.
	Avoid breathing dust/fume/gas/mist/vapors/spray.
	Wash hands, forearms and face thoroughly after handling.
	Contaminated work clothing must not be allowed out of the workplace Wear protective gloves/protective clothing/eye protection/face protection.
	Contaminated work clothing must not be allowed out of the workplace Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center or doctor
	Contaminated work clothing must not be allowed out of the workplace Wear protective gloves/protective clothing/eye protection/face protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

water/shower
If exposed or concerned: Get medical advice/attention.
Specific treatment (see supplemental first aid instruction on this label)
Do NOT induce vomiting.
If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Wash contaminated clothing before reuse.
In case of fire: Use media other than water to extinguish.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards which do not result in classification

#### No additional information available

Unknown acute toxicity (GHS US) 2.4.

#### Not applicable

### **SECTION 3: Composition/Information on ingredients**

3.1. **Substances** 

#### Not applicable

#### 3.2. **Mixtures**

Name	Product identifier	%	GHS-US classification
ALPHA PINENE	(CAS-No.) 7785-26-4	>= 50	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
BETA PINENE	(CAS-No.) 18172-67-3	10 - 25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
ALLYL HEXANOATE	(CAS-No.) 123-68-2	1 - 5	Flam. Liq. 4, H227 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:vapour), H331
BETA CARYOPHYLLENE	(CAS-No.) 87-44-5	1 - 5	Skin Sens. 1B, H317 Asp. Tox. 1, H304
CAMPHENE	(CAS-No.) 79-92-5	1 - 5	Flam. Sol. 2, H228 Eye Irrit. 2, H319
MYRCENE	(CAS-No.) 123-35-3	1 - 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Carc. 2, H351 Asp. Tox. 1, H304
ORANGE OIL	(CAS-No.) 8008-57-9	1 - 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
LINALOOL	(CAS-No.) 78-70-6	0.1 - 1	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
GERANYL ACETATE	(CAS-No.) 105-87-3	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.
04/24/2019	EN (English US) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

,,	
4.2. Most important symptoms and effect	cts (acute and delayed)
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after ingestion	: Risk of lung edema.
4.3. Immediate medical attention and sp	ecial treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguis	ning media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from the cl	nemical
Fire hazard	: Flammable liquid and vapour.
Reactivity	: Flammable liquid and vapour.
•	
	: Do not attempt to take action without suitable protective equipment. Self-contained breathing
Protection during firefighting	apparatus. Complete protective clothing.
SECTION 6: Accidental release mea	
6.1. Personal precautions, protective ec	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin
	and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information
	refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containme	ent and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public
	waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static displayers. Flammable wares and an equipment and receiving the container and receiving the container and receiving the static displayers.
	discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
SECTION 8: Exposure controls/pers	onal protection
8.1. Control parameters	

ALLYL	HEXANOA	TE (123-68-2)
-------	---------	---------------

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ALPHA PINENE (7785-26-4)
Not applicable
BETA PINENE (18172-67-3)
Not applicable
CAMPHENE (79-92-5)
Not applicable
BETA CARYOPHYLLENE (87-44-5)
Not applicable
GERANYL ACETATE (105-87-3)
Not applicable
LINALOOL (78-70-6)
Not applicable
MYRCENE (123-35-3)
Not applicable
ORANGE OIL (8008-57-9)
Not applicable

#### 8.2. Appropriate engineering controls

- : Ensure good ventilation of the work station.
- Appropriate engineering controls Environmental exposure controls
- : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Protective gloves

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and	chemical properties	
Physical state	: Liquid	
Color	: COLORLESS	
Odor	: PINEAPPLE AND TERPENES	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 34 °C	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: Not applicable.	
Vapor pressure	: No data available	
Relative vapor density at 20 °C	: No data available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: 0.864 (0.854 - 0.874)
Solubility	: Insoluble.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
Refrective index	· 1 467 (1 467 - 1 477)

Refractive index

: 1.467 (1.457 - 1.477)

	SECTION	10: Stability	y and react	ivity
--	---------	---------------	-------------	-------

10.1.	Reactivity

Flammable liquid and vapour.

**10.2.** Chemical stability Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity

#### : Not classified

ALLYL HEXANOATE (123-68-2)			
ATE US (oral)	300 mg/kg body weight		
ATE US (dermal)	300 mg/kg body weight		
ATE US (gases)	700 ppmV/4h		
ATE US (vapors)	3 mg/l/4h		
ATE US (dust, mist)	0.5 mg/l/4h		
ALPHA PINENE (7785-26-4)			
ATE US (oral)	3700 mg/kg body weight		
CAMPHENE (79-92-5)			
LD50 oral rat	> 5000 mg/kg (Rat, Oral)		
LD50 dermal rabbit	> 2500 mg/kg (Rabbit, Dermal)		
GERANYL ACETATE (105-87-3)			
LD50 oral rat	6300 mg/kg (Rat, Oral)		
ATE US (oral)	6300 mg/kg body weight		
LINALOOL (78-70-6)			
LD50 oral rat	2790 mg/kg (Rat)		
LD50 dermal rat	5610 mg/kg (Rat)		
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)		
ATE US (oral)	2790 mg/kg body weight		
ATE US (dermal)	5610 mg/kg body weight		

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Suspected of causing cancer.	

MYRCENE (123-35-3)	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after ingestion	: Risk of lung edema.

<b>SECTION 12: Ecological information</b>	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

CAMPHENE (79-92-5)		
LC50 fish 1	0.72 mg/l (96 h, Brachydanio rerio, Technical product)	
EC50 Daphnia 1	22 mg/l (48 h, Daphnia magna, Technical product)	
GERANYL ACETATE (105-87-3)		
LC50 fish 1	68.12 mg/l (DIN 38412: German standard methods for the examination of water, waste water and sludge, 96 h, Leuciscus idus, Static system, Fresh water, Read-across)	
EC50 Daphnia 1	14.1 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)	
LINALOOL (78-70-6)		
EC50 Daphnia 1	59 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna)	
EC50 other aquatic organisms 1	>= 100 mg/l (3 h; Activated sludge)	
LC50 fish 2	27.8 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Salmo gairdneri)	
Threshold limit algae 1	88.3 mg/l (EC50; 96 h)	

#### 12.2. Persistence and degradability

CAMPHENE (79-92-5)	
Persistence and degradability	Not readily biodegradable in water.
GERANYL ACETATE (105-87-3)	
Persistence and degradability	Readily biodegradable in water.
ThOD	2.6 g O <sub>2</sub> /g substance
LINALOOL (78-70-6)	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	1.531 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	2.808 g O <sub>2</sub> /g substance

#### 12.3. Bioaccumulative potential

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CAMPHENE (79-92-5)		
BCF fish 1	432 - 1290 (Cyprinus carpio, Test duration: 8 weeks)	
Log Pow	4.02	
Bioaccumulative potential	Potential for bioaccumulation (500 $\leq$ BCF $\leq$ 5000).	
GERANYL ACETATE (105-87-3)		
BCF other aquatic organisms 1	1500 (Estimated value)	
Log Pow	4.04 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)	
Bioaccumulative potential	Potential for bioaccumulation ( $4 \ge Log \text{ Kow} \le 5$ ).	
LINALOOL (78-70-6)		
Log Pow	2.84 - 3.145	
Bioaccumulative potential	Bioaccumable.	

#### 12.4. Mobility in soil

GERANYL ACETATE (105-87-3)	
Log Koc	3.06 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for mobility in soil.

#### 12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations			
13.1. Disposal methods			
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Flammable vapors may accumulate in the container.		
	(han		

#### **SECTION 14: Transport information**

#### Department of Transportation (DOT)

In accordance with DOT

Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Class (DOT) Packing group (DOT) Hazard labels (DOT) : UN1266 Perfumery products, 3, III

#### : UN1266

- : Perfumery products
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : III Minor Danger
- : 3 Flammable liquid



: 203

: 242

DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

DOT Special Provisions (49 CFR 172.102)

: B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T2 - 1.5 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

······································		
DOT Packaging Exceptions (49 CFR 173.xxx)	:	150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	220 L
DOT Vessel Stowage Location	:	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	:	127
Other information	:	No supplementary information available.
Transportation of Dangerous Goods		
Not applicable		
Transport by sea		
Transport document description (IMDG)	:	UN 1266 PERFUMERY PRODUCTS, 3, III
UN-No. (IMDG)	:	1266
Proper Shipping Name (IMDG)	:	PERFUMERY PRODUCTS
Class (IMDG)	:	3 - Flammable liquids
Packing group (IMDG)	:	III - substances presenting low danger
Limited quantities (IMDG)	:	5 L
Air transport		
Transport document description (IATA)	:	UN 1266 Perfumery products, 3, III
UN-No. (IATA)	:	1266
Proper Shipping Name (IATA)	:	Perfumery products
Class (IATA)	:	3 - Flammable Liquids
Packing group (IATA)	:	III - Minor Danger

### **SECTION 15: Regulatory information**

15.1. US Federal regulations

ALLYL HEXANOATE (123-68-2)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
ALPHA PINENE (7785-26-4)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
BETA PINENE (18172-67-3)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
CAMPHENE (79-92-5)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
BETA CARYOPHYLLENE (87-44-5)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
GERANYL ACETATE (105-87-3)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
LINALOOL (78-70-6)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
MYRCENE (123-35-3)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
ORANGE OIL (8008-57-9)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 15.2. International regulations

#### CANADA

ALLYL HEXANOATE (123-68-2)		
Listed on the Canadian DSL (Domestic Substances List)		
ALPHA PINENE (7785-26-4)		
Listed on the Canadian NDSL (Non-Domestic Substances List)		
BETA PINENE (18172-67-3)		
Listed on the Canadian DSL (Domestic Substances List)		
CAMPHENE (79-92-5)		
Listed on the Canadian DSL (Domestic Substances List)		
BETA CARYOPHYLLENE (87-44-5)		
Listed on the Canadian DSL (Domestic Substances List)		
GERANYL ACETATE (105-87-3)		
Listed on the Canadian DSL (Domestic Substances List)		
LINALOOL (78-70-6)		
Listed on the Canadian DSL (Domestic Substances List)		
MYRCENE (123-35-3)		
Listed on the Canadian DSL (Domestic Substances List)		
ORANGE OIL (8008-57-9)		
Listed on the Canadian DSL (Domestic Substances List)		
Ell-Pequiations		

**EU-Regulations** No additional information available

National regulations				
<b>MYRCENE (123-35</b>	i-3)			
Listed on IARC (Inte	Listed on IARC (International Agency for Research on Cancer)			
15.3. US State regul	15.3. US State regulations			
	This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.			

### SECTION 16: Other information

Revision date

: 04/24/2019

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:	
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H301	Toxic if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H331	Toxic if inhaled
H351	Suspected of causing cancer

#### SDS US (GHS HazCom 2012) -

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product