

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
 Product name : Sour Diesel Full Spectrum  
 CAS-No. : N/A  
 Product code : FST110

#### 1.2. Recommended use and restrictions on use

No additional information available

#### 1.3. Supplier

DTI MEDIA  
 TERPENE ENHANCEMENTS  
 11546 COLONY ROW BROOMFIELD CO 80021  
 DENVERTERPENES.COM  
 303-625-7531

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300  
 CCN 13010

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Flammable liquids Category 4	Combustible liquid
Skin corrosion/irritation Category 2	Causes skin irritation
Serious eye damage/eye irritation Category 2A	Causes serious eye irritation
Skin sensitization, Category 1	May cause an allergic skin reaction
Carcinogenicity Category 2	Suspected of causing cancer
Aspiration hazard Category 1	May be fatal if swallowed and enters airways

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

Hazard pictograms (GHS US) :



GHS07

GHS08

Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

Combustible liquid  
 May be fatal if swallowed and enters airways  
 Causes skin irritation  
 May cause an allergic skin reaction  
 Causes serious eye irritation  
 Suspected of causing cancer

Precautionary statements (GHS US) :

Obtain special instructions before use.  
 Do not handle until all safety precautions have been read and understood.  
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 Avoid breathing dust/fume/gas/mist/vapors/spray.  
 Wash hands, forearms and face thoroughly after handling.  
 Contaminated work clothing must not be allowed out of the workplace  
 Wear protective gloves/protective clothing/eye protection/face protection.  
 If swallowed: Immediately call a poison center or doctor  
 If on skin: Wash with plenty of water  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 If exposed or concerned: Get medical advice/attention.  
 Specific treatment (see supplemental first aid instruction on this label)

# Sour Diesel Full Spectrum

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Do NOT induce vomiting.  
If skin irritation occurs: Get medical advice/attention.  
If skin irritation or rash occurs: Get medical advice/attention.  
If eye irritation persists: Get medical advice/attention.  
Take off contaminated clothing and wash it before reuse.  
Wash contaminated clothing before reuse.  
In case of fire: Use media other than water to extinguish.  
Store in a well-ventilated place. Keep cool.  
Store locked up.  
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
BETA CARYOPHYLLENE	(CAS-No.) 87-44-5	25 - 50	Skin Sens. 1B, H317 Asp. Tox. 1, H304
ORANGE TERPENES	(CAS-No.) 68647-72-3	10 - 25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
MYRCENE	(CAS-No.) 123-35-3	5 - 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Carc. 2, H351 Asp. Tox. 1, H304
Nerolidol (isomer unspecified)	(CAS-No.) 7212-44-4	5 - 10	Eye Irrit. 2B, H320
LINALOOL	(CAS-No.) 78-70-6	5 - 10	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
BETA PINENE	(CAS-No.) 18172-67-3	1 - 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
ALPHA PINENE	(CAS-No.) 7785-26-4	1 - 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
ALPHA TERPINEOL	(CAS-No.) 98-55-5	1 - 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
PHYTOL	(CAS-No.) 150-86-7	1 - 5	Skin Irrit. 2, H315
GERANYL ACETATE	(CAS-No.) 105-87-3	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.  
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.  
First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately.

# Sour Diesel Full Spectrum

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.  
Symptoms/effects after eye contact : Eye irritation.  
Symptoms/effects after ingestion : Risk of lung edema.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.  
Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.  
Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Store locked up.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### NEROLIDOL NATURAL (7212-44-4)

Not applicable

#### PINENE BETA, NATURAL (18172-67-3)

Not applicable

# Sour Diesel Full Spectrum

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>GERANYL ACETATE, NATURAL (105-87-3)</b>
Not applicable
<b>LINALOOL NATURAL EXHOWOOD 98% (78-70-6)</b>
Not applicable
<b>CARYOPHYLLENE BETA, NATURAL (87-44-5)</b>
Not applicable
<b>PINENE ALPHA, NATURAL (7785-26-4)</b>
Not applicable
<b>ORANGE TERPENES (68647-72-3)</b>
Not applicable
<b>TERPINEOL ALPHA, NATURAL (98-55-5)</b>
Not applicable
<b>PHYTOL NATURAL (150-86-7)</b>
Not applicable
<b>MYRCENE BETA, NATURAL (123-35-3)</b>
Not applicable

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Protective gloves

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
: PALE YELLOW TO YELLOW  
Odor : TERPENES  
Odor threshold : No data available  
pH : No data available  
Melting point : Not applicable  
Freezing point : No data available  
Boiling point : No data available  
Flash point : 61 °C  
Relative evaporation rate (butyl acetate=1) : No data available  
Flammability (solid, gas) : Not applicable.  
Vapor pressure : No data available  
Relative vapor density at 20 °C : No data available

# Sour Diesel Full Spectrum

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: 0.873 (0.863 - 0.883)
Solubility	: Insoluble.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2. Other information

Refractive index	: 1.484 (1.474 - 1.494)
------------------	-------------------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

<b>GERANYL ACETATE, NATURAL (105-87-3)</b>	
LD50 oral rat	6300 mg/kg (Rat, Oral)
ATE US (oral)	6300 mg/kg body weight
<b>LINALOOL NATURAL EXHOWOOD 98% (78-70-6)</b>	
ATE US (oral)	2790 mg/kg body weight
<b>PINENE ALPHA, NATURAL (7785-26-4)</b>	
ATE US (oral)	3700 mg/kg body weight
<b>ORANGE TERPENES (68647-72-3)</b>	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)
<b>TERPINEOL ALPHA, NATURAL (98-55-5)</b>	
ATE US (oral)	4300 mg/kg body weight

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.

# Sour Diesel Full Spectrum

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ORANGE TERPENES (68647-72-3)	
IARC group	3 - Not classifiable

MYRCENE BETA, NATURAL (123-35-3)	
IARC group	2B - Possibly carcinogenic to humans

Reproductive toxicity : Not classified  
STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : Risk of lung edema.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

GERANYL ACETATE, NATURAL (105-87-3)	
LC50 fish 1	68.12 mg/l (DIN 38412: German standard methods for the examination of water, waste water and sludge, 96 h, Leuciscus idus, Static system, Fresh water, Read-across)
EC50 Daphnia 1	14.1 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

ORANGE TERPENES (68647-72-3)	
LC50 fish 1	720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
EC50 Daphnia 1	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

### 12.2. Persistence and degradability

GERANYL ACETATE, NATURAL (105-87-3)	
Persistence and degradability	Readily biodegradable in water.
ThOD	2.6 g O <sub>2</sub> /g substance

ORANGE TERPENES (68647-72-3)	
Persistence and degradability	Readily biodegradable in water.
ThOD	3.29 g O <sub>2</sub> /g substance

### 12.3. Bioaccumulative potential

GERANYL ACETATE, NATURAL (105-87-3)	
BCF other aquatic organisms 1	1500 (Estimated value)
Log Pow	4.04 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).

ORANGE TERPENES (68647-72-3)	
BCF fish 1	864.8 - 1022 (Pisces, QSAR, Fresh weight)
Log Pow	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).

# Sour Diesel Full Spectrum

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.4. Mobility in soil

<b>GERANYL ACETATE, NATURAL (105-87-3)</b>	
Log Koc	3.06 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for mobility in soil.

<b>ORANGE TERPENES (68647-72-3)</b>	
Ecology - soil	Adsorbs into the soil.

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

### Department of Transportation (DOT)

In accordance with DOT

Not regulated

### Transportation of Dangerous Goods

Not applicable

### Transport by sea

Not applicable

### Air transport

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

<b>NEROLIDOL NATURAL (7212-44-4)</b>
Listed on the United States TSCA (Toxic Substances Control Act) inventory
<b>PINENE BETA, NATURAL (18172-67-3)</b>
Listed on the United States TSCA (Toxic Substances Control Act) inventory
<b>GERANYL ACETATE, NATURAL (105-87-3)</b>
Listed on the United States TSCA (Toxic Substances Control Act) inventory
<b>LINALOOL NATURAL EXHOWOOD 98% (78-70-6)</b>
Listed on the United States TSCA (Toxic Substances Control Act) inventory
<b>CARYOPHYLLENE BETA, NATURAL (87-44-5)</b>
Listed on the United States TSCA (Toxic Substances Control Act) inventory
<b>PINENE ALPHA, NATURAL (7785-26-4)</b>
Listed on the United States TSCA (Toxic Substances Control Act) inventory
<b>ORANGE TERPENES (68647-72-3)</b>
Listed on the United States TSCA (Toxic Substances Control Act) inventory
<b>TERPINEOL ALPHA, NATURAL (98-55-5)</b>
Listed on the United States TSCA (Toxic Substances Control Act) inventory
<b>PHYTOL NATURAL (150-86-7)</b>
Not listed on the United States TSCA (Toxic Substances Control Act) inventory
<b>MYRCENE BETA, NATURAL (123-35-3)</b>
Listed on the United States TSCA (Toxic Substances Control Act) inventory

# Sour Diesel Full Spectrum

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 15.2. International regulations

#### CANADA

<b>NEROLIDOL NATURAL (7212-44-4)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>PINENE BETA, NATURAL (18172-67-3)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>GERANYL ACETATE, NATURAL (105-87-3)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>LINALOOL NATURAL EXHOWOOD 98% (78-70-6)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>CARYOPHYLLENE BETA, NATURAL (87-44-5)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>PINENE ALPHA, NATURAL (7785-26-4)</b>
Listed on the Canadian NDSL (Non-Domestic Substances List)
<b>ORANGE TERPENES (68647-72-3)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>TERPINEOL ALPHA, NATURAL (98-55-5)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>PHYTOL NATURAL (150-86-7)</b>
Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)
<b>MYRCENE BETA, NATURAL (123-35-3)</b>
Listed on the Canadian DSL (Domestic Substances List)


#### EU-Regulations

No additional information available

#### National regulations

<b>MYRCENE BETA, NATURAL (123-35-3)</b>
Listed on IARC (International Agency for Research on Cancer)

### 15.3. US State regulations

 **WARNING:** This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## SECTION 16: Other information

Revision date : 11/13/2019



# Sour Diesel Full Spectrum

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

H226	Flammable liquid and vapour
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H320	Causes eye irritation
H351	Suspected of causing cancer

SDS US (GHS HazCom 2012) -

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*