

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 06/19/2018 Revision date: 01/30/2019 Supersedes: 01/30/2019

Version: 1.3

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : Natural Strawberry Lemonade Flavor

CAS-No. : N/A
Product code : NFL122

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

DTI MEDIA
TERPENE ENHANCEMENTS
11546 COLONY ROW BROOMFIELD CO 80021
DENVERTERPENES.COM
303-625-7531

1.4. Emergency telephone number

Emergency number : Chemtrec - USA: 800-424-9300 - International: 703-527-3887

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Flammable liquids Category 3 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Skin sensitization, Category 1

Carcinogenicity Category 1A

Flammable liquid and vapour

Causes skin irritation

Causes serious eye irritation

May cause an allergic skin reaction

May cause cancer

2.2. GHS Label elements, including precautionary statements

GHS-US labeling

Hazard pictograms (GHS-US)



GHS02



GHS07

GHS08

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : Flammable liquid and vapour

Causes skin irritation

May cause an allergic skin reaction

Causes serious eye irritation

May cause cancer

Precautionary statements (GHS-US) : Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Keep container tightly closed.

Ground/Bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools.

Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash hands, forearms and face thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

01/30/2019 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

and easy to do. Continue rinsing

If exposed or concerned: Get medical advice/attention.

Specific treatment (see supplemental first aid instruction on this label)

If skin irritation occurs: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

In case of fire: Use media other than water to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
CITRAL	(CAS-No.) 5392-40-5	5 - 10	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
BENZYL ALCOHOL	(CAS-No.) 100-51-6	5 - 10	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319
LINALOOL	(CAS-No.) 78-70-6	1 - 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
ETHYL ALCOHOL	(CAS-No.) 64-17-5	1 - 5	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 Carc. 1A, H350
DECANAL	(CAS-No.) 112-31-2	1 - 5	Flam. Liq. 4, H227 Eye Irrit. 2A, H319
ISOAMYL ALCOHOL	(CAS-No.) 123-51-3	1 - 5	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
LEMON OIL	(CAS-No.) 8008-56-8	1 - 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
CITRONELLYL ACETATE	(CAS-No.) 150-84-5	1 - 5	Skin Irrit. 2, H315
GAMMA DECALACTONE	(CAS-No.) 706-14-9	1 - 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319
VANILLIN	(CAS-No.) 121-33-5	1 - 5	Eye Irrit. 2, H319
LEMON OIL TERPENES	(CAS-No.) 68917-33-9	0.1 - 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
GERANIOL	(CAS-No.) 106-24-1	0.1 - 1	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

01/30/2019 EN (English US) 2/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Fire hazard : Flammable liquid and vapour. Reactivity : Flammable liquid and vapour.

Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

: No open flames, no sparks, and no smoking. Only qualified personnel equipped with suitable **Emergency procedures**

protective equipment may intervene. Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2 For emergency responders

Do not attempt to take action without suitable protective equipment. For further information Protective equipment

refer to section 8: "Exposure controls/personal protection".

Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygiene measures Separate working clothes from town clothes. Launder separately. Wash contaminated clothing

before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

01/30/2019 EN (English US) 3/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Not applicable

LINALOOL (78-70-6)

Not applicable

CITRAL (5392-40-5)		
ACGIH	ACGIH TWA (ppm)	5 ppm
ACGIH	Remark (ACGIH)	Body weight eff; URT irr; eye dam; Skin; DSEN; A4 (Not classifiable as a Human Carcinogen: Agents which cause concern that they could be carcinogenic for humans but which cannot be assessed conclusively because of a lack of data. In vitro or animal studies do not provide indications of carcinogenicity which are sufficient to classify the agent into one of the other categories)

LEMON OIL TERPENES (68917-33-9)

Not applicable

LEMON OIL (8008-56-8)

Not applicable

GERANIOL (106-24-1)

Not applicable

GAMMA DECALACTONE (706-14-9)

Not applicable

CITRONELLYL ACETATE (150-84-5)

Not applicable

VANILLIN (121-33-5)

Not applicable

ETHYL ALCOHOL (64-17-5)		
ACGIH	ACGIH STEL (ppm)	1000 ppm
ACGIH	Remark (ACGIH)	URT irr
OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm

DECANAL (112-31-2)

Not applicable

BENZYL ALCOHOL (100-51-6)

Not applicable

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

01/30/2019 EN (English US) 4/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : PALE YELLOW TO YELLOW

Odor : CHARACTERISTIC OF STRAWBERRY LEMONADE

Odor threshold : No data available pH : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available : No data available

Flash point : 45 °C

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : 0.92 (0.910 - 0.930)

Solubility : Insoluble.

Log Pow : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available : No data available Viscosity, kinematic : No data available Viscosity, dynamic **Explosion limits** : No data available : No data available Explosive properties Oxidizing properties : No data available

9.2. Other information

Refractive index : 1.452 (1.442 - 1.462)

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

01/30/2019 EN (English US) 5/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

ISOAMYL ALCOHOL (123-51-3)	
ATE US (dermal)	3220 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (yases) ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
LINALOOL (78-70-6)	
ATE US (oral)	2790 mg/kg body weight
` '	2790 mg/ng body weight
CITRAL (5392-40-5)	2050 marker hards succeed
ATE US (dermal)	2250 mg/kg body weight
GERANIOL (106-24-1)	
LD50 oral rat	3600 mg/kg body weight (Rat; Experimental value)
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Experimental value)
ATE US (oral)	3600 mg/kg body weight
GAMMA DECALACTONE (706-14-9)	
LD50 oral rat	5000 mg/kg (Rat, Oral)
ATE US (oral)	5000 mg/kg body weight
CITRONELLYL ACETATE (150-84-5)	
LD50 oral rat	6800 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit, Dermal)
ATE US (oral)	6800 mg/kg body weight
VANILLIN (121-33-5)	
LD50 oral rat	3300 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male/female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Dermal, 14 day(s))
ATE US (oral)	3300 mg/kg body weight
ETHYL ALCOHOL (64-17-5)	
LD50 oral rat	10740 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral)
LD50 dermal rabbit	> 16000 mg/kg (Rabbit, Literature study, Dermal)
LC50 inhalation rat (mg/l)	117 - 125 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male/female, Experimental value, Inhalation)
ATE US (oral)	10740 mg/kg body weight
BENZYL ALCOHOL (100-51-6)	
LD50 oral rat	1620 mg/kg bw/day (Rat, Male, Experimental value, Oral)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit, Inconclusive, insufficient data, Dermal)
LC50 inhalation rat (mg/l)	> 4.178 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male/female, Experimental value, Inhalation (aerosol))
ATE US (oral)	1620 mg/kg body weight
ATE US (dermal)	2500 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
December to make a selection of the control of the	. May agua an allarria akin reaction
Respiratory or skin sensitization	: May cause an allergic skin reaction.
	: Not classified

01/30/2019 EN (English US) 6/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ETHYL ALCOHOL (64-17-5)	
IARC group	1 - Carcinogenic to humans

Reproductive toxicity : Not classified Specific target organ toxicity – single exposure : Not classified

Specific target organ toxicity – repeated

exposure

: Not classified

Aspiration hazard : Not classified

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

GERANIOL (106-24-1)		
LC50 fish 1	> 9.8 mg/l (LC50; 96 h)	
CITRONELLYL ACETATE (150-84	-5)	
LC50 fish 1	> 22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Brachydanio rerio)	
VANILLIN (121-33-5)		
LC50 fish 1	57 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)	
EC50 Daphnia 1	36.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)	
ErC50 (algae)	120 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)	
ETHYL ALCOHOL (64-17-5)		
LC50 fish 1	14200 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)	
BENZYL ALCOHOL (100-51-6)		
LC50 fish 1	460 mg/l (EPA OPP 72-1, 96 h, Pimephales promelas, Static system, Fresh water, Experimental value, Nominal concentration)	
EC50 Daphnia 1	230 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Fresh water, Experimental value, GLP)	
ErC50 (algae)	770 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)	

12.2. Persistence and degradability

GERANIOL (106-24-1)		
Persistence and degradability	Readily biodegradable in water.	
ThOD	2.9 g O ₂ /g substance	
GAMMA DECALACTONE (706-14-9)		
Persistence and degradability	Biodegradability in water: no data available.	
CITRONELLYL ACETATE (150-84-5)		
Persistence and degradability	Biodegradability in water: no data available.	
VANILLIN (121-33-5)		
Persistence and degradability	Readily biodegradable in water.	

01/30/2019 EN (English US) 7/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ETHYL ALCOHOL (64-17-5)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.8 - 0.967 g O ₂ /g substance	
Chemical oxygen demand (COD)	1.7 g O ₂ /g substance	
ThOD	2.1 g O ₂ /g substance	
BOD (% of ThOD)	0.43	
BENZYL ALCOHOL (100-51-6)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	1.6 g O ₂ /g substance	
Chemical oxygen demand (COD)	2.4 g O ₂ /g substance	
ThOD	2.5 g O ₂ /g substance	

12.3. Bioaccumulative potential

GERANIOL (106-24-1)	
Bioaccumulative potential	No bioaccumulation data available.
GAMMA DECALACTONE (706-14-9)	
Bioaccumulative potential	No bioaccumulation data available.
CITRONELLYL ACETATE (150-84-5)	
Log Pow	4.28
Bioaccumulative potential	No bioaccumulation data available.
VANILLIN (121-33-5)	
Log Pow	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
ETHYL ALCOHOL (64-17-5)	
BCF fish 1	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)
Log Pow	-0.31 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.
BENZYL ALCOHOL (100-51-6)	
Log Pow	1 - 1.1 (Experimental value, 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

12.4. Mobility in soil

VANILLIN (121-33-5)		
Log Koc	3.438 (log Koc, Experimental value)	
Ecology - soil	Low potential for mobility in soil.	
ETHYL ALCOHOL (64-17-5)		
Surface tension	0.022 N/m (20 °C)	
Ecology - soil	Highly mobile in soil.	
BENZYL ALCOHOL (100-51-6)		
Surface tension	39 mN/m (20 °C)	
Ecology - soil	No (test)data on mobility of the substance available.	

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapors may accumulate in the container.

01/30/2019 EN (English US) 8/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated

Transportation of Dangerous Goods

Not applicable

Transport by sea

Transport document description (IMDG) : UN 1266 PERFUMERY PRODUCTS, 3, III

UN-No. (IMDG) : 1266

Proper Shipping Name (IMDG) : PERFUMERY PRODUCTS
Class (IMDG) : 3 - Flammable liquids

Packing group (IMDG) : III - substances presenting low danger

Limited quantities (IMDG) : 5 L

Air transport

Transport document description (IATA) : UN 1266 Perfumery products, 3, III

UN-No. (IATA) : 1266

Proper Shipping Name (IATA) : Perfumery products
Class (IATA) : 3 - Flammable Liquids
Packing group (IATA) : III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

ISOAMYL ALCOHOL (123-51-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

LINALOOL (78-70-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

CITRAL (5392-40-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

LEMON OIL TERPENES (68917-33-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

LEMON OIL (8008-56-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

GERANIOL (106-24-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

GAMMA DECALACTONE (706-14-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

CITRONELLYL ACETATE (150-84-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

VANILLIN (121-33-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

ETHYL ALCOHOL (64-17-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

DECANAL (112-31-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

BENZYL ALCOHOL (100-51-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

01/30/2019 EN (English US) 9/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

ISOAMYL ALCOHOL (123-51-3)

Listed on the Canadian DSL (Domestic Substances List)

LINALOOL (78-70-6)

Listed on the Canadian DSL (Domestic Substances List)

CITRAL (5392-40-5)

Listed on the Canadian DSL (Domestic Substances List)

LEMON OIL TERPENES (68917-33-9)

Listed on the Canadian DSL (Domestic Substances List)

LEMON OIL (8008-56-8)

Listed on the Canadian DSL (Domestic Substances List)

GERANIOL (106-24-1)

Listed on the Canadian DSL (Domestic Substances List)

GAMMA DECALACTONE (706-14-9)

Listed on the Canadian DSL (Domestic Substances List)

CITRONELLYL ACETATE (150-84-5)

Listed on the Canadian DSL (Domestic Substances List)

VANILLIN (121-33-5)

Listed on the Canadian DSL (Domestic Substances List)

ETHYL ALCOHOL (64-17-5)

Listed on the Canadian DSL (Domestic Substances List)

DECANAL (112-31-2)

Listed on the Canadian DSL (Domestic Substances List)

BENZYL ALCOHOL (100-51-6)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

ETHYL ALCOHOL (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations



This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

ISOAMYL ALCOHOL (123-51-3)

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

ETHYL ALCOHOL (64-17-5)

U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

Revision date : 01/30/2019

01/30/2019 EN (English US) 10/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

text of H-phrases:	
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H350	May cause cancer

SDS US (GHS HazCom 2012) -

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

01/30/2019 EN (English US) 11/11