



DECKBOOK
Autumn/Winter 2022

## ENJOY YOUR GARDEN ALL YEAR ROUND



I hope you all had a wonderful summer, even if it was a little on the warm side! No doubt many of you are quite happy with a few months of some cooler weather.

The autumn and winter months however won't mean that you need to say farewell to your precious outdoor space. There are ways to prepare your garden in such way that you can enjoy it all year round!

Sustainable decking boards by Trekker are the perfect choice for your outdoor area. When the rainy weather arrives, the decking can help you keep a clean and tidy look for your garden. Trekker products are made from materials that will last for a long time and are manufactured with very little impact on our environment. More people today are into sustainable product solutions and at Trekker we are proud to be able to offer you just those.

In this brochure you will discover some of our latest new products on pages 16-17, Find out the fantastic product qualities of our Endura 3D decking product. On pages 6-9 you will find our latest case study featuring Leeds-based Garden Studio project.

Hope you enjoy this Deckbook and as always we'd be happy to help you, so please get in touch!

### **NICK WHILEY**

International Project Director

# CCESSORIES







BASE FRAMES






**DECK** 16-29



**/HY TREKKER** 

COMPOSITE













- Trekker decking is easy to install and can be worked just like wood.
   Full installation instructions are included in every product delivery, and they are also available online for your convenience.
- Trekker comes with a 5-year warranty for commercial and a 10-year warranty for residential applications.
- $\bullet$  Trekker products are made in our factory in Europe with 1000's of M $^2$  of UK stock for fast delivery nationwide.
- Composite decking will not rot or warp and requires very little maintenance.
- You will not need to oil or seal composite decking, and there are no splinters unlike with wood.



- The product does not host the growth of algae and it is anti-slip even in wet conditions.
- Trekker products are environmentally friendly. They are FSC® (FSC-C009500) certified, made entirely from recycled hardwood fibres and virgin polymer, and are themselves fully recyclable.

The mark of responsible forestry





**Product:** HO944 Vulcan cladding, HO2298 & HO2295 Grev/silver trims

For this Yorkshire-based project, Trekker Global composite cladding was chosen for the exterior of a stunning outhouse for a family home in the heart of Leeds. The addition of this new flexible outdoor space has transformed the garden offering.


The HO944 Vulcan Cladding in Grey has provided a robust yet stylish exterior to the annexe, with the ability to withstand all weather conditions throughout the year whilst also remaining low maintenance. The silver trims of the HO2298 & HO2295 cladding offer a contemporary feel, working seamlessly with the existing modern house and garden furnishings.

The intricacy of the wood grain process as part of the composite design has created an immaculate finish to the overall building. The lightness of the composite cladding pairs well with the garden's colour palette yet still manages to showcase the precision and detail that Trekker Global provides.



### CLADDING

Bringing you sustainable, high-quality composite cladding products in 3 stunning new colours providing 12 finishes to choose from! Complete your garden project in style with matching cladding, which will last for years to come.



### HO942

Composite Cladding; Wood Grain; Plank; Interlocking Square Edge

Thickness	16mm
Face Width	125mm
Length	3200mm

£43.95 per sq.m £18.02 per board



### HO940

Composite Cladding; Wood Grain; Plank; Interlocking Square Edge

Thickness	16mm
Face Width	125mm
Length	3200mm

£43.95 per sq.m £18.02 per board



### H0944

Composite Cladding; Wood Grain; Plank; Interlocking Square Edge

Thickness	16mm
Face Width	125mm
Length	3200mm

£43.95 per sq.m £18.02 per board



**BRONZE WOOD GRAIN** 

### HO1400

Composite Cladding; Wood Grain; Plank; Interlocking Square Edge

16mm
125mm
3200mm

£43.95 per sq.m £18.02 per board

# NEW

### HO1402

Composite Cladding; Wood Grain; Plank; Interlocking Square Edge

Thickness	16mm
Face Width	125mm
Length	3200mm
047.05	

£43.95 per sq.m £18.02 per board




### HO1404

Composite Cladding; Wood Grain; Plank; Interlocking Square Edge

Thickness	16mm
Face Width	125mm
Length	3200mm

£46.95 per sq.m £19.25 per board







### TREKKER ALUMINIUM TRIMS

High quality trims are essential for the success of your cladding installation.

**TREKKER** profiles are supplied in precisely engineered aluminium making them very strong whilst simple to fix.

### STARTER RAIL

Starter Rails are your first step for a neat and easy install. The first row of boards fits neatly into the Starter Rail profile providing a sound and straight foundation to build upwards from.

### **EXTERNAL TRIM**

External Trim is a perfect finish for external corners of buildings, recesses and framework.

The generous Base Plate allows a stable fix into most materials and Top Cover hides expansion gaps on the ends of the cladding boards.

### **STARTER RAIL - ALUMINIUM**



### HO2299

35 x 8mm 3m lengths

### £16.95 per length

### **EXTERNAL TRIMS - ALUMINIUM**



### HO2293

Black external corner 3m lengths

### HO2294

Brown external corner 3m lengths

### HO2295

Grey external corner 3m lengths

### WINDOWS/STOP TRIM

Windows/stop trim is an elegant solution for window and door frames, internal corners and soffit junctions.

This versatile trim has a variety of uses, the Base Plate is easily fixed to most materials and the Top Cover hides board ends and expansion.

### WINDOWS/STOP TRIM



### HO2296

Black trim 25 x 30mm 3m lengths (Trim for window surrounds)

£58.95 per length

### HO2297


Brown trim

25 x 30mm 3m lengths

### HO2298


Grey trim

25 x 30mm 3m lengths






### TREKKER CLADDING EXPLAINED





- A Starter Rail
- B Base Plate for External Corner
- C TREKKER Cladding board, first row located in Starter Rail




- D Top Cover for External Corner, neatly covers all expansion requirements
- E Header joint over a batten with 6-8mm expansion gap (cut chamfered at 45deg minimises visual impact)



TREKKER DOOR REVEAL

- A Base Plate for Window/Stop Trim
- B Top Cover for Window/Stop Trim
- C Base plate for External Corner
- D Top Cover External Corner



TREKKER INTERNAL CORNER DETAIL

- A Base Plate for Window/Stop Trim
- B Top Cover for Window Stop Trim





### TREKKER SOFFIT DETAIL

- A Base Plate for Window Stop Trim
- B Top Cover for Window Stop Trim
- C Base Plate for External Corner
- D Top Cover External Corner

- E Soffit
- F Fascia
- G Guttering



## **NEW** PRODUCT FROM TREKKER: ENDURA 3D

Endura 3D is the latest new product by Trekker Global providing you with even more pronounced grain. This decking's exterior is manufactured with nanotech shield and reinforced with titanium, making it highly resistant to stains. Endura 3D comes in three colours with matching nosing. The product is splinter free, has high UV resistance and is easy to clean and maintain.

# RUSTIC GREY

### HO1016

Composite Decking; Flat; Titanium; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness	24mm
Width	150mm
Length	3200mm

£74.95 per sq.m £35.98 per board

SUCUPIRA

### HO1004

Composite Decking; Flat; Titanium; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness	24mm
Width	150mm
Length	3200mm

£74.95 per sq.m £35.98 per board

# CUMARU

### HO1002

Composite Decking; Flat; Titanium; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness	24mm
Width	150mm
Length	3200mm

£74.95 per sq.m £35.98 per board

### NOSING

### HO436

Nosing to match colour, producing step formation.



Thickness	24mm
Width	150mm
Length	2300mm

### £51.95 per length

### NOSING

### HO434

Nosing to match colour, producing step formation.



Thickness	24mm
Width	150mm
Length	2300mm

### £51.95 per length

### NOSING

### HO432

Nosing to match colour, producing step formation.



Thickness	24mm
Width	150mm
Length	2300mm

£51.95 per length

### GO EXTRA LONG

Another great advantage with Endura<sup>2</sup> and Endura 3D products is that we can supply you with bespoke lengths for special projects, which means a stunning end result with fewer expansion gaps and wastage.





### ENDURA<sup>2</sup>

A revolutionary new decking range, ENDURA<sup>2</sup>, guarantees high resistance to stains and particularly fats, making it well suited for outdoor cooking areas or hospitality sector. ENDURA<sup>2</sup> is scratch resistant and features extreme tolerance to UV light. The product has the look and feel of wood but comes with a high longevity and is extremely durable.

The ENDURA<sup>2</sup> range is manufactured by using a new technology in which the core of the deck is manufactured in HDM (high density mineral WPC core), and the exterior is manufactured in a modified polymer (Nanotech Shield).

### **GROOVED PROFILE**









Thickness

Width

Length

24mm

£74.95 per sq.m

£35.98 per board

150mm


3200mm

### **WOODGRAIN PROFILE**





SUCUPIRA WOOD GRAIN	HO1112	
	Grain; Plan	Decking; Wood k; Clip Fixing; 25 q.m; Square Edge
	Thickness	24mm
The first	Width	150mm
	Length	3200mm
	£74.95	per sq.m
	£35.98	per board







# **GROOVED** NARROW WIDTH 22X120X2300MM

A narrower and more cost-effective version of the classic grooved board. For all types of projects on a budget, the narrow width grooved boards are available in three very earthy tones that help create a contemporary feel.

### STANDARD PROFILE









	•
CHOCOLATE GROOVED	НО990
To the second	Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC
	Thickness 22mm Width 120mm
	Length 2300mm
	£61.95 per sq.m
	£17.35 per board
PRONZE CROOVER	H0007

BRONZE GROOVED	HO997
	Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC
	Thickness 22mm Width 120mm Length 2300mm
	£61.95 per sq.m
	£17.35 per board



### **FREE SAMPLES AVAILABLE**

Order at www.trekkerglobal.com or call 01524 737000



HO960

Composite Fascia

**VULCAN FASCIA** 





£29.95	per length
Length	1500mm
Width	133mm/64mm
Thickness	22mm



HOS	989	)		
Can	be	installed	either	way

£29.95	per length
Length	1500mm
Width	133mm/64mm
Thickness	22mm

£10.95 per length

# GROOVED STANDARD WIDTH 22X143X3200MM

A standard width grooved board with a safeguard profile available in two popular colours that nicely compliment the natural elements of nature and the outdoors. Although already slip resistant, the grooves provide an extra element of grip.

### SAFEGUARD PROFILE









VULCAN GROOVED	HO924	
		Plank; Clip Fixing; ge; 25 Clips per
	Thickness	22mm
	Width	143mm
	Length	3200mm
	£65.95	per sq.m
	£30.34	per board



### FREE SAMPLES AVAILABLE

Order at www.trekkerglobal.com or call 01524 737000







Can be installed either way

Thickness 22mm
Width 133mm/64mm
Length 1500mm

£29.95 per length

Our composite step nosings are unique to the market and match our Trekker decking boards.

For more information please contact us on: +44 (0) 01524 737000

## FLUTED STANDARD WIDTH 22X143X3200MM

For a thicker grooved aesthetic, the fluted composite decking boards come in a range of popular colours. The fluted style board is a sophisticated take on the classic grooved board and is great for both residential and commercial projects.

### SAFEGUARD PROFILE





### HO910

Composite Decking; Fluted; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness	22mm
Width	143mm
Length	3200mm

£65.95 per sq.m £30.34 per board



# NEW OAK FLUTED

### HO918

Composite Decking; Fluted; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness	22mm
Width	143mm
Length	3200mm

£65.95 per sq.m £30.34 per board

HRACITE FLUTED	HO912	VULCA



Composite Decking; Fluted; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness	22mm
Width	143mm
Length	3200mm

£65.95 per sq.m £30.34 per board

# VULCAN FLUTED

### HO914

Composite Decking; Fluted; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness	22mm
Width	143mm
Length	3200mm

£65.95 per sq.m £30.34 per board



### HO966

Composite Fascia

Thickness 11mm

Composite Fascia

100mm

£10.95 per length

1500mm

Width

Length

HO964



### ANTHRACITE NOSING FLUTED HO972

Can be installed either way

Thickness 22mm Width 133mm/64mm Length 1500mm

### £29.95 per length

### CHOCOLATE NOSING FLUTED

HO970

Can be installed either way



Thickness	22mm
Width	133mm/64mm
Length	1500mm

### £29.95 per length

### HO968

Length

Composite Fascia

Thickness 11mm Width

100mm 1500mm

£10.95 per length



### HO978

Can be installed either way

-	

Thickness	22mm
Width	133mm/64mm
Length	1500mm

### £29.95 per length

### **VULCAN FASCIA**



### HO960

Length

Composite Fascia

Thickness 11mm Width

100mm 1500mm

£10.95 per length



### HO974

Can be installed either way


11mm
100mm
1500mm

£10.95 per length

Thickness 22mm Width 133mm/64mm 1500mm Length

£29.95 per length

# **GROOVED** MIXED WIDTH 22X138X3200MM 22X183X3200MM

A grooved board that come in two very popular and modern shades of grey. Available in two width varieties of 138mm and 183mm giving you the option to mix and match both width and colour for that added wow factor.

### SAFEGUARD PROFILE














Follow us on instagram.



## **WOOD GRAIN** STANDARD WIDTH 22X143X3200MM

Contemporary Wood Grain look and feel but with the advantage of not rotting or warping like solid timber. Safeguard profile prevents small items from falling between the boards and pairs nicely with our Wood Grain Composite Cladding range.

### SAFEGUARD PROFILE









### HO904

Composite Decking; Wood Grain; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness	22mm
Width	143mm
Length	3200mm

£84.95 per sq.m £39.08 per board

### ANTHRACITE WOOD GRAIN



### HO902

Composite Decking; Wood Grain; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness	22mm
Width	143mm
Length	3200mm

£84.95 per sq.m £39.08 per board

### CHOCOLATE WOOD GRAIN



### новоо

Composite Decking; Wood Grain; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness	22mm
Width	143mm
Length	3200mm

£84.95 per sq.m £39.08 per board



### FREE SAMPLES AVAILABLE

Order at www.trekkerglobal.com or call 01524 737000



### HO982

Can be installed either way

£29.95	per length
Length	1500mm
Width	133mm/64mm
Thickness	22mm

### HO984

Can be installed either way



Thickness	22mm
Width	133mm/64mm
Longth	1500mm

### £29.95 per length



**CHOCOLATE NOSING** 

### HO980

Can be installed either way

Thickness	22mm
Width	133mm/64mm
Length	1500mm

£29.95 per length



### HO966

Composite Fascia



Thickness	11mm
Width	100mm
Length	1500mm

### £10.95 per length



### HO960

Composite Fascia



Thickness	11mm
Width	100mm
Length	1500mm

### £10.95 per length

### CHOCOLATE FASCIA



### HO964

Composite Fascia



Thickness	11mm
Width	100mm
Length	1500mm

£10.95 per length


### DIFFERENT TYPES OF BASE FRAMES

When installing your new Trekker Decking, these are the most common bases used.



### TIMBER SUB-FRAME

- Can be existing or new (existing needs to be in a sound condition)
- Joists must be set to 300mm centres.
- Tailor-made to suit the heights that work for your project.
- Elevated deck areas enhance the Al Fresco experience!
- Easy to customise and incorporate features like steps, planters and seating.




### SOLID SUB-BASE

- Can be existing paving, concrete slab, concrete oversite or similar firm & stable material.
- · Requires little preparation.
- Uses Low Profile Composite Batten HO550
- · Battens are fixed to Sub-base.
- · Very minimal height build-up.
- Works well with existing door/window thresholds.



### RAISED DECK ON ADJUSTABLE PEDESTALS

- Fast and simple install method.
- Great for covering areas that have varying heights.
- · No major construction work required.
- Pedestals are sited on firm level material i.e compacted aggregate or concrete pad.
- Can easily be lifted and re-located if required.



### RAISED DECK FOR ROOF TERRACE, BALCONIES & VERANDAS

- Fast and simple install method.
- Easily caters for varying heights, roof drainage falls and door thresholds.
- Suitable for most roof finishes, GRP, Built-up Felt, Fibreglass Compound etc.
- Does not interfere with Waterproofing membranes.

Please note that all images shown are for illustration purposes only. For full installation methods including expansion details please go to our website **www.trekkerglobal.com** or alternatively call us on **01524 737000** 

### TREKKER PRO TAPE

Manufactured in the UK, the Trekker Pro Tape protects the timber frame deck sub structure giving the composite deck board a completely waterproof and weather seal.

With a permanent adhesive bond for 50 years, and with a 25-year guarantee, this tape adds to the life of your deck frame. The product has been tested with all timber treatments. There are three sizes available to suit the UK sized timbers:

- 50mm wide Trekker Pro Tape protects the top of the joists (timbers). This product will self-seal once a fastener has been driven through.
- 82mm wide Trekker Pro Tape protects the underside of joists and is ideal for example for flat roof or balcony applications. It is also perfect for cut ends of all joist sizes.
- 100mm wide Trekker Pro Tape has been designed to be applied on a double joist (2x50mm joists) or for deck posts resting on an area exposed to water.

The Trekker Pro Tape will enhance the life of every quality composite decking project.







### HO615

Width	50mm
Length	20 meters

### £23.95 per roll

### HO616

Width	82mm
Length	20 meters

### £38.95 per roll

### HO617

Width	100mm
Length	20 meters

### £46.95 per roll

For more information on the Trekker Pro Tape or to place an order please contact our team on:

info@trekkerglobal.com

### TREKKER ACCESSORIES

Ensure that you have everything you need for your decking installation project to run smoothly!



### HO555

Decking Starting Clip
To be used at the start of each run of the
deck boards.

£23.95 per box



### HO566

Black coated metal decking clips, 25 per sq mt. Only suitable for products: HO952, HO954, HO953 and HO955.

Free of charge



### HO561

Nylon decking clips. 25 clips per sq mt.

Free of charge



### HO553

This locking clip is a great way to maintain consistent expansion/contraction of deck boards. 1 Clip required per board.
Supplied in bags of 25.

£6.95 per bag



### HO584

4.0mm x 35mm Stainless Steel Screws.
Torx drive with cutter point and black coated heads.

Free of charge



### HO564

These screws are for use with Aluminium joists/rails.

Free of charge



**HO557** Trekker maintenance cleaner

£37.95

Trekker Global offers a full range of solutions designed to fulfill any project, no matter how complex. For full details on installation methods, subframe build-up and pedestal systems please visit **www.trekkerglobal.com** or call us on **01524 737000** 



### HO550

'Low profile' decking joist 30mm x 50mm x 2300mm Lengths Solid Composite Construction 'NOT LOAD BEARING'. Must be installed on solid level substrate.

£10.95 each



### HO551

Aluminium Rail for screw fix clips 50mm x 3200mm long This aluminium rail can be fixed to a suitable substrate or mounted on pedestals uses self-drilling screws. Code: HO564 (500 per pack)

£30.95



### HO5080

'Low Profile' Aluminium Rail for screw fix clips 22mm x 3600mm long This aluminium rail can be fixed to a suitable substrate or mounted on pedestals uses self-drilling screws. Code: H0564 (500 per pack)

£29.95



HO938 Pedestals 12-17mm

£2.95 per item



HO939 Pedestals 18-23mm

18-23mm **£2.95** per item



HO936 Pedestals 24-29mm

£3.95 per item



HO937 Pedestals 30-44mm

30-44mm **£3.95** per item



HO5012

Bearer Connector For securing timber or aluminium joists/rails to pedestals

Can accommodate up to 80mm width of rail

£2.95



### HO930

Adjustable Pedestals 37-50mm (6 pedestals per sq.m.)

£4.95 per item

### HO931

Adjustable Pedestals 50-75mm (6 pedestals per sq.m.)

> £5.95 per item



### HO932

Adjustable Pedestals 74-117mm (6 pedestals per sq.m.)

£7.95 per item



### HO933

Adjustable Pedestals 117-201mm (6 pedestals per sq.m.)

> £10.95 per item



### HO934

Adjustable Pedestals 197-281mm (6 pedestals per sq.m.)

£14.95 per item



### **HO5060** Pedestal extender

providing over 200mm increase in height. Threaded unit fits in between the top and bottom section of adjustable pedestals HO933 and HO934

£7.50

### TREKKER RETURNS POLICY

### **LEFTOVER GOODS**

If you have any unused packs left over after fitting we can accept these back for credit, subject to the following conditions:

- Goods must be returned within 30 days from date of delivery (subject to our terms & conditions).
- · A 20% restocking fee applies.
- You are responsible for returning the goods to us at our Carnforth Warehouse at your expense. Original
  delivery cost is non-refundable. Refunds will be issued within 14 days of receipt of material into our
  warehouse.
- Any returned goods must be unopened, no partial packs will be accepted.
- Goods must be in their original, "as new" condition and with original packaging. Any packs returned in a
  damaged condition or not packaged correctly cannot be credited.
- · Handed products must have an equal quantity of Left and Right hands.
- Please note that unfortunately we cannot accept products which are specials or bespoke, made to your specifications or non-stock items especially brought in for your order.
- Any bespoke or non-stock items remaining at our warehouse which are part of a call-off order will be invoiced 14 days after the end of the contract.
- Before returning any goods, a return order number must be obtained from the Trekker Sales Department.
   Please write this number, together with the names of both sender and recipient, clearly on each unit being returned.

### GOODS ARRIVED DAMAGED OR SHORT DELIVERED

- Any deliveries with damaged or missing goods should be accepted but must be signed for accordingly (i.e. "damaged" or "short delivered"). Phrases such as "unchecked" will not be accepted.
- Photographs should be taken of any damaged goods at the point of accepting deliveries and forwarded with your claim.
- All damaged or missing goods must be reported to the Trekker Sales Department within 4 days, and a replacement will be sent out to you at the earliest available delivery date.
- If you notice a problem after signing for delivery, then please contact us within 4 days to arrange a replacement. Photographic evidence of any damaged goods must be provided.
- You will not normally be expected to return the damaged packs to us. After your claim has been accepted by us please dispose of the items safely.
- We do advise you to check your packs upon delivery to avoid any unnecessary delays if there is a problem with the delivery.

### **FAULTY GOODS**

• If the products arrive with a manufacturing fault, please contact our customer services telephone line: 01524 737000 or email us: info@trekkerglobal.com. If you call us we will try to sort out your complaint while you are on the phone. If this is not possible the advisor will agree a course of action with you, in line with our terms and conditions.

### **CHANGING YOUR MIND**

- Subject to our terms and conditions, and in line with the Consumer Contracts Regulations 2013, you have 14 days after the day you (or someone you nominate) receives the order, (or where the order is split into several deliveries over different days, 14 days after the date of the last delivery) to notify us that you wish to cancel the order.
- Please note bespoke or special order products cannot be returned for credit.
- To cancel an order please contact our customer services telephone line: 01524 737000 or email us: info@trekkerglobal.com.
- You must return the products to us as soon as reasonably practicable and in any event within 30 days of delivery.
- The product must not have been removed from their packaging or in any way handled, modified, or installed (such that they are no longer in a saleable condition).
- If you cannot arrange carriage yourself, we can collect the complete order from the address to which they were delivered, on your behalf. Such collection will be at your cost, and at your risk.

### SALES +44(0)1524 737000

### INFO@TREKKERGLOBAL.COM WWW.TREKKERGLOBAL.COM

### **HEAD OFFICE**

Havwoods Limited, Carnforth Business Park, Oakwood Way, Carnforth, Lancashire LA5 9FD

### **SHOWROOMS**

London Clerkenwell 26-27 Great Sutton Street, Clerkenwell, EC1V ODS

Carnforth

Carnforth Business Park, Oakwood Way, Carnforth, Lancashire LA5 9FD

Guildford

11 North Street Guildford, Surrey GU1 4AF NEW SHOWROOM NOW OPEN London Chelsea

600 King's Road, Chelsea, SW6 2DX

Knutsford

Units 2/3 , 12-18 Regent Street Knutsford, WA16 6GR

### Pricing and deliveries

All prices are shown per sqm unless otherwise stated and exclude VAT. Prices are accurate at time of printing. Trekker provide a range of delivery options. Please contact us to discuss a cost-effective delivery solution for your order.

Trekker Global is part of the Havwoods International Group.



## TREKKER



www.trekkerglobal.com info@trekkerglobal.com T. +44(0)1524 737000

Havwoods Limited Registered in England No. 01225320

Luxury decking and cladding for any outdoor project

