

TREKKER LUXURY DECKING & CLADDING

Hello and welcome to our latest Deckbook

The warmer weather has finally arrived as we enter the spring and summer season of the year! At Trekker we have been busy with new product plans, and with an increased demand for composite cladding we are introducing new colours and finishes to the range.

While our product range is versatile and offering something to everyone, please remember that we also offer full bespoke capabilities. If you have a specific colour or design in mind and you can't find it in this



brochure, please get in touch and let's discuss how we can make it happen for you.

When it comes to outdoor projects more time you allow for the planning the better the results will be. Order your samples, look through our website for project inspiration, and speak with us to see how we can help.


We hope you enjoy this latest edition of Deckbook, and the new products and case studies. Hope to hear from you soon.

NICK WHILEY

International Project Director
P.S. Visit our new website at **trekkerglobal.com**

Follow us on Instagram!










Keep inspired by our showcase of fabulous Trekker projects & be the first to see new products.





Contents

Feel good with Trekker

What makes our products so special

Trekker decking

Inspirational spaces: Frognal Lane Complete decking collection Information & accessories

Trekker cladding range

Inspirational spaces: Loughton House Complete cladding collection Information & accessories

How to buy

Trekker showrooms Order samples

Information

Terms of sale Contact

Feel good with Trekker

Composite Decking & Cladding: The look and feel of wood, but better.

Nature improved

Trekker composite boards & panels are created by mixing recycled wood fibres and polymers along with a small amount of bonding agents. This mix is heated, formed into board shaped lengths and then cooled.

The result is a beautiful. luxury material designed for life with nature at its core.



10 year residential warranty

Peace of mind with a 10 year warranty for residential application



Designed for life

Unlike solid timber. Trekker Composite boards will not rot or warp. Surfaces do not host the growth of algae and there are no splinters to worry about.

Choose from our **Endura** range (page 11) for high stain resistance, allowing you carefree outdoor entertaining.

Environmentallu responsible

Trekker products are FSC® certified (FSC-C009500), made entirely from recycled wood & plastic material.

Our decking & cladding boards are fully recyclable.

Trekker is made by experts in our trusted European factory.



Anti-slip

Low maintenance

Huge range



Express yourself

Trekker Decking & Cladding is easy to install and can be worked just like wood, with full instructions included with every product.


With a range of complementary accessories (page 20), the only limit to your creativity is your imagination.



Go bespoke

Ask us about bespoke decking colour options! We can create colours outside of our standard range to your requirements.

Contact us +44(0)1483 310800 or info@trekkerglobal.com



Project: Hampstead Residential


Location: London

Photography: Calvert Studios

The Frognal Lane project includes an interior and exterior transformation of the property resulting in a stunning new modern design, perfect for a couple looking for their first home.


Trekker Wood Grain Standard
Decking in Vulcan was specified
to provide a robust and stylish
flooring solution for the roof
terrace. The silvery tones of the
boards perfectly complement
the industrial black railings
and contemporary outdoor
furniture, providing a spacious
terrace for entertaining.

Made from recycled FCS-certified wood and plastic,
Trekker Global composite
decking isn't only a sustainable
design choice but it is
extremely durable and easy to
maintain – meaning it can be
enjoyed all year round. Unlike
wood, the composite boards do
not need protecting from the
extreme weather as they are
anti-slip, anti-warp and
UV resistant.









Endura 3D

24x150x3200mm 3 colours

Endura 3D is the latest new product by Trekker Global providing you with even more pronounced grain. This decking's exterior is manufactured with nanotech shield and reinforced with titanium. making it highly resistant to stains. Endura 3D comes in three colours with matching nosing. The product is splinter free, has high UV resistance and is easy to clean and maintain.

Available in longer lengths

More pronounced woodgrain effect

Safeguard profile

Woodgrain finish

RUSTIC GREY



Composite Decking; Flat; Titanium: Plank: Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 150mm 3200mm Length

£74.95 per sq.m £35.98 per board

SUCUPIRA

CUMARU



HO1004

Composite Decking; Flat; Titanium; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 24mm Width 150mm 3200mm Length

£74.95 per sq.m £35.98 per board

Composite Decking; Flat;

Titanium; Plank; Clip

£74.95 per sq.m £35.98 per board

FOC Thickness

Width

Length

Fixing; Square Edge; 25

Clips per sq.m; Supplied

24mm

150mm

3200mm

Matching nosing

RUSTIC GREY



HO436

Nosing to match colour, producing step formation.



Thickness 2300mm

£51.95 per length

SUCUPIRA

H0434

Nosing to match colour, producing step formation.

Thickness 24mm Width 150mm 2300mm Length

£51.95 per length

CUMARU



HO432

Nosing to match colour, producing step formation.

Thickness 24mm Length 2300mm

£51.95 per length

Endura²

24x150x3200mm 4 colours

A revolutionary new decking range, ENDURA², guarantees high resistance to stains and particularly fats, making it well suited for outdoor cooking areas and the hospitality sector. ENDURA² is scratch resistant and features extreme tolerance to UV light. The product has the look and feel of wood but comes with a high longevity and is extremely durable.

Highly durable


Stain resistant

Safeguard profile



Grooved finish

TEAK GROOVED




HO1106 Composite Decking; Grooved: Plank: Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied

Thickness 24mm Width 150mm

Length 3200mm

£74.95 per sq.m £35.98 per board

SUCUPIRA GROOVED



H01104

Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 24mm Width 150mm 3200mm Length

£74.95 per sq.m £35.98 per board

GLACIER GROOVED



HO1100 Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 24mm Width 150mm Length 3200mm

£74.95 per sq.m £35.98 per board

CUMARU GROOVED



HO1102 Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 24mm Width 150mm 3200mm Length

£74.95 per sq.m £35.98 per board





Woodgrain finish

TEAK WOODGRAIN




HO1114 Composite Decking; Woodgrain; Plank; Clip Fixing; 25 clips per sq.m; Square Edge


Thickness 24mm 3200mm Lenath

£74.95 per sq.m £35.98 per board

SUCUPIRA WOODGRAIN



HO1112



Composite Decking; Woodgrain; Plank; Clip Fixing; 25 clips per sq.m; Square Edge

Thickness 24mm Width 150mm Length 3200mm

£74.95 per sq.m £35.98 per board

GLACIER WOODGRAIN



HO1108 Composite Decking; Woodgrain; Plank; Clip Fixing; 25 clips per sq.m; Square Edge

Thickness 24mm Width 150mm Length 3200mm

£74.95 per sq.m £35.98 per board

CUMARU WOODGRAIN



HO1110 Composite Decking;

Woodgrain; Plank; Clip Fixing; 25 clips per sq.m; Square Edge

Thickness 24mm Width 150mm Length 3200mm

£74.95 per sq.m £35.98 per board

Grooved

Narrow width

20x120x2300mm 3 colours

A narrower and more cost-effective version of the classic grooved board. For all types of projects on a budget, the narrow width grooved boards are available in three very earthy tones that help create a contemporary feel.

Standard profile

Planks fit together with a small gap between each, using HO561 decking clips.



CHOCOLATE GROOVED



H0990

Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 22mm Width 120mm Length 2300mm

£61.95 per sq.m £17.35 per board



VULCAN GROOVED



H0994

Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 22mm Width 120mm Length 2300mm

£61.95 per sq.m £17.35 per board



BRONZE GROOVED



H0997

Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 22mm Width 120mm Length 2300mm

£61.95 per sa.m £17.35 per board

Grooved profile narrow width Chocolate

Matching fascia

CHOCOLATE FASCIA



Composite Fascia; Can be installed either way



Thickness 11mm Width 100mm 1500mm Length

£10.95 per length

VULCAN FASCIA



H0960 Composite Fascia; Can be installed either way



Thickness 11mm Width 100mm Length 1500mm

£10.95 per length



BRONZE FASCIA

Composite Fascia; Can be installed either way



Thickness 11mm Width 100mm Length 1500mm

£10.95 per length

Matching nosing

CHOCOLATE GROOVED NOSING



Can be installed either



Thickness 22mm 133mm/64mm Length 1500mm

£29.95 per length

VULCAN GROOVED NOSING



H0988 Can be installed either



Thickness 22mm Width 133mm/64mm Length 1500mm

£29.95 per length

BRONZE GROOVED NOSING



Can be installed either



Thickness 22mm Width 133mm/64mm Length 1500mm

Grooved

Standard width

22x143x3200mm 2 colours

A standard width grooved board with a safeguard profile, available in two popular colours that nicely complement the natural elements of nature and the outdoors. Although already slip resistant, the grooves provide an extra element of grip.

Safeguard profile

Planks fit together with no-fall gap between each, using HO561 decking clips.



VULCAN GROOVED



H0924 Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 22mm Width 143mm 3200mm Length

£65.95 per sq.m £30.34 per board



EARTH GROOVED



H0926 Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 22mm 143mm Width 3200mm Length


£65.95 per sq.m £30.34 per board



More Colours?



Matching fascia



H0960 Composite Fascia; Can be installed either way



Thickness 11mm 100mm Width 1500mm Length

£10.95 per length

EARTH FASCIA



H0962 Composite Fascia; Can be installed either way



Thickness 11mm Width 100mm Length 1500mm

£10.95 per length

Matching nosing

VULCAN GROOVED NOSING



H0988 Can be installed either wav



Thickness 22mm Width 133mm/64mm 1500mm Length

£29.95 per length

EARTH GROOVED NOSING



H0986 Can be installed either way

Thickness 22mm Width 133mm/64mm 1500mm Length

Grooved

Mixed width (Semi & Broad)

22x138x3200mm 22x183x3200mm 2 colours

A grooved board that comes in two very popular and modern shades of grey. Available in two width varieties of 138mm and 183mm giving you the option to mix and match both width and colour for that added wow factor. This product is finished with steel brushing that provides a long-lasting performance from each board.

Safeguard profile

Planks fit together with no-fall gap between each, using HO566 metal decking clips.







Semi width

ANTHRACITE 138MM GROOVED



Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 22mm Width 138mm Length 3200mm

£71.95 per sq.m £33.82 per board

VULCAN 138MM GROOVED




H0954
Composite Decking;
Grooved; Plank; Clip
Fixing; Square Edge;
25 Clips per sq.m;
Supplied FOC

Thickness 22mm Width 138mm Length 3200mm

£71.95 per sq.m £33.82 per board

Minimum order quantities apply

Speak to us today to find out more



Broad width

ANTHRACITE 183MM GROOVED



Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 22mm Width 183mm Length 3200mm

£71.95 per sq.m £44.61 per board

VULCAN 183MM GROOVED



HO955

Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 22mm Width 183mm Length 3200mm

£71.95 per sq.m £44.61 per board

Matching fascia

ANTHRACITE FASCIA



H0966Composite Fascia; Can be installed either way



Thickness 11mm Width 100mm Length 1500mm

£10.95 per length

VULCAN FASCIA



Composite Fascia; Can be installed either way



Thickness 11mm Width 100mm Length 1500mm

£10.95 per length



Free Samples

See our full range and order free samples online at www.trekkerglobal.com with next day UK delivery

Woodgrain

Standard width

22x143x3200mm 3 colours

Coming soon...

Contemporary Wood Grain look and feel but with the advantage of not rotting or warping like solid timber. Safeguard profile prevents small items from falling between the boards and pairs nicely with our Woodgrain composite cladding range.

Safeguard profile

Planks fit together with no-fall gap between each, using HO561 decking clips.



CHOCOLATE WOODGRAIN




Composite Decking; Woodgrain; Plank; Clip Fixing: Square Edge: 25 Clips per sq.m; Supplied

Thickness 22mm Width 143mm Length 3200mm

£84.95 per sq.m £39.08 per board



ANTHRACITE WOODGRAIN



H0902 Composite Decking; Woodgrain; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 22mm Width 143mm Length 3200mm

£84.95 per sq.m £39.08 per board



VULCAN WOODGRAIN



H0904

Composite Decking; Woodgrain; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 22mm Width 143mm Length 3200mm

£84.95 per sq.m £39.08 per board

Woodarain profile Chocolate

Matching fascia

CHOCOLATE FASCIA



H0964 Composite Fascia; Can be installed either way



Thickness 11mm Width 100mm 1500mm Length

£10.95 per length

ANTHRACITE FASCIA



Composite Fascia; Can be installed either way




Thickness 11mm Width 100mm Length 1500mm

£10.95 per length

VULCAN FASCIA

HOGEO





Thickness 11mm Width 100mm Length 1500mm

£10.95 per length

Matching nosing

CHOCOLATE WOODGRAIN NOSING



H0980 Can be installed either



ANTHRACITE WOODGRAIN NOSING



Can be installed either



Thickness 22mm 133mm/64mm 1500mm

£29.95 per length

VULCAN WOODGRAIN NOSING



Can be installed either

Thickness 22mm 133mm/64mm Length 1500mm

DECKING FLUTED STANDARD WIDTH

Fluted

Standard width

22x143x3200mm 4 colours

For a thicker grooved aesthetic, the fluted composite decking boards come in a range of popular colours. The fluted style board is a sophisticated take on the classic grooved board and is great for both residential and commercial projects.

Safeguard profile

Planks fit together with no-fall gap between each, using HO561 decking clips.



CHOCOLATE FLUTED



Composite Decking; Fluted; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 22mm Width 143mm 3200mm Length

£65.95 per sq.m £30.34 per board









Composite Decking; Fluted; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 22mm 143mm Width 3200mm Length

£65.95 per sq.m £30.34 per board

HO918

VULCAN FLUTED



Composite Decking; Fluted; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 22mm Width 143mm 3200mm Length

£65.95 per sq.m £30.34 per board



NEW OAK FLUTED

Composite Decking; Fluted; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 22mm Width 143mm 3200mm Length

£65.95 per sq.m £30.34 per board

Matching fascia

Matching nosing

CHOCOLATE FASCIA



H0964 Composite Fascia; Can be installed either way



Thickness 11mm Width 100mm Length 1500mm

£10.95 per length

ANTHRACITE FASCIA



Composite Fascia; Can be installed either way



Thickness 11mm Width 100mm Length 1500mm

£10.95 per length

VULCAN FASCIA



Composite Fascia; Can be installed either way



Thickness 11mm Width 100mm Length 1500mm

£10.95 per length



NEW OAK FASCIA

H0968

Composite Fascia; Can be installed either way



Thickness 11mm Width 100mm 1500mm Length

£10.95 per length

CHOCOLATE FLUTED NOSING



Can be installed either



ANTHRACITE FLUTED NOSING



H0972 Can be installed either wav



Thickness 22mm Width 133mm/64mm Length 1500mm

£29.95 per length

VULCAN FLUTED NOSING



Can be installed either



Thickness 22mm Width 133mm/64mm Length 1500mm

£29.95 per length

NEW OAK FLUTED NOSING



H0978 Can be installed either



Thickness 22mm Width 133mm/64mm 1500mm Length

Guide To Base Frames

When installing your new Trekker Decking, these are the most common bases used.

Timber Sub-Frame



- Can be existing or new (existing needs to be in a sound condition)
- Joists must be set to 300mm centres.
- Tailor-made to suit the heights that work for your project.
- Elevated deck areas enhance the Al Fresco experience!
- Easy to customise and incorporate features like steps, planters and seating.

Raised Deck On Adjustable Pedestals




- Fast and simple install method.
- Great for covering areas that have varying heights.
- · No major construction work required.
- Pedestals are sited on firm level material i.e compacted aggregate or concrete pad.
- Can easily be lifted and re-located if required.

Solid Sub-Base




- Can be existing paving, concrete slab, concrete oversite or similar firm and stable material.
- · Requires little preparation.
- Uses Low Profile Composite Batten HO550
- · Battens are fixed to sub-base.
- Very minimal height build-up.
- Works well with existing door/window thresholds.

Raised Deck For Roof Terrace, Balconies & Verandas



- Fast and simple install method.
- Easily caters for varying heights, roof drainage falls and door thresholds.
- Suitable for most roof finishes, GRP, built-up felt, fibreglass compound etc.
- Does not interfere with waterproofing membranes.



Trekker Pro Tape

3 widths

Manufactured in the UK, the Trekker Pro Tape protects the timber frame deck sub structure giving the composite deck board a completely waterproof and weather seal.

With a permanent adhesive bond for 50 years, and with a 25-year guarantee, this tape adds to the life of your deck frame. The product has been tested with all timber treatments.







50mm WIDE

HO615

Protects the top of the joists (timbers). This product will self-seal once a fastener has been driven through.

Width 50mm Length 20 metres

£23.95 per roll

82mm WIDE

HO616

Protects the underside of joists and is ideal for example for flat roof or balcony applications. It is also perfect for cut ends of all joist sizes.

Width Length

82mm h 20 metres

£38.95 per roll

100mm WIDE

HO617

Designed to be applied on a double joist (2x50mm joists) or for deck posts resting on an area exposed to water.

Width Length

n 100mm th 20 metres

£46.95 per roll

Accessories

Ensure that you have everything you need for your decking installation project to run smoothly!

Fitting accessories

For all Trekker Decking products



DECKING JOIST H0550

Solid composite 'low-profile' decking joist. Not load bearing; to be installed on solid level substrate.

Width 50mm Height 30mm Length 2300mm

£10.95 each




DECKING LOCKING CLIP

Maintain consistent expansion/ contraction of deck boards. 1 Clip required per board

Quantity 25

£6.95 per bag



DECKING STARTING CLIP

To be used at the start of each run of the deck boards.

Quantity 25

£23.95 per box



DECKING SCREWS

Stainless Steel Screws. Torx drive with cutter point and black coated heads.

Quantity 250

£29.95 per box*



NYLON DECKING CLIPS

For use with Standard &

Safeguard profile boards

Quantity 25 per sq mt

£10.95 per bag*

DECKING CLEANER

Essential cleaning solution for maintaining the look & life of Trekker decking

Free clips & screws

500ml

£37.95 each

For mixed width decking



METAL DECKING CLIPS

For use with Mixed Width boards only (HO952, 953, 954 & 955). Black coated metal.

Quantity 25 per sq mt

£10.95 per bag*

Raised deck accessories

For all Trekker Decking products installed on a raised deck (see page 24)



ALUMINIUM RAIL

HO551

Aluminium rail for screw fix clips (HO564), can be fixed to a suitable substrate or mounted on pedestals uses self-drilling screws.

Width 50mm Height 50mm Length 3200mm £30.95 each



LOW-PROFILE ALUMINIUM RAIL

Aluminium rail for screw fix clips (HO564), can be fixed to a suitable substrate or mounted on pedestals uses self-drilling screws.

Width 50mm Height 22mm Length 3600mm

£29.95 each



DECKING SCREWS

H0564

Stainless Steel Screws for use with aluminium joists/rails.

4mm x 35mm

Quantity 500

£59.95 per box*

Pedestals



H0938

£3.95 each

12-17mm 18-123mm

H0939

£3.95 each



24-29mm H0936 £4.95 each



30-44mm H0937 £5.95 each



BEARER CONNECTOR

HO5012

For securing timber or aluminium joists/ rails to pedestals. Can accommodate up to 80mm width of rail

£2.95 each

Adjustable pedestals

50-75mm

6 per sq mt

£8.95 each

H0931



37-50mm H0930 6 per sq mt £6.95 each



74-117mm H0932 6 per sq mt

£10.95 each



117-201mm

6 per sq mt

£15.95 each

H0933


197-281mm H0934 6 per sq mt £22.95 each



EXTENDER HO5060

Providing over 200mm increase in height. Fits in between the top and bottom section of adjustable pedestals HO933 and HO934

£14.95 each





Project: Loughton House

Garden Room **Location:** Essex


Photography: Calvert Studios

Adding a new and contemporary design element to this family home, the Loughton House project is a beautifully designed garden annex, created to be a flexible space for working or entertaining.

Trekker Cladding in Wood
Grain Anthracite was chosen
as the finishing touch to
the renovation, immediately
sprucing up the home's outdoor
space. The dark grey colouring
of the boards perfectly
complement the modern
aesthetic of the slate roof
tiles and Crittal French doors,
resulting in an eye-catching
structure that can be enjoyed
day and night.

Providing sustainable, highquality composite cladding, the Trekker Global collection is the perfect solution for any outdoor project, no matter the size or style, offering a selection of timeless finishes which are robust and hardwearing.







Cladding range

Our full collection of composite cladding

Slatted panelling

Our new slatted cladding panels emulate the look of contemporary individual timber slats, providing a stunning, eye-catching effect to any vertical surface. They are both easy to install, low-maintenance, and come in four colour options with a sanded finish.

Slatted

28x216x2800mm 4 colours



SUCUPIRA SLATTED

Composite Cladding; Sanded; Panel; Square

Thickness 28mm 216mm 2800mm Length

£60.95 per sq.m £40.60 per board



HO1704

Composite Cladding; Sanded; Panel; Square Edge

2800mm Length

£60.95 per sq.m £40.60 per board





H01702 Composite Cladding; Sanded; Panel; Square

Thickness 28mm Width 2800mm Length

£60.95 per sa.m £40.60 per board

RUSTIC GREY SLATTED



Composite Cladding; Sanded; Panel; Square

Thickness 28mm Width 216mm Length 2800mm

£60.95 per sq.m £40.60 per board



Installation made easu

We've made installation simple! Find our quick guide to cladding installation on page 34, or visit the Trekker website for detailed advice and a list of approved professional installers.

www.trekkerglobal.com



Woodgrain cladding Pearl page 32

Trekker cladding

Bringing you sustainable, high-quality composite cladding products in 3 stunning new colours providing 12 finishes to choose from! Complete your garden project in style with matching cladding, which will last for years to come.

Woodgrain

16x125x3200mm 6 colours

More colours?

CHOCOLATE WOODGRAIN



H0940 Composite Cladding; Woodgrain; Plank; Interlocking Square Edge

Thickness 16mm Face Width 125mm 3200mm Length

£43.95 per sq.m £18.02 per board

BRONZE WOODGRAIN



H01400 Composite Cladding; Woodgrain; Plank; Interlocking Square Edge

Thickness 16mm Face Width 125mm 3200mm

£43.95 per sq.m £18.02 per board

ANTHRACITE WOODGRAIN



H0942 Composite Cladding; Woodgrain; Plank; Interlocking Square Edge

Thickness 16mm Face Width 125mm Length 3200mm

£43.95 per sq.m £18.02 per board

EARTH WOODGRAIN



H01402 Composite Cladding; Woodgrain; Plank; Interlocking Square Edge

Thickness 16mm Face Width 125mm 3200mm Length

£43.95 per sq.m £18.02 per board

VULCAN WOODGRAIN



H0944 Composite Cladding; Woodgrain; Plank; Interlocking Square Edge

Thickness 16mm Face Width 125mm 3200mm

£43.95 per sq.m £18.02 per board

PEARL WOODGRAIN



H01404 Composite Cladding; Woodgrain; Plank; Interlocking Square Edge

Thickness 16mm Face Width 125mm 3200mm

£46.95 per sq.m £19.25 per board

Sanded

16x125x3200mm 5 colours

ANTHRACITE SANDED



HO1302 Composite Cladding; Sanded; Plank; Interlocking Square Edge

Thickness Face Width 125mm Length 3200mm

£43.95 per sq.m £18.02 per board

CHOCOLATE SANDED



HO1300 Composite Cladding; Sanded; Plank; Interlocking Square Edge

Thickness 16mm Face Width 125mm Length 3200mm

£43.95 per sq.m £18.02 per board


BRONZE SANDED



EARTH SANDED



VULCAN SANDED



HO1304 Composite Cladding; Sanded; Plank; Interlocking Square Edge


Thickness 16mm Face Width 125mm 3200mm

£43.95 per sq.m £18.02 per board

Polished

16x125x3200mm 1 colour

PEARL POLISHED




H01604 Composite Cladding; Polished; Plank; Interlocking Square Edge

Thickness 16mm Face Width 125mm 3200mm Length

£46.95 per sq.m £19.25 per board

Trekker cladding explained Cladding sequence



- A Starter Rail
- B Base Plate for External Corner
- C TREKKER Cladding board, first row located in Starter Rail

Door reveal




- A Base Plate for Window/Stop Trim
- B Top Cover for Window/Stop Trim
- C Base plate for External Corner D - Top Cover External Corner

Soffit detail



- A Base Plate for Window Stop Trim
- B Top Cover for Window Stop Trim
- C Base Plate for External Corner
- D Top Cover External Corner


For illustration purposes only, find our full installation methods including expansion details at www.trekkerglobal.com



D - Top Cover for External Corner, neatly covers all expansion requirements

E – Header joint over a batten with 6-8mm expansion gap (cut chamfered at 45deg minimises visual impact)

Internal corner detail



- A Base Plate for Window/Stop Trim
- B Top Cover for Window Stop Trim

- E Soffit
- F Fascia
- G Guttering

Cladding accessories

High quality trims are essential for the success of your cladding installation.

Starter rails

Starter Rails are your first step for a neat and easy install. The first row of boards fits neatly into the Starter Rail profile providing a sound and straight foundation to build upwards from.

ALUMINIUM STARTER RAIL



H02299

Size 35x8mm

£16.95 per length

3 metres

External trim

External Trim is a perfect finish for external corners of buildings, recesses and framework. The generous Base Plate allows a stable fix into most materials and Top Cover hides expansion gaps on the ends of the cladding boards.

ALUMINIUM EXTERNAL TRIM



H02293

Black coloured

H02294

Brown coloured

HO2295

Grey coloured

Length

35x8mm 3 metres

£58.95 per length

Window/stop trim

Window/stop trim is an elegant solution for window and door frames, internal corners and soffit junctions.

This versatile trim has a variety of uses, the Base Plate is easily fixed to most materials and the Top Cover hides board ends and expansion.

ALUMINIUM WINDOW/STOP TRIM



H02296

Black coloured trim for window surrounds

H02297


Brown coloured

H02298


Grey coloured

35x8mm 3 metres

£35.95 per length



Online at trekkerglobal.com





Order samples

Visit the Trekker website to browse our full range of composite decking & cladding, plus download detailed installation guides and maintenance tips from the virtual information hub.

www.trekkerglobal.com

Showrooms

You can find Trekker at our two depots in Preston and Guildford. You can view a range of samples of our luxury composite decking and cladding, and speak to a member of our team about your specific requirements.

Call us on 01483 310800 to arrange an appointment.



Guildford 11a Midleton Industrial Estate GU2 8XW

Preston 172 Brierley Road Walton Summit Centre PR5 8AH

Returns Policy

LEFTOVER GOODS

If you have any unused packs left over after fitting we can accept these back for credit, subject to the following conditions:

- · Goods must be returned within 30 days from date of delivery (subject to our terms & conditions).
- · A 20% restocking fee applies.
- You are responsible for returning the goods to us at our Guildford Warehouse at your expense. Original
 delivery cost is non-refundable. Refunds will be issued within 14 days of receipt of material into our
 warehouse.
- · Any returned goods must be unopened, no partial packs will be accepted.
- Goods must be in their original, "as new" condition and with original packaging. Any packs returned in a damaged condition or not packaged correctly cannot be credited.
- Handed products must have an equal quantity of Left and Right hands.
- Please note that unfortunately we cannot accept products which are specials or bespoke, made to your specifications or non-stock items especially brought in for your order.
- Any bespoke or non-stock items remaining at our warehouse which are part of a call-off order will be invoiced 14 days after the end of the contract.
- Before returning any goods, a return order number must be obtained from the Trekker Sales Department.
 Please write this number, together with the names of both sender and recipient, clearly on each unit being returned.

GOODS ARRIVED DAMAGED OR SHORT DELIVERED

- Any deliveries with damaged or missing goods should be accepted but must be signed for accordingly (i.e. "damaged" or "short delivered"). Phrases such as "unchecked" will not be accepted.
- Photographs should be taken of any damaged goods at the point of accepting deliveries and forwarded with your claim.
- All damaged or missing goods must be reported to the Trekker Sales Department within 4 days, and a replacement will be sent out to you at the earliest available delivery date.
- If you notice a problem after signing for delivery, then please contact us within 4 days to arrange a replacement. Photographic evidence of any damaged goods must be provided.
- You will not normally be expected to return the damaged packs to us. After your claim has been accepted by us please dispose of the items safely.
- We do advise you to check your packs upon delivery to avoid any unnecessary delays if there is a problem with the delivery.

FAULTY GOODS


• If the products arrive with a manufacturing fault, please contact our customer services telephone line: 01483 310800 or email us: info@trekkerglobal.com. If you call us we will try to sort out your complaint while you are on the phone. If this is not possible the advisor will agree a course of action with you, in line with our terms and conditions.

CHANGING YOUR MIND

- Subject to our terms and conditions, and in line with the Consumer Contracts Regulations 2013, you have 14 days after the day you (or someone you nominate) receives the order, (or where the order is split into several deliveries over different days, 14 days after the date of the last delivery) to notify us that you wish to cancel the order.
- · Please note bespoke or special order products cannot be returned for credit.
- To cancel an order please contact our customer services telephone line: 01483 310800 or email us: info@trekkerglobal.com.
- You must return the products to us as soon as reasonably practicable and in any event within 30 days of delivery.
- The product must not have been removed from their packaging or in any way handled, modified, or installed (such that they are no longer in a saleable condition).
- If you cannot arrange carriage yourself, we can collect the complete order from the address to which they were delivered, on your behalf. Such collection will be at your cost, and at your risk.

Pricing and deliveries

All prices are shown per sqm unless otherwise stated and exclude VAT. Prices are accurate at time of printing. Trekker provide a range of delivery options. Please contact us to discuss a cost-effective delivery solution for your order.





Head Office

172 Brierley Road Walton Summit Centre PR5 8AH

info@trekkerglobal.com T. +44(0)1483 310800 www.trekkerglobal.com



